UNITED STATES		NMENTAL PROTECT		EPA Reg. Number: 239-2698	Date of Issuance: AUG 1 3 200
ANNOUND REAL PROTECTION	Re 120	office of Pesticide Program gistration Division (H750 0 Pennsylvania Avenue,)5C) N.W.	Term of Issuance: Conditional	
THAL PROTECTION		Washington, D.C. 2046	0.	Name of Pesticide Prod	hot
	NOTICE OF	PESTICIDE:			MAX Perimeter
	X Reg			Insect Killer R7	۲ S
(Under FIFRA as amended)	Rer	egistration			•
Name and Address of Registrant			·····	1	
The Scotts Company, 14111 Scottslawn Roa		o Group			
Marysville, Ohio 430					
Note: Changes in labeling differing Registration Division prior to use	ng in substance from th	iat/accepted in connection	n with this registratio	n must be submitted to an	laccepted by the
On the basis of information furnit			La da and sin S. Fort	LA STATISTICS	E FARLE A
and Rodenticide Act.	sned by the registrant,	the above named pesticid	le is hereby registere	d/reregistered under the Fe	deral Insecticide, Fungici
Registration is in no way to be co					
environment, the Administrator, of of any name in connection with the or to its use if it has been covered	he registration of a pro-				
This product is that:	s <u>conditionally</u>	registered in acc	ordance with	FIFRA sec. 3(c)(7	7)(A), provided
	c)(5) when the	Agency requires	all registrants	reregistration of y of similar produc ation of your produc	ts to submit such
FIFRA sec. 3(data; and subm section 4.	c)(5) when the anit acceptable re	Agency requires esponses required	all registrants I for reregistra	of similar produc	ts to submit such uct under FIFRA
FIFRA sec. 3(d data; and subm section 4. 2. You will make	c)(5) when the anit acceptable re the following l	Agency requires esponses required abel changes bet	all registrants 1 for reregistra fore you relea	of similar produc ation of your prod	ts to submit such uct under FIFRA shipment:
FIFRA sec. 3(d data; and subm section 4. 2. You will make a) Revise	c)(5) when the a nit acceptable re the following l the EPA Regis	Agency requires esponses required abel changes bet	all registrants for reregistra fore you releas o read "EPA 1	of similar produc ation of your products se the product for Reg. No. 239-2698	ts to submit such uct under FIFRA shipment:
 FIFRA sec. 3(d data; and subm section 4. 2. You will make a) Revise b) The ac 	c)(5) when the a nit acceptable re the following l the EPA Regis	Agency requires esponses required label changes bet tration Number t	all registrants for reregistra fore you releas o read "EPA 1	of similar produc ation of your products se the product for Reg. No. 239-2698	ts to submit such uct under FIFRA shipment:
 FIFRA sec. 3(d) data; and submisection 4. 2. You will make a) Revise b) The ac Acute of Acute	c)(5) when the a nit acceptable re the following l the EPA Regis cute toxicity pro oral toxicity dermal toxicity	Agency requires esponses required label changes bet tration Number t ofile for this prod IV IV	all registrants for reregistra fore you releas o read "EPA 1	of similar produc ation of your products se the product for Reg. No. 239-2698	ts to submit such uct under FIFRA shipment:
 FIFRA sec. 3(d) data; and submisection 4. 2. You will make a) Revise b) The ac Acute of Acute of Acute i 	c)(5) when the anit acceptable re the following l the EPA Regis cute toxicity pro oral toxicity dermal toxicity inhalation toxic	Agency requires esponses required label changes bet tration Number t ofile for this prod IV IV IV	all registrants for reregistra fore you releas o read "EPA 1	of similar produc ation of your products se the product for Reg. No. 239-2698	ts to submit such uct under FIFRA shipment:
 FIFRA sec. 3(d) data; and submisection 4. 2. You will make a) Revise b) The ac Acute of Acute of Acute i Primary 	c)(5) when the anit acceptable re e the following l the EPA Regist cute toxicity pro- oral toxicity dermal toxicity inhalation toxic y eye irritation	Agency requires esponses required label changes bet tration Number t ofile for this prod IV IV IV IV IV	all registrants for reregistra fore you releas o read "EPA 1	of similar produc ation of your products se the product for Reg. No. 239-2698	ts to submit such uct under FIFRA shipment:
 FIFRA sec. 3(d) data; and submisection 4. 2. You will make a) Revise b) The ac Acute of Acute of Acute of Acute of Primary Primary 	c)(5) when the anit acceptable re the following l the EPA Regis cute toxicity pro oral toxicity dermal toxicity inhalation toxic	Agency requires esponses required label changes bet tration Number t ofile for this prod IV IV IV IV IV	all registrants for reregistra fore you releas o read "EPA 1	of similar produc ation of your products se the product for Reg. No. 239-2698	ts to submit such uct under FIFRA shipment:
 FIFRA sec. 3(d) data; and submisection 4. 2. You will make a) Revise b) The ac b) The ac Acute of Acute of Acut	c)(5) when the a nit acceptable re- e the following l the EPA Regis- cute toxicity pro- oral toxicity dermal toxicity inhalation toxic y eye irritation y skin irritation l sensitization	Agency requires esponses required label changes bet tration Number t ofile for this prod IV IV IV IV IV IV IV Neg.	all registrants for reregistra fore you relea o read "EPA I uct is as follo human preca	of similar produc ation of your products se the product for Reg. No. 239-2698	ts to submit such uct under FIFRA shipment: ."
 FIFRA sec. 3(d) data; and submisection 4. 2. You will make a) Revise b) The ac b) The ac Acute of Acute of Acut	c)(5) when the a nit acceptable re- e the following l the EPA Regis- cute toxicity pro- oral toxicity pro- oral toxicity dermal toxicity inhalation toxic y eye irritation y skin irritation l sensitization on the toxicity pents are required ent "Do not app	Agency requires esponses required label changes bet tration Number t ofile for this prod IV IV IV IV IV IV Neg. profile above, no d. You may dele	all registrants I for reregistra fore you relead o read "EPA I uct is as follo human precate the these preca	of similar produc ation of your products the product for Reg. No. 239-2698 ws:	ts to submit such uct under FIFRA shipment: t or first aid bel. Move the
 FIFRA sec. 3(d) data; and submisection 4. 2. You will make a) Revise b) The ac b) The ac Acute of Acute of Acute i Primary Primary Dermal Based of statements 	c)(5) when the anit acceptable re- e the following late the EPA Registrate toxicity pro- oral toxicity dermal toxicity inhalation toxic y eye irritation y skin irritation l sensitization on the toxicity pents are required ent "Do not app	Agency requires esponses required label changes bet tration Number t ofile for this prod IV IV IV IV IV IV IV Neg. profile above, no d. You may dele ly this product to	all registrants for reregistra fore you relead o read "EPA I uct is as follo human precate these precato humans or at	of similar produc ation of your products the product for Reg. No. 239-2698 ws: utionary statement utions from the la	ts to submit such uct under FIFRA shipment: t or first aid bel. Move the
 FIFRA sec. 3(d) data; and submisection 4. 2. You will make a) Revise b) The ac b) The ac Acute of Acute of Acut	c)(5) when the anit acceptable re- e the following late the EPA Regiss oute toxicity pro- oral toxicity dermal toxicity inhalation toxic y eye irritation y skin irritation l sensitization on the toxicity pents are required ent "Do not app	Agency requires esponses required label changes bet tration Number t ofile for this prod IV IV IV IV IV Neg. profile above, no d. You may dele ly this product to AMA er (13)	all registrants for reregistra fore you relead o read "EPA I uct is as follo human precate these precato humans or at	of similar product ation of your products the product for Reg. No. 239-2698 ws: utionary statement utions from the lanimals" to the Dir	ts to submit such uct under FIFRA shipment: ." t or first aid bel. Move the ections for Use

1/9

- c) Revise the following public health pests claims as follows:
 - Delete scorpions, centipedes, carpenter and pharaoh ants. The data cited doesn't support these pest claims.
 - Replace "spiders" with "spiders (except black widow & brown recluse)"
- d) Replace "* 1 month control on Mosquitoes, Fleas, Cockroaches, and Flies" with "Up to 1 month control on Mosquitoes, Fleas, Cockroaches and Flies". Also replace "One application keeps bugs out for 1 month!*" with "One application keeps listed insects out up to 1 month!*"
- e) On page 2, delete "(over) 2 times" from the statement "Treats the average 2,000 sq ft home".
- f) On page 3, replace "To keep insects from entering the house" with "To keep fleas and cockroaches from entering the house".
- g) The following marketing claims are misleading with respect to the efficacy of this product. Delete or revise as indicated:
 - Invisished technology creates a long lasting* barrier around your home foundation! * 1 month control on Mosquitoes, Fleas, Cockroaches, and Flies †
 - 2. Kills all major home invading insects!
 - 3. Kills on contact
 - 4. Specially formulated for residential use.
 - 5. Ortho Home Defense Max Perimeter Insect Killer can be used to control home invading pests such as Ants (including Carpenter, Lasius, red harvester, pavement, odorous, pyramid, pharaoh, and Argentine), eentipedes, cockroaches (including American, Asian, German), crickets, earwigs, fleas, house flies, millipedes, mosquitoes, palmetto bugs, scorpions, sowbugs, spiders (excluding black widow and brown recluse spiders), and ticks (including American, deer tick, brown dog tick).
 - 6. Provides residual control* *for listed insects up to 1 month against mosquitoes, fleas, cockroaches, and flies
 - 7. Broad-spectrum insect control

8. Provides fast knockdown

- 9. Kills/controls *listed* outdoor insects/pests by contact.
- 10. Kills on contact (Guaranteed)

11. Kills over 150 insects

12. Create a long-lasting bug barrier!* * for listed insects †

- 13. Create an exterior (home perimeter) bug barrier! †
- 14. One application keeps bugs out for an entire month!* *for listed insects †
- 15. Keeps bugs away for 1-month* (an entire month*)! * for listed insects
- 16. Keeps bugs out (for 1 month!* *for listed insects) †
- 17. Keeps bugs from coming inside (the house)! †
- 18. Creates a protective barrier that keeps insects/pests from coming in the house (home) †

h) Delete the statement "For more information and a demonstration on how to apply Ortho® Home Defense® Max® visit <u>www.HomeDefenseMax.com</u>". The web site information has to be submitted to the Agency for review prior to approval.

- i) Generate and submit the results of an one year storage stability (830.6317) and corrosion characteristics (830.6320) study to the Agency on completion. It is required that the observations be made at 0, 3, 6, 9, and 12 months intervals.
 - j) Please submit three (3) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.
 - k) Refer to PR Notice 2008-1 and revise the environmental hazard statements in accordance with this Notice.
 - 1) On front panel add "For Outdoor Residential Use Only".
 - m) If the product is marketed only with a ready to use spray system you may delete the statement about Food Utensils on page of the label.

Enclosed is a copy of the efficacy review for your information. If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

ACCEPTED with COMMENTS In EPA Letter Dated AUG 1 3 2008 Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended, for the pesticide registered under EPA Reg. No.

ORTHO Home Defense MAX (Outdoor) Perimeter (Exterior) Insect Killer Ready-Spray

[SPOT LABEL]

Create a bug barrier (around your home!) (around your home's perimeter!) (around your home foundation!)

[FRONT LABEL]

ORTHO®

HOME DEFENSE® MAX®

(Outdoor) Perimeter (Exterior) Insect Killer Ready-Spray® (Concentrate)

One application keeps bugs out for 1 month!*

GUARANTEED.*

Active Ingredient Bifenthrin*0.3% Other Ingredients99.7%

* Cis isomers 97% minimum, trans isomers 3% maximum U.S. Patent No. 4,238,505

InvisiShield[®] Bug Barrier

For residential outdoor use only.

KEEP OUT OF REACH OF CHILDREN CAUTION See back panel booklet for additional precautionary statements.

NET/NETO 32 FL OZ (1 QT) 946 mL FORM TBD [ITF CODE IS TBD] [BACK COVER PAGE]

[Reentry icon] PEOPLE AND PETS MAY ENTER TREATED AREA AFTER APPLICATION HAS DRIED.

13.AUG.2008

Page 1 of 6

[Corner flap] OPEN Resealable Label for Directions & Precautions (Indicate page where Spanish begins) PRESS TO RESEAL [Placed on base of label.]

ORTHO®

HOME DEFENSE® MAX®

(Outdoor) Perimeter (Exterior) Insect Killer Ready-Spray

Invisishield[®] technology creates a long lasting* barrier around your home foundation!

Use Outside Your Home!

(Usage Illustrations)

Perimeter	Exterior
Foundation	Doors & Windows

Treats the average 2,000 sq ft home (over) 2 times!

* 1 month control on Mosquitoes, Fleas, Cockroaches, and Flies

Kills all major home invading insects! Kills on Contact Non-Staining Odor-Free

For more information and a demonstration on how to apply Ortho[®] Home Defense[®] Max[®], visit <u>www.HomeDefenseMax.com</u> or call 1-800-225-2883.

Specially formulated for residential use. DO NOT USE INSIDE DWELLINGS.

Manufactured for THE ORTHO GROUP P.O. Box 190 Marysville OH 43040 Form TBD EPA Reg. No. 239-XXXX EPA Est. 239-IA-3 1, 58996-MO-1A Superscript is first letter of lot number Made in USA

[UPC code] [ITF code]

[Inner back labels]

13.AUG.2008

Ortho & Your Environment

Your home and yard are places for family and pets to enjoy. That's why Ortho[®] products are designed with care to provide effective solutions to insect problems inside and outside your home. For best results and a healthy environment, please follow instructions for appropriate usage, storage and disposal.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Food utensils such as spoons and measuring cups must not be used for food purposes after use with pesticides.

ORTHO HOME DEFENSE® MAX® Perimeter Insect KILLER can be used to control Home Invading Pests such as Ants (including Carpenter, Lasius, red harvester, pavement, odorous, pyramid, pharaoh and Argentine), centipedes, cockroaches (including American, Asian, German), crickets, earwigs, fleas, house flies, millipedes, mosquitoes, palmetto bugs, scorpions, sowbugs, spiders, and ticks (including American, deer tick, brown dog tick).

now to obe the heady-		
Connect	1.	Shake well before using.
	2.	Connect sprayer to hose.
		Turn on water.
Spray	1.	To begin spraying, point nozzle in the
		direction you want to spray.
	2.	Bend small plastic tab back and turn
		knob clockwise to ON position.
	3.	Spray as directed in the "HOW TO
	x.	APPLY" section.
Finish	1.	To STOP spraying, rotate the knob
· ·		counterclockwise to the OFF position.
	2.	Turn off water.
	3.	Relieve water pressure by pending the
		plastic tab back and turning knob to
		ON position until water slows to a
		drip. Then, turn knob back to OFF
		position.
	4.	Disconnect sprayer from hose.

HOW TO USE the Ready-Spray System:

HOW TO APPLY:

Outdoor	To keep insects from entering the house:
Perimeter Treatment Application	• Spray a 4 foot band around the house next to the foundation both on the soil and up the side of the house, using the illustration shown as an example.
	(Illustration)
	• This package will treat up to 360
12 200	

13.AUG:2008

Page 3 of 6

 linear feet with a 4 foot band of product. Apply product at a rate of approximately 1 linear foot for every 2 seconds. [For example, if your
house's footprint is 2,000 square feet (45 ft x 45 ft), it would take approximately 1.25 minutes to treat each side of the house.]
 In addition to the foundation, product can also be used around window frames and doorways, on porches and patios, along eaves and exterior siding.

WHEN TO REAPPLY

Repeat application is necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

DO NOT TREAT FIREWOOD

STORAGE AND DISPOSAL [Add box around heading.]

STORAGE: Keep from freezing. Keep pesticide in original container. Do not put in food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: If empty: Do not reuse this container. Place in trash of offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION: Do not apply this product to humans or animals.

FIRST AID +		
IF SWALLOWED:	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.	
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.	

13.AUG.2008

Page 4 of 6

IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER:	Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for Emergency Assistance.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds. This product is highly toxic to bees exposed to direct treatment of residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

*The ORTHO Guarantee:

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

© 2008 Licensed by The Ortho Group. World rights reserved.

Manufactured for The ORTHO Group P.O. Box 190 Marysville, OH 43040 Form TBD EPA Reg. No. 239-XXXX EPA Est. 239-IA-3^I, 58996-MO-1^A Superscript is first letter of lot number Made in USA

13.AUG.2008

[ALTERNATE MARKETING CLAIMS]

- Kills ticks that may transmit Lyme Disease
- Kills mosquitoes that may transmit West Nile Virus
- Provides residual control* *for listed insects
- Broad-spectrum insect control
- Provides fast knockdown
- Kills/controls outdoor insects/pests on contact so you and your family can enjoy your home
- Kills on contact (Guaranteed)
- Kills over 150 insects
- Create a long-lasting bug barrier!* *for listed insects
- Create an exterior (home perimeter) bug barrier!
- One application keeps bugs out for an entire month!* *for listed insects
- Keeps bugs away for 1 month* (an entire month*)! *for listed insects
- Keeps bugs out (for 1 month!* *for listed insects)
- Keeps bugs from coming inside (the house)!
- Creates a protective barrier that keeps insects/pests from coming in the house(home)
- Easy-to-use perimeter treatment
- Easy-to-use sprayer
- No mixing, no measuring- just spray!
- Great for treating the (exterior) home (house) foundation!
- Great for treating large areas (like (around) the home (house) foundation)!

Page 6 of 6