

239-2700

01/20/2011

1/14



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Chemical Safety and Pollution Prevention
 Office of Pesticide Programs
 Registration Division (7504P)
 1200 Pennsylvania Ave., N.W.
 Washington, DC 20460

EPA Reg. Number: **239-2700**
 Date of Issuance: **JAN 20 2011**

Term of Issuance:
 Conditional

NOTICE OF PESTICIDE:
 Registration
 Reregistration
 (under FIFRA, as amended)

Name of Pesticide Product:
**Triticonazole
 Concentrate
 Fungicide**

Name and Address of Registrant (include ZIP Code):
**The Scotts Company
 d/b/a The Ortho Group
 P.O. Box 190
 Maryville, OH 43040**

Mailed to:
**Jim Wallace
 Director of Regulatory Affairs**

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

Signature of Approving Official:

Shaja B. Joyner
 Shaja B. Joyner, Product Manager (20)
 Fungicide Branch/Registration Division/OPP/OCSP (7504P)

Date:
JAN 20 2011

2. You must submit the following conditional data before the due date of April 30, 2012:

- a. Storage-Stability (830.6317) and Corrosion Characteristics (830.6320) studies.
- b. Avian Reproduction (850.2300) and Aquatic invertebrate life cycle (freshwater) (850.1300) studies.
- c. Immunotoxicity (870.7800) study.

3. Make the following change to the label:


- a. Change the product registration number to "EPA Reg. No. 239-2700".
- b. On page 1 of 11, replace the "Contains .079 lbs. Triticonazole per gal" with the following statement, "*Contains 0.079 lbs of triticonazole per U.S. gallon."
- c. On page 1 of 11, replace, the "See back panel booklet for additional precautionary statements" with the following statement, "See side or back panel for First Aid statements and additional precautionary statements".
- d. On page 2 of 11, remove the parentheses from around "& DOMESTIC ANIMALS" and within the precautionary statements, insert commas after, "eyes", "eating", and "drinking". Also, add the following statements, "Wear long-sleeved shirt, long pants, socks, shoes, and gloves. Remove and contaminated clothing before reuse."
- e. On page 2 of 11, within the "First Aid" box insert "OR CLOTHING" after "IF ON SKIN", align bullets and after "IF IN EYES" make the statement beginning with "Remove contact lenses....." a new bullet. After the "NOTE TO PHYSICIAN" remove "There is no specific antidote" and move the Box to the top of the page.
- f. On page 9 of 11, please remove the website from the label. As an alternative, you may refer consumers to the company's phone number or e:mail address. Should you wish to add/retain a reference to the company's website on your label, please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration

process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

- g. On page 10 of 11, under "Efficacy" item #10 remove "/&".
 - h. On page 10 of 11, under "Residual" delete item #21 "Long-lasting protection".
4. Submit one copy of the revised final printed label for the record before the product is released for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A copy of the label stamped "Accepted with Comments" is enclosed for your records.


Shaja B. Joyner
Product Manager (20)
Fungicide Branch
Registration Division (7504P)

4/14

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.
EPA File Symbol 239-ETNN

Triticonazole Concentrate Fungicide

ACCEPTED
with COMMENTS
In EPA Letter Dated

JAN 20 2011

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
239-2700

Alternate Brand Names

- Ortho[®] Max[™] Rose Pride[®] Disease Control
- Ortho[®] Max[™] Garden Disease Control
- Ortho[®] Rose Pride[®] Disease Control
- Ortho[®] Disease Control
- Ortho[®] Max[™] Lawn Disease Control
- Ortho[®] Lawn Disease Control

[ICON] For Residential [Indoor and] Outdoor Use Only

ACTIVE INGREDIENT:

Triticonazole.....	1.0%
OTHER INGREDIENTS.....	99.0%
Total	100.0%

Contains .079 lbs. Triticonazole per gal

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel booklet for additional precautionary statements.

Net Contents: 1 qt. (32 fl oz.) / (946 ml.)

[PEEL HERE]

[OPEN RESEALABLE LABEL FOR DIRECTIONS & PRECAUTIONS]

[PRESS TO RESEAL]

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.
EPA File Symbol 239-ETNN

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

FIRST AID	
IF ON SKIN	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
For Medical Emergencies, Call 24 Hours a Day 1-800-225-2883	
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
NOTE TO PHYSICIAN: There is no specific antidote. Treat symptomatically.	

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This pesticide is toxic to wildlife. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treated area.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text.] Text separated by / denotes and/or options.
 EPA File Symbol 239-ETNN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT APPLICATION INFORMATION

- For [indoor and] outdoor residential use only.
- Do not apply this product in a way that causes the spray to contact people, either directly or through drift.
- Keep children and pets out of treated areas until sprays have thoroughly dried.
- When applying outdoors:
 - Do not apply if wind speed exceeds 10 mph.
 - Always stand "up wind" when applying this product.

LAWNS	
TO TREAT THESE DISEASES	<p>Brown Patch, Anthracnose, Melting out leaf spot (Grey leaf spot), Dollar spot, Take-all patch, Red thread, Helmithosporum leaf spot, Brown ring patch (Waitea patch), Fusarium patch, Pink patch, Grey snow mold, Pink snow mold, Necrotic ring spot, Red leaf spot, Large patch, Zoysia patch, Yellow spot, Rust</p> <p>Also suppresses algae growth!</p>
ON THESE PLANTS	<p>Lawns</p>
USE THIS AMOUNT	<p>LIGHT INFESTATIONS 2 oz. per gallon of water for each 100 sq. ft. of lawn Ortho® Dial 'N Spray® setting is 2 oz. 32 oz. bottle will treat 1600 sq. ft.</p> <p>HEAVY INFESTATIONS 4 oz. per gallon of water for each 100 sq. ft. of lawn Ortho® Dial 'N Spray® setting is 4 oz. 32 oz. bottle will treat 800 sq. ft.</p> <p>Do not apply more than 120 oz. per 1000 sq. ft. per year (3.36 lbs of active ingredient / Acre / Year)</p>
WHEN TO APPLY	<p>Apply as soon as disease problems are noticed. Wait 2 to 4 weeks to re-apply if disease problems reappear.</p>

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.
EPA File Symbol 239-ETNN

“How to Apply” Instructions – Specific option appearing on label depends on packaging and applicator

HOW TO APPLY	Option 1 for Ready-To-Spray Hose End Applicator
	<p>FOR BEST RESULTS Shake container gently before using.</p> <ul style="list-style-type: none"> ▪ [Measure the total [entire] [lawn] area to be sprayed. For rectangular areas, multiply the length by width to obtain total square feet.] <p>Connect: [illustration]</p> <ul style="list-style-type: none"> ▪ Connect/Attach/Sprayer/bottle to end of hose ▪ Turn on water ▪ Extend hose to farthest area of lawn to be treated <p>Spray: [illustration]</p> <ul style="list-style-type: none"> ▪ To begin spraying, [disengage safety lock and] point nozzle in the direction you want to spray. ▪ Slide thumb activation switch forward to ON position. ▪ Spray evenly over measured area <p>Finish: [illustration]</p> <ul style="list-style-type: none"> ▪ To STOP spraying, slide thumb activation switch backward to OFF position. ▪ Turn off water. ▪ Relieve water pressure by sliding thumb switch to ON [WATER] [WATER ONLY] position until water slows to a drip. Then, slide switch back to OFF position [and engage safety lock]. ▪ Disconnect the sprayer from hose. <p>Do not use hose end applicator indoors</p>

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.
EPA File Symbol 239-ETNN

HOW TO APPLY	<p style="text-align: center;">Option 2 for Ready-To-Spray Hose End Applicator</p> <p>FOR BEST RESULTS Shake container gently before using.</p> <ul style="list-style-type: none"> ▪ [Measure the total [entire] [lawn] area to be sprayed. For rectangular areas, multiply the length by width to obtain total square feet.] <p>Connect: [illustration]</p> <ul style="list-style-type: none"> ▪ Connect/Attach Sprayer/bottle to end of hose ▪ Turn on water ▪ Extend hose to farthest area of lawn to be treated <p>Spray: [illustration]</p> <ul style="list-style-type: none"> ▪ Hold/Direct/Point sprayer towards the area to be treated. ▪ Bend small plastic tab back and turn knob clockwise to ON position. ▪ Spray evenly over measured area. <p>Finish: [illustration]</p> <ul style="list-style-type: none"> ▪ To stop spraying, turn the knob to the OFF position. ▪ Turn off water. ▪ To relieve water pressure, turn knob to ON position until water slows to a drip. Turn the knob back to the OFF position. ▪ Disconnect the sprayer from hose. <p>Do not use hose end applicator indoors</p>
---------------------	--

HOW TO APPLY	<p style="text-align: center;">Tank Sprayer</p> <p>FOR BEST RESULTS Shake container gently before using.</p> <ul style="list-style-type: none"> ▪ [Measure the total [entire] [lawn] area to be sprayed. For rectangular areas, multiply the length by width to obtain total square feet.] <p>Spray: [illustration]</p> <ul style="list-style-type: none"> ▪ For light infestations mix 2 oz of product per gallon of water. ▪ For heavy infestations mix 4 oz of product per gallon of water. ▪ Plan to begin spraying the farthest area of lawn to be treated, working your way back. ▪ Direct/Point sprayer towards area to be treated. ▪ Spray evenly over measured area. Each gallon treats 100 sq. ft.
---------------------	---

9/14

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text.] Text separated by / denotes and/or options.
 EPA File Symbol 239-ETNN

Ortho® Dial 'N Spray® Applicator	
HOW TO APPLY	FOR BEST RESULTS Shake container gently before using.
	Prepare applicator: [illustration]
	<ul style="list-style-type: none"> ▪ Set dial to 2 fl oz. for light infestations and 4 fl oz. for heavy infestations ▪ Add 16 fl oz. to sprayer jar ▪ DO NOT add water.
	Connect: [illustration]
	<ul style="list-style-type: none"> ▪ Attach hose to the sprayer.
	Spray: [illustration]
	<ul style="list-style-type: none"> ▪ Extend hose to farthest area of lawn to be treated. ▪ Point nozzle in direction you want to spray. ▪ For light infestations, spray evenly over 800 sq. ft. (40 ft. x 20 ft. area) until jar is empty ▪ For heavy infestations, spray evenly over 400 sq. ft. (20 ft. x 20 ft. area) until jar is empty
	Finish: [illustration]
	<ul style="list-style-type: none"> ▪ Pour unused product back into its original container. ▪ Rinse jar with water ▪ Clean sprayer by squeezing and releasing trigger in 2 short bursts ▪ Turn off water. Squeeze trigger to relieve water pressure. ▪ Disconnect hose.
	Do not use Ortho® Dial 'N Spray® Applicator indoors

End of lawns section

GARDENS	
TO TREAT THESE DISEASES	Black spot, Powdery mildew, Rust, Leaf spots, Anthracnose
ON THESE PLANTS	Ornamentals, Roses, Flowers, Trees, Shrubs
USE THIS AMOUNT	2 oz. per gallon Ortho® Dial 'N Spray® setting is 2 oz.
WHEN TO APPLY	Apply as soon as disease problems are noticed. Wait 2 to 4 weeks to re-apply if disease problems reappear. Each gallon is intended to treat 100 sq ft of garden area. Do not apply more than 5 times in a season. (2.28 lbs of active ingredient / Acre / Year)

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.
EPA File Symbol 239-ETNN

“How to Apply” Instructions – Specific option appearing on label depends on packaging and applicator

HOW TO APPLY	<p style="text-align: center;">Option 1 for Ready-To-Spray Hose End Applicator</p> <p>FOR BEST RESULTS Shake container gently before using.</p> <p>Connect: [illustration]</p> <ul style="list-style-type: none"> ▪ Connect/Attach/Sprayer/bottle to end of hose ▪ Turn on water <p>Spray: [illustration]</p> <ul style="list-style-type: none"> ▪ To begin spraying, [disengage safety lock and] point nozzle in the direction you want to spray making sure that the end of the nozzle is 8 to 12 inches away from the plants. ▪ Slide thumb activation switch forward to ON position. ▪ Direct spray toward the upper and lower leaf surfaces and stems. ▪ Spray until the surface of the foliage is wet. <p>Finish: [illustration]</p> <ul style="list-style-type: none"> ▪ To STOP spraying, slide thumb activation switch backward to OFF position. ▪ Turn off water. ▪ Relieve water pressure by sliding thumb switch to ON [WATER] [WATER ONLY] position until water slows to a drip. Then, slide switch back to OFF position [and engage safety lock]. ▪ Disconnect the sprayer from hose. <p>Do not use hose end applicator indoors</p>
	<p style="text-align: center;">Option 2 for Ready-To-Spray Hose End Applicator</p> <p>FOR BEST RESULTS Shake container gently before using.</p> <p>Connect: [illustration]</p> <ul style="list-style-type: none"> ▪ Connect/Attach Sprayer/bottle to end of hose ▪ Turn on water <p>Spray: [illustration]</p> <ul style="list-style-type: none"> ▪ Hold/Direct/Point sprayer towards the area to be treated making sure that the end of the nozzle is 8 to 12 inches away from the plants. ▪ Bend small plastic tab back and turn knob clockwise to ON position. ▪ Direct spray toward the upper and lower leaf surfaces and stems. ▪ Spray until the surface of the foliage is wet. <p>Finish: [illustration]</p> <ul style="list-style-type: none"> ▪ To stop spraying, turn the knob to the OFF position. ▪ Turn off water. ▪ To relieve water pressure, turn knob to ON position until water slows to a drip. Turn the knob back to the OFF position. ▪ Disconnect the sprayer from hose. <p>Do not use hose end applicator indoors</p>

11/14

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.
EPA File Symbol 239-ETNN

<p>HOW TO APPLY</p>	<p style="text-align: center;">Tank Sprayer</p> <p>FOR BEST RESULTS Shake container gently before using.</p> <p>Spray [illustration]</p> <ul style="list-style-type: none"> ▪ Mix 2 oz of product per gallon of water. ▪ Hold sprayer 8 to 12 inches from the area to be treated. ▪ Direct spray toward the upper and lower leaf surfaces and stems. <p>Spray only until the surface of the foliage is wet.</p>
	<p style="text-align: center;">Ortho® Dial 'N Spray® Applicator</p> <p>FOR BEST RESULTS Shake container gently before using.</p> <p>Prepare applicator: [illustration]</p> <ul style="list-style-type: none"> ▪ Set dial to 2 fl oz. ▪ Add 16 fl oz. to sprayer jar ▪ DO NOT add water. <p>Connect: [illustration]</p> <ul style="list-style-type: none"> ▪ Attach hose to the sprayer. <p>Spray: [illustration]</p> <ul style="list-style-type: none"> ▪ Hold sprayer 8 to 12 inches from the area to be treated. ▪ Direct spray toward the upper and lower leaf surfaces and stems. ▪ Spray only until the surface of the foliage is wet. <p>Finish: [illustration]</p> <ul style="list-style-type: none"> ▪ Pour unused product back into its original container. ▪ Rinse jar with water ▪ Clean sprayer by squeezing and releasing trigger in 2 short bursts ▪ Turn off water. Squeeze trigger to relieve water pressure. ▪ Disconnect hose. <p>Do not use Ortho® Dial 'N Spray® Applicator indoors</p>

12/14

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.
EPA File Symbol 239-ETNN

HOUSEPLANTS [INDOORS]	
TO TREAT THESE DISEASES	Black spot, Powdery mildew, Rust, Leaf spots, Anthracnose
ON THESE PLANTS	Houseplants
USE THIS AMOUNT	2 oz of product per gallon of water
WHEN TO APPLY	Apply as soon as disease problems are noticed. Wait 2 to 4 weeks to re-apply if disease problems reappear. Do not apply more than 5 times in a season.
HOW TO APPLY	<p style="text-align: center;">Tank Sprayer</p> <p>FOR BEST RESULTS Shake container gently before using.</p> <ul style="list-style-type: none"> ▪ Mix 2 oz of product per gallon of water. ▪ Hold sprayer 8 to 12 inches from the area to be treated. ▪ Direct spray toward the upper and lower leaf surfaces and stems. ▪ Spray only until the surface of the foliage is wet.

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place; preferably in a locked storage area.

DISPOSAL: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[phone icon]

Questions, Comments or Medical Information?
¿Preguntas, Comentarios o Información Médica?
1-800-225-2883

www.ortho.com [computer icon]

Ortho & Your Environment – Your home and yard are places for family and pets to enjoy. That’s why Ortho® products are designed with care to provide effective solutions to pest problems inside and outside your home. For best results please follow instructions for appropriate usage, storage and disposal.

The ORTHO Guarantee
If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

13/14

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.
EPA File Symbol 239-ETNN

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not used in accordance with directions.

© 2010, Licensed by The ORTHO Group. World rights reserved.

Made in USA

Sold By: The Ortho Group
P.O. Box 190 Marysville, OH 43040
EPA Reg. No. 239-NEW
EPA Est. 239-IA-3^l, 52251-OR-005^K, 58996-MO-1^A 239-MS-1^M (*Superscript is first letter of lot number*)

Additional Marketing Claims

Efficacy

1. For control of listed diseases on plants
2. Rescues plants from listed diseases
3. Systemic fungicide works through the leaves and stems to protect
4. Controls and protects from the inside out
5. Cures listed diseases and restores beauty to plants
6. Rainproof/Rainfast protection – won't wash off once it is dry
7. Controls/ Stops/Prevents listed [garden] diseases – [insert any combination of listed diseases].
8. For effective control of a broad spectrum of listed diseases [commonly] found on Lawns/Roses/Flowers/Ornamentals/Trees/ [&] Shrubs.
9. Controls/ Stops/Prevents [common] listed diseases on Lawns/Roses/Flowers/Ornamentals/Tree/ [&] Shrubs.
10. Controls and/ & prevents [the three major listed diseases for roses] [Black Spot, Powdery Mildew and Rust] [and other listed ornamental diseases.]
11. Systemic action – can't be washed off by rain once dried
12. Protects the whole plant [including the new shoots]
13. Prevents rose defoliation caused by listed diseases
14. Fights existing infection of listed diseases
15. Protects new growth
16. Defend What's Yours™ for [up to 4] weeks

Speed

17. Starts working by contact
18. Starts working within [24] hours

Residual

19. Provides [up to 4] weeks of control
20. Prevents/Controls for [up to 4] weeks [against] listed [Lawn/Rose/Flower/Ornamental/Tree/ [&] Shrub diseases]
21. Long-lasting protection

14/14

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.
EPA File Symbol 239-ETNN

- 22. Longer-lasting protection (up to 4 weeks control of listed diseases)*
 - 23. Protects twice as long*
 - 24. Protects 2 [two] times longer, [up to 4 weeks!], [Guaranteed]*
 - 25. Control(s)/ Stop(s)/Prevent(s) [up to] [3 times] more diseases with [up to] [75%] less chemicals/active ingredient*
 - 26. Control(s)/ Stop(s)/Prevent(s) [up to] [3 times] more diseases with [one-third [1/3] the chemicals/active ingredient*
- *vs. original Ortho Rose Pride Disease Control (6.5% Triforine)

Usage

- 27. Will not harm Roses/(&) Flowers [or foliage] /Lawns/Ornamentals/ Trees/Shrubs
- 28. Defense/Protection/Safeguard for roses.
- 29. Safe for roses
- 30. Does not stain flowers and leaves
- 31. Enjoy the full beauty of plants, without white residue!
- 32. [Leaves] no white residue
- 33. Perfect/Ideal/Developed/Formulated/Designed for Lawns/Roses/Flowers/Ornamentals/Trees/(&)Shrubs

Applicator Claims

- 34. Ready to Spray Hose-end applicator
- 35. Gentle shower applicator- won't harm plants [or blooms]
- 36. Gentle shower applicator- won't damage plants [or blooms]
- 37. One-handed operation
- 38. Ergonomic [design]
- 39. Ready-Spray® [Ready-to-Spray] [Applicator Name]
- 40. [Simply] attach to [garden] hose and spray [go]
- 41. No mixing required (claim for use with hose-end sprayers that automatically mix)
- 42. Gentle shower [applicator] [spray pattern]
- 43. Broadcast [applicator] [spray pattern]
- 44. Easy [to use]
- 45. Simple [and easy] [to use]
- 46. Convenient
- 47. Economical – use to cover large areas
- 48. Easily cover large areas
- 49. Hand doesn't get wet [Hand stays dry]
- 50. Easy grip [control]
- 51. Includes water [only] setting [option]

Houseplants

- 52. Controls your Indoor and/& Outdoor Plants from listed diseases
- 53. Controls Houseplants from listed diseases
- 54. Non-staining