# DIBROM KELTHANE KARATHANE 2-3-1 Dust



### (INSECTICIDE-MITICIDE-FUNGICIDE)

Active Ingredients	By ₩
* * Naled	2 001
1,1-bis p-chlorophenyl -2,2,2 trichloroethanol	3 00'
2,4-Dinitro-6-octyl*** phenyl crotonate	0.731
2,6-Dinitro-4-octyl*** phenyl crotonate	9/3
Nitrooctyl*** phenols principally dinitro	0.051
Inert Ingredients	94 221
**1,2-dibromo-2,2-dichloroethyl-dimethyl-phosphate	
***A mixture of 1-methylheptyl, 1-ethylhexyl, 1-propy	pentyl
isomers	

U. S. Pat. No. 2,971,882

Use within 3 days of manufacture only, as this product decomposes.

Date of Monufacture

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

STORE IN COOL, DRY PLACE.
OUT OF DIRECT SUNLIGHT.

BURN BAG IMMEDIATELY WHEN EMPTY STAY OUT OF SMCKE.

# NET WEIGHT 50 LBS.


Chevron Chemical Company

Ortho Division/San Francisco Calif 94119

Richmond California Fresno California Honofula, Hawan Des Moines, Iowa Perth Aniboy, New Jersey Orlando, Florida

Form 7227 F Product 3780 Made in U.S.A.

EPA REG. NO. 239-2150-AA





## READ THE LABEL

#### KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. May cause irritation of eyes, skin, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. In case of contact, wish thoroughly. Keep out of eyes. Do not take internally. Wash thoroughly ofter using. Do not store or transport near feed or food. Do not use on cherries as injury may result. May corrode metal dust equipment, clean equipment after use. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

This product is toxic to fish. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

#### DIRECTIONS

This product is formulated for application by ground or air equipment.

CANTALOUPES, HONEYDEWS, MUSKMELONS: Powdery Mildew, Aphids, Loopers, Mites, Diahrotica Beetles, Lygus Bugs—50 lbs. per acre. Apply at first sign of disease and insects. Repeat at 1 to 2-week intervals as necessary to maintain central. Do not apply within 7 days of harvest

CONDITIONS OF SALE: 1 Chevron Chemical Company (Chevron warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user act nowledge and assume all risks and liability 'except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

T.M. Reg. U. S. Pat. Off. by Rohm & Haas Co.