



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 7, 2020

Mandy Slack
Senior Analyst, Regulatory Affairs
The Scotts Company d/b/a The Ortho Group
P.O. Box 190
Marysville, OH 43040

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment – Acceptable Revision to add OMRI and “For Organic Production” claims, Correct a Typo on Page 4 and 11, Add Marketing Claims to the Label, and Revise the Residential Use Sublabel; Minor Revisions to the Basic CSF dated 01/15/2020
Product Name: NNS 8766314
EPA Registration Number: 239-2754
Application Date: 04/04/2019
OPP Decision Number: 550150

Dear Ms. Slack:

The amended labeling and Confidential Statement of Formula (CSF) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

Please note that the record for this product currently contains the following acceptable CSF:

- Basic CSF dated 01/15/2020

Any CSFs other than that listed above are superseded/no longer valid.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling

or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the U.S. Environmental Protection Agency (EPA). If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Alex Horansky by phone at (703) 347-0128 or via email at Horansky.alex@epa.gov.

Sincerely,



Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)
Office of Pesticide Programs

Enclosure

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-2754

NNS 8766314

[CONCENTRATE]

Non-selective Herbicide

FOR ORGANIC GARDENING

NOT FOR FOOD USE

SUBLABEL A: FOR COMMERCIAL USE

FOR CONTACT SPRAY CONTROL OR BURNDOWN OF WEEDS AND GRASSES
FOR ORNAMENTALS, TURF, LANDSCAPES, INTERIORSCAPES, GREENHOUSES AND
RESIDENTIAL SITES

SUBLABEL B: FOR RESIDENTIAL USE

FOR CONTACT SPRAY CONTROL OR BURNDOWN OF WEEDS AND GRASSES FOR HOMES
AND GARDENS

Active ingredient:

Ammonium Nonanoate 40.0 wt. %

Other ingredients 60.0 wt. %

Total 100.0 wt. %

NNS 8766314 contains 3.3 lbs. of ammonium nonanoate per US gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

See back/side/top/bottom [panel/label] for additional precautionary statements

ACCEPTED

02/07/2020

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under

EPA Reg. No. 239-2754

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-2754

SUBLABEL A: FOR COMMERCIAL USE

FOR CONTACT SPRAY CONTROL OR BURNDOWN OF WEEDS AND GRASSES
FOR ORNAMENTALS, TURF, LANDSCAPES, INTERIORSCAPES, GREENHOUSES AND
RESIDENTIAL SITES

NNS 8766314

Non-selective Herbicide
FOR ORGANIC GARDENING
NOT FOR FOOD USE

Active ingredient:

Ammonium Nonanoate40.0 wt.%

Other ingredients 60.0 wt.%

Total 100.0 wt.%

NNS 8766314 contains 3.3 lbs. of ammonium nonanoate per US gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING "AVISO"

**"Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)"**

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
Emergency Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment information.	

EPA Reg. No. 239-2754

EPA Est. No. XXXXX

[Superscript is first letter of lot number]

Lot No. XXXXX

NET CONTENTS: XX FL OZ (X [GAL/QT/PT]) XX [L/mL]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Warning. Causes substantial, but temporary eye irritation. Do not get in eyes or on clothing. Wear goggles. Harmful if inhaled. Avoid breathing spray mist. Causes moderate skin irritation. Avoid contact with skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

For terrestrial uses: This pesticide is toxic to fish and aquatic invertebrates. Use care when applying in areas adjacent to any body of water. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product is toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product if bees are visiting the treatment area.

For containers greater than 5 gallon

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State/Tribal agency responsible for pesticide regulation.

METHODS OF USE AND GENERAL APPLICATION INSTRUCTIONS

General Instructions:

NNS 8766314/this/the product is a contact non-selective herbicide for spray application only to undesirable plant growth. Do not allow spray to contact any green plant parts of desirable plants. NNS 8766314/this/the product provides control and burndown suppression of annual and perennial broadleaf and grass weeds. Spore producing plants such as mosses and liverworts are also controlled. The amount of burndown and the duration of weed suppression may be reduced when weed growth conditions are unfavorable or when plants are mature.

NNS 8766314/this/the product is non-volatile and water soluble for foliar application in manual pump sprayers. Complete and uniform coverage of weeds by the spray solution is required for the best weed control. Plant foliage will change from a green color to brown/black necrotic tissue within one to two hours after spray application of NNS 8766314/this/the product diluted with water. NNS 8766314/this/the product effect on plant tissue may be more rapid in warm weather than in cold conditions. However, weed control is normally unaffected by temperature.

NNS 8766314/this/the product herbicide is a soap product which penetrates the cell walls of plants to disrupt the cellular organization of physiological functions which are compartmentalized by

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

membranes within the cell walls. Plant growth ceases when cellular contents are mixed which causes brown necrotic plant tissue.

NNS 8766314/this/the product does not migrate through the soil and is not translocated in plants. **To ensure satisfactory control, plant leaves must be thoroughly and uniformly covered with the spray solution.** NNS 8766314/this/the product does not provide any residual weed control in soil to affect germinating weed seeds.

Mixing and Application Instructions:

For use, NNS 8766314/this/the product is diluted with water to the specified concentration for effective control of the undesirable vegetation. Apply using standard methods of liquid herbicide application. Dilution must be in accordance with label instructions. Do not apply this product through any type of irrigation system.

A 13% v/v dilution is recommended for most weed control situations and based on the results, applicators may increase or decrease spray concentrations as discussed in the following text and tables to obtain better control or to reduce herbicide use.

The degree of dilution for application is based on the concentration of active ingredient needed for the size of vegetation to be suppressed or the rate of herbicidal effect desired. The larger the vegetation, the higher the concentration (less dilution of NNS 8766314/this/the product) required for rapid action. See required concentration for variously sized weeds and grasses in Dosage and Application Rates Section. Hard to control or suppress weeds (perennial weeds and some grasses) may require several applications for complete control.

Spray equipment options include hand-held and hose-end sprayers. Spray nozzles that produce a uniform spray will give maximum coverage of the leaves and improved weed control.

NNS 8766314/this/the product is completely soluble in water and when uniformly mixed, no additional mixing or agitation is required.

Application Precautions:

- Do not apply to weeds when wet from dew, rain or water.
- Do not water within 2 hours after application
- Do not apply if rainfall is expected within 2 hours.

During application, some foaming may occur; however, weed control is unaffected if the foam is deposited on the plant surface and is not blown away as drift. Foaming can be reduced by using the minimum spray pressure required for a uniform application to the target weeds. Use low spray pressure to reduce foaming and avoid contact with desirable plants. Most spray nozzles are designed to operate at 10 to 15 psi and provide uniform spray coverage of weeds.

Mixing:

Fill sprayer tank with half the required amount of water, add the full amount of NNS 8766314/this/the product to be used (see Dilution Factors below), then fill the sprayer tank with the remainder of the water required for the desired final concentration. Since NNS 8766314/this/the product is completely soluble in water and when uniformly dispersed in water, continuous mixing or agitation is not required.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Hand-Held Equipment

Thorough saturation of the foliage and stems is required for control, but stop sprays when run-off from weed leaves occurs. Use low spray pressure to reduce foaming and avoid contact with desirable plants. Most spray nozzles are designed to operate at 10 to 15 psi and provide uniform spray coverage of weeds.

Directed Spray Equipment

Use a shielded sprayer to prevent spray contact on desirable plants. Avoid spray contact of green plant stems or green bark of young trees and shrubs.

NOTE: In areas of hard water, the final mixture may appear milky. This condition does not change the effectiveness of the treatment. Some visible foam may appear on the leaves as the plants are sprayed. Overspray or drift onto desirable plants is usually not a serious problem because leaves and stems require a thoroughly wet spray coverage for significant injury. Repeat applications as often as necessary to obtain desired control.

Dosage and Application Rates:

For general weed and grass control, rates are based on the size of the plants and/or the desired speed of kill. The larger the plants, the higher the dosage rates needed to ensure maximum herbicidal activity. Also, the higher the concentration, the quicker the plants wilt and turn brown. Apply NNS 8766314/this/the product spray solutions only when weed surfaces are dry.

The rate table presents the suggested percent volume/volume solutions of NNS 8766314/this/the product to use for application as follows:

- Use a 6 to 8 % V/V of NNS 8766314/this/the product spray solution for control of annual weeds of 1 inch height or less and for control of liverworts and mosses.
- Use an 8 to 10% V/V NNS 8766314/this/the product spray solution for control of annual weeds over 1 inch height and up to 4 inch height.
- Use a 10 to 13% V/V NNS 8766314/this/the product spray solution for weeds over 4 inch height and for hard to control weeds.
- A 15% V/V NNS 8766314/this/the product spray solution is the maximum labeled rate. Use this rate for hard to control perennial weeds or extremely dense weed growth.

Repeat spray applications as necessary to obtain the desired control or suppression of weeds from newly germinated weed seeds and regrowth from roots or stems.

RATE TABLE

Final Spray Volume (gallons)	Amount of NNS 8766314/this/the product for Percent V/V (Volume/Volume) Solution				
	6%	8%	10%	13%	15%
1	8 fl oz	10 fl oz	13 fl oz	1 pt	1.2 pt
2	1 pt	1.3 pt	1.6 pt	2 pt	2.4 pt
5	2.5 pt	3.3 pt	4 pt	5 pt	6 pt
10	5 pt	6.5 pt	1 gal	1.3 gal	1.5 gal
20	1.3 gal	1.6 gal	2 gal	2.6 gal	3.0 gal

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Height of Plants to be Controlled	Spray Solution (% V/V)_
1 inch or less	6 to 8%
1 to 4 inches	8 to 10%
Above 4 inches	10 to 13%

NOTE: Do not use spray concentrations higher than 15% in a pressure sprayer since unacceptable foaming and bubble formation may occur at the nozzle heads.

Use Methods

Determine the weed control situation and select the use method required as follows:

A. Vegetative Burndown: Broadcast spray for weed control for no-till planting or seedbed preparation to control weeds prior to seeding or transplanting. Spot sprays may be used in ornamentals and turf.

B. Directed and shielded sprays: Spray nozzle type or configuration for directed spray or a shield placed around the nozzle to prevent spray contact on the foliage or green stems or bark. Directed/shielded spray applications to area between plastic mulch strips and staked crops for weed control.

PESTS

I. Weeds controlled or suppressed by **NNS 8766314/this/the product:**

Note to PM: taxonomic names are optional on the market label.

COMMON NAMES	TAXONOMIC NAMES
Broadleaf Weeds:	
Algae	<i>Gloeocapsa magma</i>
Bittercress, hairy	<i>Cardamine hirsuta</i>
Chickweed, common	<i>Stellaria media</i>
Chickweed, mouse-ear	<i>Cerastium vulgatum</i>
Cocklebur, common	<i>Xanthium strumarium</i>
Corn spurry	<i>Spergula arvensis</i>
Cudweed, purple	<i>Gnaphalium purpureum</i>
Groundsel	<i>Senecio spp.</i>
Lambsquarters, common	<i>Chenopodium album</i>
Liverwort	<i>Machantia spp.</i>
Marestail or Horseweed rosettes	<i>Conyza canadensis</i>
Morningglory, annual	<i>Ipomoea spp.</i>
Moss	<i>Bryophyta</i>
Mustards	<i>Brassica spp.</i>
Oxalis or Woodsorrel	<i>Oxalis stricta</i>
Pansy, wild	<i>Viola tricolor</i>
Plantain	<i>Plantago spp.</i>
Pigweed, smooth and redroot	<i>Amaranthus spp.</i>
Mallow, roundleaved	<i>Malva spp.</i>

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Moneywort
Shepherdspurse
Sorrel, sheep
Spurge, spotted
Field pennycress
Velvetleaf

Lysimachia nummularia
Capsella bursa-pastoris
Rumex acetosella
Euphorbia maculata
Thlaspi arvense
Abutilon theophrasti

Grass and Other Weeds:

Bentgrass, colonial
Bluegrass, annual
Crabgrass, large
Fescue, creeping red
Fescue, hard
Nimblewill
Onion, wild
Ryegrass, perennial
Star-of-Bethlehem

Agrostis tenuis
Poa annua
Digitaria sanguinalis
Festuca rubra
Festuca ovina
Muhlenbergia scheberi
Allium canadense
Lolium perenne
Ornithogalum nutans

II. Weeds Moderately Difficult to Control¹

Bermudagrass (Wireweed)
Bindweed, field
Dandelion
Nutsedge, yellow
Ragweed, common

Cynodon dactylon
Convolvulus arvensis
Taraxacum officinale
Cyperus esculentus
Ambrosia artemisiifolia

¹Use 13 to 15% V/V of NNS 8766314/this/the product for control or suppression.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store container in cool place until used. Store at temperatures above 32° F.

Pesticide Disposal: Wastes resulting from use of this product must be disposed of on-site or at an approved waste disposal facility.

Container Handling:

Non-refillable Containers: Do not reuse or refill this container. Offer for recycling if available.

Clean container promptly after emptying (liquid formulations).

Non-refillable container equal to or less than 5 gals: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Non-refillable container between 5- 55 gals: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Refillable container 5 gals to bulk: Refill this container with this pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of

NOTE:

EPA Reg. No. 239-2754

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. . Repeat this rinsing procedure two more times. Dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Warranty and Disclaimer Notice:

To the extent consistent with applicable law, The Ortho Group, makes no warranty or guarantee of any kind, expressed or implied concerning the effects of use of this product, other than those specified on this label. Buyers or users accept all responsibility for results due to misuse or improper handling of this product.

NOTE:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-2754

SUBLABEL B: FOR RESIDENTIAL USE

FOR CONTACT SPRAY CONTROL OR BURNDOWN OF WEEDS AND GRASSES FOR HOMES
AND GARDENS

NNS 8766314

Alternate Brand Names:

- Ortho GroundClear Weed & Grass Killer²
- Ortho GroundClear Weed & Grass Killer Concentrate¹

Non-selective Herbicide

FOR ORGANIC GARDENING

NOT FOR FOOD USE

Active ingredient:

Ammonium Nonanoate40.0 wt.%

Other ingredients 60.0 wt.%

Total100.0 wt.%

NNS 8766314/this/the product contains 3.3 lbs. of ammonium nonanoate per US gallon

KEEP OUT OF REACH OF CHILDREN

WARNING

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
Emergency Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment information.	

EPA Reg. No. 239-2754

EPA Est. No. XXXXX

[superscript is first letter of lot number]

Lot No. XXXXX

NET CONTENTS: XX FL OZ (X [GAL/QT/PT]) XX [L/mL]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Warning. Causes substantial, but temporary eye irritation. Do not get in eyes or on clothing. Wear goggles. Harmful if inhaled. Avoid breathing spray mist. Causes moderate skin irritation. Avoid contact with skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

For terrestrial uses: This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, or gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This product is toxic to bees exposed to direct treatment or residues on blooming crop or weeds. Do not apply this product if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION PRECAUTIONS:

- Do not apply to weeds when wet from dew, rain or water.
- Do not water within 2 hours after application.
- Do not apply if rainfall is expected within 2 hours.
- Do not allow spray to contact desirable green plant parts unless topical injury can be tolerated.
- Do not allow children and pets to enter application area until sprays have dried.

Option 1

METHODS OF USE AND GENERAL APPLICATION INSTRUCTIONS

General Instructions:

[NNS 8766314/this/the product is a contact non-selective herbicide for spray application only to undesirable plant growth. Do not allow spray to contact any green plant parts of desirable plants. NNS 8766314/this/the product provides control and burndown suppression of annual and perennial broadleaf and grass weeds. Spore producing plants such as mosses and liverworts are also controlled. The amount of burndown and the duration of weed suppression may be reduced when weed growth conditions are unfavorable or when plants are mature.]

[NNS 8766314/this/the product is non-volatile and water soluble for foliar application in manual pump sprayers. Complete and uniform coverage of weeds by the spray solution is required for the best weed control. Plant foliage will change from a green color to brown/black necrotic tissue within one to two hours after spray application of NNS 8766314/this/the product diluted with water. NNS 8766314/this/the product effect on plant tissue may be more rapid in warm weather than in cold conditions. However, weed control is normally unaffected by temperature.]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

[NNS 8766314/this [product] herbicide is a soap product which penetrates the cell walls of plants to disrupt the cellular organization of physiological functions which are compartmentalized by membranes within the cell walls. Plant growth ceases when cellular contents are mixed which causes brown necrotic plant tissue.]

NNS 8766314/this/the product does not migrate through the soil and is not translocated in plants. **To ensure satisfactory control, plant leaves must be thoroughly and uniformly covered with the spray solution.** NNS 8766314/this/the product does not provide any residual weed control in soil to affect germinating weed seeds.

Mixing and Application Instructions:

For use, NNS 8766314/this/the product is diluted with water to the specified concentration for effective control of the undesirable vegetation. Apply using standard methods of liquid herbicide application. Dilution must be in accordance with label instructions. Do not apply this product through any type of irrigation system.

A 13% v/v dilution is recommended for most weed control situations and based on the results, applicators may increase or decrease spray concentrations as discussed in the following text and tables to obtain better control or to reduce herbicide use.

The degree of dilution for application is based on the concentration of active ingredient needed for the size of vegetation to be suppressed or the rate of herbicidal effect desired. The larger the vegetation, the higher the concentration (less dilution of NNS 8766314/this/the product) required for rapid action. See required concentration for variously sized weeds and grasses in Dosage and Application Rates Section. Hard to control or suppress weeds (perennial weeds and some grasses) may require several applications for complete control.

Spray equipment options include hand-held and hose-end sprayers. Spray nozzles that produce a uniform spray will give maximum coverage of the leaves and improved weed control.

NNS 8766314/this/the product is completely soluble in water and when uniformly mixed, no additional mixing or agitation is required.

During application, some foaming may occur; however, weed control is unaffected if the foam is deposited on the plant surface and is not blown away as drift. Foaming can be reduced by using the minimum spray pressure required for a uniform application to the target weeds. Use low spray pressure to reduce foaming and avoid contact with desirable plants. Most spray nozzles are designed to operate at 10 to 15 psi and provide uniform spray coverage of weeds.

Mixing:

Fill sprayer tank with half the required amount of water, add the full amount of NNS 8766314/this/the product to be used (see Dilution Factors below), then fill the sprayer tank with the remainder of the water required for the desired final concentration. Since NNS 8766314/this/the product is completely soluble in water and when uniformly dispersed in water, continuous mixing or agitation is not required.

Hand-Held Equipment

Thorough saturation of the foliage and stems is required for control, but stop sprays when run-off from weed leaves occurs. Use low spray pressure to reduce foaming and avoid contact with desirable plants. Most spray nozzles are designed to operate at 10 to 15 psi and provide uniform spray coverage of weeds.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

[Directed Spray Equipment]

Use a shielded sprayer to prevent spray contact on desirable plants. Avoid spray contact of green plant stems or green bark of young trees and shrubs.]

NOTE: In areas of hard water, the final mixture may appear milky. This condition does not change the effectiveness of the treatment. Some visible foam may appear on the leaves as the plants are sprayed. Overspray or drift onto desirable plants is usually not a serious problem because leaves and stems require a thoroughly wet spray coverage for significant injury. Repeat applications as often as necessary to obtain desired control.

Dosage and Application Rates:

For general weed and grass control, rates are based on the size of the plants and/or the desired speed of kill. The larger the plants, the higher the dosage rates needed to ensure maximum herbicidal activity. Also, the higher the concentration, the quicker the plants wilt and turn brown. Apply NNS 8766314/this/the product spray solutions only when weed surfaces are dry.

The rate table presents the suggested percent volume/volume solutions of NNS 8766314/this/the product to use for application as follows:

- Use a 6 to 8 % V/V NNS 8766314/this/the product spray solution for control of annual weeds of 1 inch height or less and for control of liverworts and mosses.
- Use an 8 to 10% V/V NNS 8766314/this/the product spray solution for control of annual weeds over 1 inch height and up to 4 inch height.
- Use a 10 to 13% V/V NNS 8766314/this/the product spray solution for weeds over 4 inch height and for hard to control weeds.
- A 15% V/V NNS 8766314/this/the product spray solution is the maximum labeled rate. Use this rate for hard to control perennial weeds or extremely dense weed growth.

Repeat spray applications as necessary to obtain the desired control or suppression of weeds from newly germinated weed seeds and regrowth from roots or stems.

RATE TABLE

Final Spray Volume (gallons)	Amount of NNS 8766314/this/the product for Percent V/V (Volume/Volume) Solution				
	6%	8%	10%	13%	15%
1	8 fl oz	10 fl oz	13 fl oz	1 pt	1.2 pt
2	1 pt	1.3 pt	1.6 pt	2 pt	2.4 pt
5	2.5 pt	3.3 pt	4 pt	5 pt	6 pt
10	5 pt	6.5 pt	1 gal	1.3 gal	1.5 gal
20	1.3 gal	1.6 gal	2 gal	2.6 gal	3.0 gal

Height of Plants
to be Controlled
1 inch or less
1 to 4 inches
Above 4 inches

Spray
Solution (% V/V)
6 to 8%
8 to 10%
10 to 13%

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

NOTE: Do not use spray concentrations higher than 15% in a pressure sprayer since unacceptable foaming and bubble formation may occur at the nozzle heads.

Use Methods

Determine the weed control situation and select the use method required as follows:

A. Vegetative Burndown: Broadcast spray [for weed control for seedbed preparation] to control weeds prior to seeding or transplanting. Spot sprays may be used in ornamentals and turf.

B. Directed and shielded sprays: Spray nozzle type or configuration for directed spray or a shield placed around the nozzle to prevent spray contact on the foliage or green stems or bark. Directed/shielded spray applications to area between plastic mulch strips and staked crops for weed control.

PESTS

I. Weeds controlled or suppressed by NNS 8766314/this product:

COMMON NAMES

TAXONOMIC NAMES

Broadleaf Weeds:

Algae	<i>Gloeocapsa magma</i>
Bittercress, hairy	<i>Cardamine hirsuta</i>
Chickweed, common	<i>Stellaria media</i>
Chickweed, mouse-ear	<i>Cerastium vulgatum</i>
Cocklebur, common	<i>Xanthium strumarium</i>
Corn spurry	<i>Spergula arvensis</i>
Cudweed, purple	<i>Gnaphalium purpureum</i>
Groundsel	<i>Senecio spp.</i>
Lambsquarters, common	<i>Chenopodium album</i>
Liverwort	<i>Machantia spp.</i>
Marestail or Horseweed rosettes	<i>Conyza canadensis</i>
Morningglory, annual	<i>Ipomoea spp.</i>
Moss	<i>Bryophyta</i>
Mustards	<i>Brassica spp.</i>
Oxalis or Woodsorrel	<i>Oxalis stricta</i>
Pansy, wild	<i>Viola tricolor</i>
Plantain	<i>Plantago spp.</i>
Pigweed, smooth and redroot	<i>Amaranthus spp.</i>
Mallow, roundleaved	<i>Malva spp.</i>
Moneywort	<i>Lysimachia nummularia</i>
Shepherdspurse	<i>Capsella bursa-pastoris</i>
Sorrel, sheep	<i>Rumex acetosella</i>
Spurge, spotted	<i>Euphorbia maculata</i>
Field pennycress	<i>Thlaspi arvense</i>
Velvetleaf	<i>Abutilon theophrasti</i>

NOTE:

EPA Reg. No. 239-2754

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Grass and Other Weeds:

Bentgrass, colonial	<i>Agrostis tenuis</i>
Bluegrass, annual	<i>Poa annua</i>
Crabgrass, large	<i>Digitaria sanguinalis</i>
Fescue, creeping red	<i>Festuca rubra</i>
Fescue, hard	<i>Festuca ovina</i>
Nimblewill	<i>Muhlenbergia scheberi</i>
Onion, wild	<i>Allium canadense</i>
Ryegrass, perennial	<i>Lolium perenne</i>
Star-of-Bethlehem	<i>Ornithogalum nutans</i>

II. Weeds Moderately Difficult to Control¹

Bermudagrass (Wireweed)	<i>Cynodon dactylon</i>
Bindweed, field	<i>Convolvulus arvensis</i>
Dandelion	<i>Taraxacum officinale</i>
Nutsedge, yellow	<i>Cyperus esculentus</i>
Ragweed, common	<i>Ambrosia artemisiifolia</i>

¹Use 13 to 15% V/V of NNS 8766314/this/the product for control or suppression.***End of Option 1***

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Option 2

[METHODS OF USE AND GENERAL APPLICATION INSTRUCTIONS]

How It Works:

Ammonium Nonanoate is the primary ingredient and is formulated to kill plants/weeds that are green and growing. This simple formula works to kill only what you see where you sprayed. Weeds will turn from green to brown within 1-2 hours. Perennial or more established weeds may take multiple applications. For best results, re-apply product every 2 to 3 weeks.

NNS 8766314/the product's effect on plant tissue may be more rapid in warm weather than in cold conditions. However, weed control is normally unaffected by temperature. NNS 8766314/this/the product does not migrate through the soil and is not translocated in plants. **To ensure satisfactory control, plant leaves must be thoroughly and uniformly covered with the spray solution.** NNS 8766314/this/the product does not provide any residual weed control in soil to affect germinating weed seeds.

NNS 8766314/this/the product is a contact non-selective herbicidal soap for foliar spray application in manual pump sprayers only to undesirable plant growth. Do not allow spray to contact any green plant parts of desirable plants. NNS 8766314/this/the product provides control and burndown suppression of annual and perennial broadleaf and grassy weeds. Spore producing plants such as mosses and liverworts are also controlled. The amount of burndown and the duration of weed suppression may be reduced when weed growth conditions are unfavorable or when plants are mature.

WHERE TO APPLY/USE

- For outdoor use only.
- Use on walkways, driveways, under trees, in landscape beds and gardens.

IMPORTANT: Do not spray plants or grasses you like - they will die. Not recommended for spot weed control in lawns since this product kills lawn grasses. Use the lowest pressure needed to achieve uniform coverage. Do not allow treated weeds to come in contact with desirable plants until spray has dried.

HOW TO APPLY/USE

- Apply using standard methods of liquid herbicide application. No shaking or agitation is required. Dilution must be in accordance with label instructions. Do not apply this product through any type of irrigation system.
- 1 pint (16 fl oz) per gallon of spray is recommended for most weed control situations and based on the results.
- 1.2 pints (19.2 fl oz) per gallon of spray is the maximum labeled rate and may be used for hard to control perennial weeds or extremely dense weed growth.
- Spray nozzles that produce a uniform spray will give maximum coverage of the leaves and improved weed control.
- [Adjust nozzle to the desired spray setting].
- Apply/spray until weeds are completely covered/run-off from weed leaves occurs.
- Apply to dry weed surfaces only.
- Use a cardboard or plastic shield to block spray from contact desirable plants nearby. If desirable plants are accidentally sprayed, rinse off immediately with water.
- Difficult to control weeds may require several applications for complete control.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- Repeat applications as often as necessary to obtain desired control.
- **NOTE:** Do not use spray pressure higher than 15 PSI in a pressure sprayer since unacceptable foaming and bubble formation may occur at the nozzle heads.

HOW MUCH TO APPLY/USE: Fill sprayer tank with half the required amount of water, add the full amount of NNS 8766314/ product, then fill the sprayer tank with the remainder of the water required.

- Mix 1 pint (16 fl oz) of NNS 8766314/this/the product with 7 pints of water to treat up to 300 sq ft.
- For hard to control perennial weeds or extremely dense weed growth, mix 1.2 pints (19.2 fl oz) of NNS 8766314/this/the product with 6.8 pints of water to treat up to 300 sq ft.

WHEN TO APPLY/USE

- Apply any time of year when weeds are small [3 inches tall or wide] and actively growing.
- Apply when winds are calm.

PESTS

I. Weeds controlled or suppressed by NNS 8766314/this product:

COMMON NAMES

[TAXONOMIC NAMES

Broadleaf Weeds:

Algae	<i>Gloeocapsa magma</i>
Bittercress, hairy	<i>Cardamine hirsuta</i>
Chickweed, common	<i>Stellaria media</i>
Chickweed, mouse-ear	<i>Cerastium vulgatum</i>
Cocklebur, common	<i>Xanthium strumarium</i>
Corn spurry	<i>Spergula arvensis</i>
Cudweed, purple	<i>Gnaphalium purpureum</i>
Groundsel	<i>Senecio spp.</i>
Lambsquarters, common	<i>Chenopodium album</i>
Liverwort	<i>Machantia spp.</i>
Marestail or Horseweed rosettes	<i>Conyza canadensis</i>
Morningglory, annual	<i>Ipomoea spp.</i>
Moss	<i>Bryophyta</i>
Mustards	<i>Brassica spp.</i>
Oxalis or Woodsorrel	<i>Oxalis stricta</i>
Pansy, wild	<i>Viola tricolor</i>
Plantain	<i>Plantago spp.</i>
Pigweed, smooth and redroot	<i>Amaranthus spp.</i>
Mallow, roundleaved	<i>Malva spp.</i>
Moneywort	<i>Lysimachia nummularia</i>
Shepherdspurse	<i>Capsella bursa-pastoris</i>
Sorrel, sheep	<i>Rumex acetosella</i>
Spurge, spotted	<i>Euphorbia maculata</i>
Field pennycress	<i>Thlaspi arvense</i>
Velvetleaf	<i>Abutilon theophrasti</i>

NOTE:

EPA Reg. No. 239-2754

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Grass and Other Weeds:

Bentgrass, colonial	<i>Agrostis tenuis</i>
Bluegrass, annual	<i>Poa annua</i>
Crabgrass, large	<i>Digitaria sanguinalis</i>]
Fescue, creeping red	<i>Festuca rubra</i>
Fescue, hard	<i>Festuca ovina</i>
Nimblewill	<i>Muhlenbergia scheberi</i>
Onion, wild	<i>Allium canadense</i>
Ryegrass, perennial	<i>Lolium perenne</i>
Star-of-Bethlehem	<i>Ornithogalum nutans</i>

II. Weeds Moderately Difficult to Control¹

Bermudagrass (Wireweed)	<i>Cynodon dactylon</i>
Bindweed, field	<i>Convolvulus arvensis</i>
Dandelion	<i>Taraxacum officinale</i>
Nutsedge, yellow	<i>Cyperus esculentus</i>
Ragweed, common	<i>Ambrosia artemisiifolia</i>]

¹Use 1.2 pints of NNS 8766314/this product per gallon for control or suppression**End of Option 2****STORAGE AND DISPOSAL****Pesticide Storage:** Store container in cool place until used. Store at temperatures above 32° F.**Pesticide Disposal:** Wastes resulting from use of this product must be disposed of on-site or at an approved waste disposal facility.**Container Disposal: If empty: Non-refillable.** Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Optional Marketing Claims
For use with Residential label Option 2

(Claims may appear on any or all label panel(s))

The following Product Facts format is optional and the information may appear inside or outside of a box. Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X"

Product Facts:

Kills weeds & grasses

Acts on Contact

See results in 15 minutes

Absorbs on Contact

Starts Working Immediately

Rainproof in 2 hours

For organic gardening

[For/use on] Patios*, landscape beds*, gardens*

WHERE TO USE [Insert Graphics]

- [Fence Lines/ Along Fences]
- [Driveways & Walkways/ Patios*]
- [Tree Rings/ Around Trees]
- [Flower Beds/ Landscaped Beds]
- [Edging]

*apply directly to weeds

Efficacy Claims

1. See Results in 15 Minutes
2. Starts working immediately
3. Concentrate
4. Fast Acting
5. Kills to the root
6. Acts on contact
7. Fast Acting Formula
8. Quick Kill Formula
9. See results within one to two hours
10. FOR CONTACT SPRAY CONTROL OR BURNDOWN OF WEEDS AND GRASSES[±] [±]Visible results within 24 hours
11. Controls/Kills [Any of the weeds or grasses from list] and many others* *see booklet for complete list
12. Works on [Any of the weeds or grasses from list]
13. Kills/Controls weed and grasses
14. For control or burndown of weeds and grasses [by/through contact].
15. For control or burndown of a broad spectrum of weeds, grasses, and mosses [by/through contact]
16. For control or burndown of a broad spectrum of weeds by/through contact.
17. For non-selective control of herbaceous broadleaf weeds and grasses
18. Formulated to effectively kill any plants/weeds that are green and growing
19. Spray the weed's leaves for control or burndown of weeds and grasses
20. Does not have soil activity
21. Kills existing weeds only, no residual activity in soil
22. Does not translocate
23. Absorbed into both broadleaf and grassy weeds
24. Absorbs on contact, starts working immediately

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

General & Product Facts

25. Controls annual and perennial weeds* *when used as directed
 26. Controls grasses and broadleaf weeds
 27. Weed and Grass Killer
 28. Broad Spectrum
 29. For non-selective control of weeds and grasses. Do not spray in/the lawn.
 30. Rainproof/Rainfast in 2 hours
 31. [Homeowners] [Can] Plant new flowers, trees & shrubs in treated areas once application dries.* *upon drying
 32. Non-selective Herbicide
 33. Non-residual Herbicide
 34. Does not leach through soil to affect desirable plants.
 35. Grass and weed knockdown.
 36. Controls annual and perennial weeds.
 37. Controls grasses and broadleaf weeds
 38. For control of unwanted vegetation
 39. Weed and Grass Killer
 40. Broad Spectrum
 41. Will not leach through soil to harm desirable plants
 42. Effective weed and grass control
 43. Eliminates vegetation and leaves area weed free
 44. For non-selective control of weeds and grasses. Do not spray in lawn
 45. Above ground weed killer/control
 46. Kills/Controls the weeds you see
 47. Rainproof/Rain fast in 2 hours* *upon drying
 48. Kill/Control weeds effectively
 49. Will not [migrate/move] through soil to harm surrounding plants of future growths
 50. Water-soluble
 51. Non-volatile
 52. Works with temperatures as low as 40 degrees F**
- ** activity may be slower at cooler temperatures

Promotional Claims

53. Value [pack/size/buy]
54. Great Value
55. X bottles [included]
56. Not for individual sale
57. Bonus [value/ size/offer/package/pack/buy]
58. Exclusive item [size]
59. Special [buy/offer/size/item]
60. Limited time offer
61. X% more than X size
62. Save [money]
63. Free sample
64. X% more [free]
65. XX% more than X gallon size
66. X bottles [included]
67. X refill(s) [included/attached]
68. \$X rebate
69. A \$X value
70. Bundle/Club/Combo/pack
71. Not for individual sale

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 72. Sample not for sale
- 73. Save up to \$X on [your] next purchase

Coverage

- 74. Covers [up to] XXXX SQ. FT
- 75. Treats [up to] XXXX SQ. FT
- 76. Covers (XX) sq. ft. (qt.) (gal.)
- 77. 1 qt covers up to 600 sq ft

Organic Gardening

- 78. FOR ORGANIC GARDENING
- 79. OMRI [Logo]



Use Areas

- 80. For/use on patio[s]/driveways/walkways/flower beds/mulch beds/hardscapes/pavers/fence lines/tree rings/around trees/landscaped beds and/or gardens
- 81. FOR HOMES AND GARDENS
- 82. For weed control in and around the home and gardens.
- 83. Ideal for spot weed control around ornamental trees, bushes, flowers and landscaping beds.
- 84. Ideal for weed control along walkways and driveways.
- 85. Ideal for trimming and edging along walkways, driveways, trees and landscaping beds
- 86. For weed control in and around the home and gardens.
- 87. For Home Garden/Landscape Care
- 88. [For] [use on] patio[s]/driveways/walkways/flower beds/mulch beds/hardscapes/pavers/fence lines/tree rings/around trees/landscaped beds/vegetable gardens
- 89. Use on landscape beds, around garden plants and around play areas.
- 90. Use on patios, driveways, walkways and sidewalks*
- 91. Use directly on weeds on patios, driveways and sidewalks
- 92. [Product Name] kills weeds and grasses in – Patios – Driveways – Sidewalks – Ornamental Gardens and other non-lawn areas.
- 93. Approved for use in vegetable gardens
- 94. Weed free patio/hardscapes/pavers/Fence Lines/ Along Fences Driveways & Walkways/ Patios/Tree Rings/ Around Trees/Flower Beds/ Landscaped Beds/ Vegetable Gardens/Edging]
- *Apply directly to weeds.

Other Product Claims

- 95. Non-selective Herbicide
- 96. Clears weeds to the ground
- 97. Takes the guesswork out of weed control [in the garden/landscape]
- 98. Weed control for your garden/landscape
- 99. Weed control made easy
- 100. Be in control of weeds in your garden/landscape
- 101. Before [illustration] / After [illustration]
- 102. For a beautiful [weed free] garden/landscape
- 103. [For] [Get] a weed free garden/landscape
- 104. From the garden care experts at [Company Name]
- 105. From the leader in weed control
- 106. From the weed experts at [Company Name]
- 107. Help[s] [keep[s]] the garden/landscape look[ing] beautiful
- 108. Helps keep gardens/landscapes weed free
- 109. People & Pets may enter treated areas after spray has dried.
- 110. Say so long to unruly grass and weeds
- 111. Draw the line™
- 112. Speed you can trust™, Guaranteed!

NOTE:

EPA Reg. No. 239-2754

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 113. No more hand pulling [weeds]
- 114. Be smarter than your weeds
- 115. Eliminate unwanted vegetation
- 116. Overspray won't/Does not stain brick, concrete or pavement
- 117. Use with confidence in gardens and landscapes

Guarantee:

- 118. Guaranteed[†]
- 119. Guaranteed [results][†]
- 120. Guaranteed Satisfaction[†]
- 121. [Company/Brand] Guarantee[d][†]
- 122. [Company/Brand] Satisfaction guarantee[d][†]
- 123. [Company/Brand] [Promise your] satisfaction guaranteed [or your money back][†]

Other:

- [Open] Resealable Label for Directions and Precautions
- Press to Reseal
- See inside booklet for details
- Peel Here

Questions &/or Comments [icon phone] [icon computer]

Call 1-800-225-2883 or [visit our website] at www.ortho.com

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

[†]The ORTHO® Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Ortho [subregistrant name] & Your Environment

Your yard is a place for family and pets to enjoy. That's why Ortho® [subregistrant name] products are designed with care to provide effective solutions to weed problems. Follow instructions for appropriate usage, storage and disposal.

©Year [Company Name]. World rights reserved.

Manufactured/Sold/Distributed by/for:

The ORTHO Group
P.O. Box 190
Marysville, OH 43040

EPA Reg. No. 239-2754

EPA Est. No. XXX-XXX-X

[Superscript is first letter of lot number]

[Product of] [Made in] [Country Name] [USA]