



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

239-2758

Date of Issuance:

3/30/20

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

GC Concentrate

Name and Address of Registrant (include ZIP Code):

The Scotts Company d/b/a The Ortho Group
P.O.Box 190
Marysville, OH 43040

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Signature of Approving Official:

Erik Kraft, Product Manager 24
Fungicide Herbicide Branch, Registration Division (7505P)

Date:

3/30/20

3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 239-2758.”
4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 10/08/2018
- Alternate CSF A dated 10/08/2018
- Alternate CSF B dated 10/08/2018

If you have any questions, please contact Manjula Unnikrishnan by phone at 703-347-8520, or via email at unnikrishnan.majula@epa.gov

Enclosure


NOTE:

EPA Reg. No. 239-ETLI

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

**RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY**

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS ONLY- NOT TO BE USED BY UNCERTIFIED PERSONS WORKING UNDER THE SUPERVISION OF A CERTIFIED APPLICATOR



GLUFOSINATE	GROUP	10	HERBICIDE
DIQUAT DIBROMIDE	GROUP	22	HERBICIDE

GC Concentrate

Intended for Commercial Use

ACTIVE INGREDIENTS:

Glufosinate Ammonium.....	5.78%
Diquat Dibromide.....	0.95%

OTHER INGREDIENTS:	<u>93.27%</u>
TOTAL:	100.00%

THIS PRODUCT CONTAINS:

0.482 lb glufosinate ammonium per gallon or 5.78%
0.041 lb diquat cation per gallon (0.079 lb diquat dibromide per gallon).

KEEP OUT OF REACH OF CHILDREN

WARNING / AVISO

See [back/side/top/bottom] [panel/label] for additional precautionary statements

*“Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you **DO NOT** understand the label, find someone to explain it to you in detail.)”*

NET CONTENTS: XX FL OZ (X [GAL/QT/PT]) XX [L/mL]

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

FIRST AID

IF IN EYES: IMMEDIATELY hold eye open and rinse thoroughly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes and then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment information.

Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: May be fatal if inhaled. Causes moderate eye irritation. **DO NOT** breath vapor or spray mist. Remove and wash contaminated clothing before reuse. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

All handlers must wear a minimum of:

- Protective eyewear (e.g. safety glasses or face shield)
- Long sleeved shirt, long pants, shoes plus socks
- NIOSH-approved particulate filtering facepiece respiratory with any N, R, or P filter; OR a NIOSH-approved elastomeric particulate respirator with any N, R, or P filter; OR a NIOSH-approved powered air-purifying respirator with a HE filter.

User Safety Requirements:

- Follow the manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

NON-TARGET ORGANISM:

This product is toxic to plants. Drift and runoff may be hazardous to plants in water adjacent to treated areas. For terrestrial uses. **DO NOT** apply directly to water, or to areas where the surface water is present or to intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of equipment washwater or rinsate.

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Physical or Chemical Hazards:

DO NOT mix or allow the product to come in contact with oxidizing agent. Hazardous chemical reaction may occur

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, or greenhouses. **DO NOT** enter or allow others to enter treated areas until sprays have dried.

RESTRICTIONS

- **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- **DO NOT** apply this product in a way that will contact any person or pet, either directly or through drift.
- People and pets must not touch treated plants or enter treated areas until after spray has dried.
- **DO NOT** make more than 2 applications per area per year (2.7 lbs glufosinate ammonium and 0.44 lbs diquat dibromide/acre per year).
- **DO NOT** apply more than 8 fluid ounces per 1000 sq ft (1.35 lbs glufosinate ammonium and 0.22 lb diquat dibromide per acre) in a single application.
- **DO NOT** make more than 2 applications per area per year.
- **DO NOT** apply more than 16 fluid ounces per 1000 sq ft (2.7 lbs glufosinate ammonium and 0.44 lb diquat dibromide per acre) per year.
- Wait at least 45 days between applications of this product.

WEED RESISTANCE MANAGEMENT:

For resistance management, please note that GC Concentrate contains both a Group 10 (glufosinate ammonium) and a Group 22 (diquat dibromide) herbicide. Any weed population may contain plants naturally resistant to Group 10 and/or Group 22 herbicides. The resistant individuals may dominate the weed population if these herbicides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

WHERE TO APPLY/USE

- GC Concentrate/this product is an all-purpose weed, grass, brush and vine killer that will injure or kill all green vegetation contacted. It will kill most annual and perennial weeds, grasses and other unwanted vegetation. It will control or suppress the brush and vines
- GC Concentrate/this product is formulated to kill weeds and grass around trees, shrubs, fences, walks, patios, driveways, sidewalks, in flower beds, around houses, buildings, wooded lots, storage and recreational areas.

HOW TO APPLY/USE

- Mix 8 fl oz (0.482 lbs glufosinate ammonium and 0.22 lbs diquat dibromide/A) per gallon of water [in a tank sprayer] to spot treat up to 1000 sq. ft.
- Apply as a coarse spray with a tank sprayer or other type of hand-held sprayer.
- Spray the weeds or grasses you want to kill until thoroughly wet, but avoid spray run-off.

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

- Repeat treatments may be necessary to control plants generating from underground parts or seed.

- OR -

Tank Sprayer

- [For tough established weeds/ For best results,] add 8 fl oz (0.482 lbs glufosinate ammonium and 0.22 lbs diquat dibromide/A) per gallon of water.
- [[One/ Each] gallon [covers/ treats] up to 1000 sq ft.]
- Apply as a coarse spray with a tank sprayer or other type of hand-held sprayer.
- Spray the weeds or grasses you want to kill until thoroughly wet, but avoid spray run-off.
- Repeat treatments may be necessary to control plants generating from underground parts or seed.
- **DO NOT** apply this product via backpack sprayer.

When spot treating [weeds] around desirable plants, avoid spraying during windy conditions. If applying GC Concentrate/this product in areas near/next to desirable plants, shield plants from drift with a [sheet/ piece] of cardboard or plastic to prevent spray from contacting the foliage/[plant] leaves. If desirable plants are accidentally sprayed, rinse off immediately with water [or cut off treated area].

IMPORTANT: DO NOT spray plants or grasses you like - they will die. Not advised for spot weed control in lawns since GC Concentrate/this product kills lawn grasses.

WHEN TO APPLY/USE

- Apply GC Concentrate/this product when weeds are actively growing. Alternative text: [Use [GC Concentrate/this product] anytime weeds [and grasses] are actively growing.]
- For best results, apply during warm, sunny weather above 60° F [to accelerate/improve/increase systemic movement from the foliage/leaves to roots]. Weed control may be reduced when applications are made to weeds under stress due to drought or cool temperatures.
- [Apply/ Spray] when air is calm to prevent drift to desirable plants.
- RAINPROOF [Protection:]: Rain or watering [30] minutes after application will NOT wash away effectiveness.

[Alternative Text: GC Concentrate/this product is Rainproof in [30] minutes.

[Apply when weeds are small and before seeds form.]

[Established [perennial/ hard to kill] weeds may require a repeat application.]

WHEN TO REPLANT

GC Concentrate/this product will not interfere with seed germination or root growth of desirable plants. While treated areas can be reseeded or replanted immediately after the spray has dried, waiting at least 4 days after the application is advised before reseeding, replanting, or disturbing the treated vegetation to ensure that the herbicide has had sufficient time to control the weeds.]

Note to PM: Optional Section

[HOW TO CLEAN [TANK SPRAYER]]

To clean sprayer after use, rinse sprayer and sprayer parts with water 3 times. Spray rinse water on [bare soil or gravel/ treated area]. After cleaning, sprayer may be used for other products.]

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

[ADDITIONAL TIPS]

[TO KILL BRUSH AND VINES]

- [Mix 8 fl oz (16 Tbs) (0.482 lbs glufosinate ammonium and 0.22 lbs diquat dibromide/Acre) per gallon of water and apply as a coarse spray with a pump-up or other type of hand-held sprayer. When applied as directed, this product will provide control or suppression of the poison ivy, poison oak, wild rose.]

[FOR [FLOWERBED AND] GARDEN PREPARATION]

- Use GC Concentrate/this product to kill weeds and grasses [brush] before planting flowers, trees or shrubs.]
- [If soil is dry, water before application and 2 to 3 days after application.]
- [Use 8 fl oz (0.482 lbs glufosinate ammonium and 0.22 lbs diquat dibromide/Acre) per gallon of water to treat spots where plants are to be placed (up to 1000 sq ft.)]
- [Wait 4 days after last application before planting garden [flowers, trees and shrubs].]

WEEDS CONTROLLED:

Annual bluegrass	Goosegrass	Russian thistle
Annual sowthistle	Green foxtail	Ryegrass
Bahiagrass	Guineagrass	Sandbur
Barley	Horsetail	Shattercane
Barnyardgrass	Jimsonweed	Shepherdspurse
Bermudagrass	Johnsongrass (rhizome)	Smallflower Alexandergrass (signal grass)
Bindweed	Kentucky bluegrass	Smartweed
Buffalobur	Kochia	Smooth bromegrass
Burdock	Lambsquarters	Stinkgrass
Canada thistle	Leafy spurge	Tansy mustard
Carpetgrass	London rocket	Torpedograss
Chickweed	Lovegrass	Vaseygrass
Clover	Malva (little mallow)	Velvetleaf
Common cocklebur	Marestail	Vervain
Cupgrass	Mugwort	Virginia copperleaf
Curly dock	Musk thistle	Wheat
Dallisgrass	Nettle	White heath aster
Dandelion	Nightshade	Wild buckwheat
Dogbane (hemp)	Nutsedge	Wild mustard
Downy bromegrass	Paragrass	Wild oat
Fall panicum	Pennycress	Wild onion
Fescue	Pigweed, red root	Wild rose
Field gromwell	Plantain	Wild turnip

NOTE:

EPA Reg. No. 239-ETLI

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Filaree	Prickly lettuce	Windgrass
Fleabane	Purslane	Woodsorrel
Giant foxtail	Quackgrass	Yellow foxtail
Goldenrod	Ragweed	Yellow rocket

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store product in original container in a safe place. Protect from freezing.

PESTICIDE DISPOSAL: If partly filled: Call your local solid waste disposal agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Nonrefillable container. **DO NOT** reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Optional Marketing Claims

The following Product Facts format is optional and the information may appear inside or outside of a box.

PRODUCT FACTS

HOW IT WORKS

- [Glufosinate/GC Concentrate [is absorbed by the weed's leaves/ enters plants through the foliage]. It moves through the weed to the root, stopping the function of an essential enzyme found in plants.
- [Weeds die, roots and all - so they don't grow back.]
- [Kills only what you spray.]
- [Both glufosinate and diquat dibromide, cause weeds to begin to yellow and wilt within [12] hours, with complete kill in 1 week.]

WHERE TO USE

- [Around [Flower Beds/Flowers/ Landscaped Beds]
- [Around trees and shrubs]
- [Driveways/ & / Walkways/ Patios]
- [Along Fences]
- [On patios, walkways, driveways, gravel areas or mulch beds]

WHAT TO KNOW/WHAT IT DOES

- [Rainproof in [30] Minutes]
- [Visible Results in [12] Hours]
- Kills weeds and grasses

HOW TO USE

- Add/Mix [GC Concentrate/this product] [8 fl oz] per Gallon of Water]
- [Use a Tank Sprayer/ Mix into Tank Sprayer]

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

[PRODUCT FACTS:]

[**What It Does:**] Kills unwanted weeds, grasses & plants. [See inside for complete/weed list]

[**Where to Use:**] On driveways, sidewalks, fence lines, paver patios, walkways, gravel areas, rock and desert landscapes, under decks, parking areas, and along fences and curbs where no [weeds/[grass(es)]]/[and/and all/&]/[vegetation] are desired.

[**When to Use:**] Apply when weeds are present/actively growing. For best results, apply on a sunny day with temperatures above 60°F. Apply only to areas where no vegetation is wanted.

Questions & Comments: [icon phone] [icon computer]
 Call 1-800-225-2883 or [Visit our Website at] [www.]ortho.com



Efficacy Claims

1. Kills/Eliminates weeds [and grasses]
2. Absorbs/ed into both broadleaf and grassy weeds
3. Absorbs on contact, starts working immediately
4. Starts working immediately
5. Absorbed through the leaves, [it/GC Concentrate/this product] goes/moves all the way to the root for a total kill [on weeds you directly spray]
6. Approved for landscape and garden uses: [including] driveways, sidewalks, fence lines, paver patios, walkways, gravel areas, rock and desert landscapes, under decks, parking areas, and along fences and curbs
7. Before [Insert graphic of live weed] After [Insert graphic of dead weed]
8. Begins absorbing on contact
9. Begins to work in hours
10. Begins working in hours
11. Kills even the toughest weeds and grasses
12. For weed control - kills weeds and grasses in 1 [to 2] week/s - roots and all
13. Got Tough Weeds - Get GC Concentrate
14. Ideal for killing unwanted weeds and grasses [throughout your yard]. Use along fences; in cracks of walks, drives and patios; and around flower beds, trees and shrubs
15. Kills almost all [annual and perennial] weeds, grasses and other unwanted plants
16. Kills existing weeds only, no residual [herbicidal] activity in soil
17. Kills [Poison Ivy/ Poison Oak/ Poison Sumac/ Wild Blackberry]
18. Kills the roots so treated weeds don't come back
19. Kills the root[s] [so weeds don't come back] [first time, every time] [guaranteed] [qualify guarantee]
20. Kills [to] the roots] [Guaranteed[!/*]] [qualify guarantee]
21. Kills even the toughest weeds
22. Kills [the toughest weeds and grasses to] the root so [weeds/ they] don't come back
23. Kills the roots of [both] broadleaf and grassy weeds
24. Kills the weed you see and the root you don't
25. Kills Tough Weeds [& Grasses] [to the Root]
26. Kills unwanted weeds [and grasses] [roots and all]
27. Kills weeds [and grasses] [clear down to the root] [1-2 weeks] [roots and all]
28. Kills weeds [and unwanted grasses] - roots and all
29. Kills weeds clear down to the root, 1st time, every time so weeds don't come back - guaranteed [qualify guarantee]
30. Kills weeds dead
31. [Kills/ Spray] weeds in flower beds and around fences, trees, shrubs, driveways, walkways and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways.
32. Kills weeds in flowerbeds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard
33. Kills weeds and grasses in - Patios - Driveways - Sidewalks - Ornamental Gardens and other non-lawn areas



NOTE:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

34. Kills weeds, roots and all
35. Kills what you directly spray, no residual [herbicidal] activity in soil
36. Lawns and gardens can be reseeded or planted soon after treatment
37. Make only what you need
38. Mix into tank sprayer
39. Multipurpose grass and broadleaf weed control
40. [Next day/ this weekend] results: Begins killing on contact, visible results in [12] hours
41. One application kills over 80[+] types of weeds and grasses, roots and all
42. Provides maximum control: Kills existing weeds to the root so they don't come back
43. [Provides] [visible] results in [12] hours
44. Replant lawn grasses 4 days after application
45. GC Concentrate can be used [almost] anywhere weeds and grasses grow, including patios, walkways, and driveways; along fences; in [landscaped/ mulched] beds; or around flowers, shrubs and trees
46. Satisfaction guaranteed or [we will gladly refund purchase price/ your money back with proof of purchase]
47. See [visible] results in [12] hours
48. Spray the leaves, not the root
49. Spray the [weed/ leaves] to kill the root!
50. [Spray weeds/ Use] in flowerbeds, around trees, shrubs and around fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways[, and other areas in your yard]
51. Starts to kill [the same day/ overnight]
52. Starts working [immediately/ in hours/ overnight]
53. Systemic grass and weed killer for spot treatment of undesirable vegetation
54. Kills to the roots
55. Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways.

Formula Claims

Note to PM: claims 56 and 57 may appear on any label panel for 6 months after the product is first sold or distributed.

56. New
57. New/Now

Coverage

58. Spot treat up to 4000 sq. ft. with one quart

Weather & Speed

59. Visible Results in [12] Hours
60. Fast acting
61. Fast acting formula works in [12] hours
62. Fast acting formula starts working immediately
63. Starts Working Immediately
64. Rainproof in 30 minutes
65. Control won't wash away after 30 minutes
66. [You will see] Weeds wilt/(turn brown in [12] hours
67. Turns weeds brown in [12] hours
68. Same day Results
69. Begins working in hours
70. See browning in (12) hours
71. Fast weed killer
72. Weeds start dying by/on contact
73. Kills by/on contact
74. Starts killing by/on contact

NOTE:

EPA Reg. No. 239-ETLI

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 75. Knocks weeds down in (12) hours
- 76. [Results in/Starts working in/Starts to kill in/Visible [See] Results in/Weeds [and Grasses] start dying in/Works to the root[s]] in [[12]] hours
- 77. Same Day [Visible] Results
- 78. Speedy Results
- 79. Rainproof in 30 minutes [so you don't have to re-spray]

Location

- 80. Apply to/for use on driveways/sidewalks/fence lines/paver patios/walkways/ gravel areas/ rock and desert landscapes/ under decks/ parking areas/ and along fences and curbs where no weeds/grasses and/&/or vegetation is desired.

Promotional options

- 81. Great Value
- 82. Value [pack/size/buy/pak]
- 83. Bonus [pack/size/buy/pak]
- 84. X bottles [included]
- 85. Bundle Pack
- 86. Club [Pack/ Pak/ Size]
- 87. Combo [Pack/ Pak/ Size]
- 88. Not for individual sale


Optional Instructions for Side Clip Tape

- Peel Here Open Resealable Label for Directions and Precautions
- Press to Reseal
- See inside booklet for details

The ORTHO Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Ortho and Your Environment – Your yard is a place for family and pets to enjoy. That’s why Ortho products are designed with care to provide effective solutions to weed problems. Please follow instructions for appropriate usage, storage and disposal.



Questions / Information [Questions or Comments]

[Consumer Helpline] 1-800-225-2883 [phone icon] [Or] [Visit our website] [www.]ortho.com [computer icon]

©Year [Company Name]. World rights reserved.

Manufactured [by]/for/[Sold by]/Distributed by]:

The Ortho Group
P.O. Box 190
Marysville, OH 43040

EPA Reg. No. 239-ETLI
EPA Est. No. XXX-XXX-X
Superscript is first letter of lot number

[Product of] [Made in] [Country Name] [USA]