



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505T)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

239-2793

Date of Issuance:

12/9/25

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Ortho 343

Name and Address of Registrant (include ZIP Code):

The Scotts Company d/b/a The Ortho Group
P.O. Box 190
Marysville, Ohio 43040

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Continues page 2

Signature of Approving Official:

Mindy Ondish, Product Manager 23
Herbicide Branch, Registration Division (7505T)

Date:

12/9/25

2. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The alternate brand name, **"Ortho Nutsedge Killer for Lawns Ready-To-Spray2"** has been added to the product record.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 06/27/2025

If you have any questions, please contact Margaret Golembiewski at (202)566-0304 or at golembiewski.margaret@epa.gov.

Enclosure

NOTE:


Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-2793

Ortho 343

ABN: Ortho Nutsedge Killer for Lawns Ready-To-Spray2



Active Ingredient:	By Wt.
Sulfentrazone.....	1.40 %
Other Ingredients.....	98.60 %
Total.....	100.00 %

Contains 0.000926 pounds of active ingredient per fluid ounce of product.

[Not for sale, distribution, or use in Nassau or Suffolk Counties in New York State.]

[New York: Only one application per year of this product is allowed.]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [back] [side] [other] [panel] [booklet] for additional precautionary statements.

Net Contents: XX FL OZ (X [GAL/QT/PT]) XX [L/mL]

[Treats up to ____ sq ft] *[Note to PM: Value is dependent on package size]*



Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

FIRST AID	
If swallowed	Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for Emergency Assistance.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to marine/estuarine invertebrates. Care should be used when spraying in order to avoid contact with fish and reptile pets in/around ornamental ponds. Drift and runoff of sulfentrazone products may be hazardous to plants in adjacent areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Bold, italicized text is information for the reader and is not part of the label.


[Bracketed information is optional text]. Text separated by / denotes and/or options.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product may only be used to provide Selective Postemergence Control of Broadleaf weeds and Sedges. For home lawn use only.

Observe all cautions and limitations on this label. The use of this product not consistent with this label may result in plant injury. Keep container closed to avoid spills and contamination.

 Keep children and pets out of the treated area until sprays have dried.

USE INFORMATION

This product selectively controls tough weeds like purple and yellow nutsedge (nutgrass), kyllinga, wild onion and garlic, broadleaf plantain, purslane, redroot pigweed, dandelion, spurge and other listed annual, biennial, and perennial broadleaf weeds in a great variety of lawns, including:

Cool-Season Grasses	
Creeping Bentgrass	Kentucky Bluegrass
Fescue, fine	Rough Bluegrass
Fescue, tall	Ryegrass (perennial)

Warm-Season Grasses	
Bahiagrass	Kikuyugrass
Bermudagrass	Seashore Paspalum
Buffalograss	St. Augustinegrass
Carpetgrass	Zoysiagrass
Centipedegrass	

AMOUNT TO USE: 1/one quart of this product will cover 5,000 sq ft.

WHEN TO USE: When weeds are small and actively growing. Wait 1 month after application before re-seeding.

PRECAUTIONS

- For best results, apply to weeds when less than 3 inches high.
- Use only on well established non-stressed turfgrass. Applications to stressed plants (turfgrass or target weeds) may result in temporary discoloration or poor weed control. Allow turfgrass to develop good root system before applying.
- Avoid applying when windy to prevent product drifting to other plants.
- Try to avoid overlap spraying.

APPLICATION RESTRICTIONS

Bold, italicized text is information for the reader and is not part of the label.




[Bracketed information is optional text]. Text separated by / denotes and/or options.

- Do not apply to newly planted, plugged, or sodded turfgrass.
- Do not spray ornamentals, flowers or vegetable beds. For optimum control of some weeds, repeat application may be needed (see detailed instructions below).
- Do not spray over-the-top of flowers, ornamentals (including herbaceous) or garden vegetables other than those listed on the label under “Control of Weeds in Ornamentals” section as injury may result.
- Do not use on turfgrasses other than those listed on the label.
- Do not use in greenhouses.
- Do not graze or feed treated grass clippings.
- Wait at least 4 weeks after treatment before reseeding, winter overseeding or plugging lawns.
- If discoloration occurs, treated turfgrass will recover with new growth and discolored leaf tissue will be removed with mowing. To reduce potential for discoloration, do not apply this product on turfgrass that is weakened by weather, mechanical, chemical, disease or other related stress. Maintain proper cultural practices such as adequate moisture and fertility levels to promote healthy turfgrass growth.
- The maximum annual application rate for this product is 9.3 fl oz of product (0.09 lbs sulfentrazone) per 1000 sq ft.

	<i>Note to PM: Final label will include one of the following 4 options</i>
1	<p>[Hand trigger sprayer, pump-up sprayer or hose-end sprayer option]</p> <p>This product can be applied using a hand trigger sprayer, pump-up sprayer or hose-end sprayer. The maximum single application rate for this product is 6.4 fl oz product (0.06 lbs sulfentrazone) per 1,000 sq ft.</p> <p>Hand trigger and Pump-up sprayer: Mix 1.25 ounces of product per 1 gallon of water. Spray weeds directly until well covered.</p> <p>Hose-end Applicators: Pour 6.4 ounces of product into container for every 1000 sq ft to be treated. Connect applicator to water hose. Broadcast spray across lawn to uniformly cover area to be treated.</p> <p>Do not spray ornamentals, flowers or vegetable beds. For optimum control of some weeds, repeat application may be needed (see detailed instructions below).</p>
2	<p>HOW TO USE THE READY-SPRAY® SYSTEM</p> <p>Connect:</p> <ol style="list-style-type: none"> 1. Shake well before using. [optional step] 2. Connect sprayer to hose. 3. Turn on water. 4. Extend hose to the farthest area of the lawn to be treated. [optional step] <p>Spray:</p> <ol style="list-style-type: none"> 1. To begin spraying, point nozzle in the direction you want to spray. 2. Bend small plastic tab back and turn knob [clockwise] to ON position. 3. Spray evenly over measured area. <p>Finish:</p> <ol style="list-style-type: none"> 1. To STOP spraying, rotate the knob [counterclockwise] to the OFF position.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

	<ol style="list-style-type: none"> 2. Turn off water. 3. Relieve water pressure by bending plastic tab back and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position. 4. Disconnect sprayer from hose.
3	<p>HOW TO USE THE READY-SPRAY® II/[READY-SPRAY 2]/[APPLICATOR NAME] SYSTEM</p> <p>Optional:</p> <ol style="list-style-type: none"> 1. [Measure the total [entire] area to be sprayed. For rectangular areas, multiply the length by width to obtain total square feet. 2. See below directions for the ready-to-use hose-end sprayer. 3. Spray evenly over the entire measured area.] <p>End of optional section</p> <div style="display: flex; align-items: flex-start;"> <div style="flex: 1;">  <p>CONNECT</p>  <p>SPRAY</p>  <p>FINISH</p> </div> <div style="flex: 2;"> <p>Connect:</p> <ol style="list-style-type: none"> 1. Shake well before using. [optional step] 2. Connect sprayer to hose. 3. Turn on water. 4. Extend hose to farthest area of the measured area to be treated. [optional step] <p>Spray:</p> <ol style="list-style-type: none"> 1. To begin spraying, [disengage safety lock and] point nozzle in the direction you want to spray. 2. Slide thumb activation switch forward to ON position. 3. Spray evenly over measured area. <p>Finish:</p> <ol style="list-style-type: none"> 1. To STOP spraying, slide thumb activation switch backward to OFF position. 2. Turn off water. 3. Relieve water pressure by sliding thumb switch to ON /WATER/ WATER ONLY position until water slows to a drip. Then, slide switch back to OFF position [and engage safety lock]. 4. Disconnect sprayer from hose. <p>Optional illustrations may be used in conjunction with the above steps</p> </div> </div>
4	<p>HOW TO APPLY/USE</p> <p>[SHAKE WELL BEFORE USE]</p> <p>[PREP][SET-UP][:]</p> <p>[Remove Cap from bottle/container/pouch/reservoir.][Remove foil/liner/seal from bottle/container/pouch/reservoir.]</p> <p>[Attach/Secure/Connect/Screw/Snap/Twist applicator/APPLICATOR PRODUCT NAME to bottle/container/pouch/reservoir]</p> <p>[Connect]</p>

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- [Confirm sprayer is in OFF/Forward/Back position.]
- Connect sprayer to [garden] hose.
- Turn on water [supply][to hose][at spigot]
- [User tip: start at the farthest point in your yard and work back.]

[Spray]

- [Select desired spray pattern/nozzle/setting.]
- [Point nozzle in the direction you want to spray.]
- [Bend small plastic tab back] [Disengage/Remove safety lock] [and] move/turn/rotate/slide switch/knob/lever/slider [from OFF/Forward/Back] to ON/Forward/Back/FEED position.
- To STOP spraying, move/turn/rotate/slide switch/knob/lever/slider [from ON/Forward/Back/FEED] to OFF/Forward/Back position.

[Finish]

- Move/turn/rotate/slide switch/knob/lever/slider to OFF/forward/back position
- Turn off water [supply] [to hose][at spigot]
- Relieve water pressure by moving/turning/rotating/sliding switch/knob/lever/slider to ON/forward/back/FEED/WATER position.
- After water slows to a drip, move/turn/rotate/slide switch/knob/lever/slider to OFF/forward/back position.
- Disconnect sprayer from [garden] hose.
- [To store unused product, make sure the switch/knob/lever/slider is in the OFF/Forward/Back position. [Engage/Reattach safety lock.] Place in a cool area away from heat, sunlight, or open flame.]

Optional Ready To Spray Applicator Reuse Directions

ONLY reuse this Applicator with a Scotts/INSERT COMPANY product that can be applied to lawns. DO NOT use the applicator with a non-Scotts product or a product not labeled for use with this applicator.

[[Applicator/Sprayer Re-use] [Reuseable Applicator/Sprayer]- [This applicator is designed to be reused.] Remove applicator from bottle/container/pouch/reservoir when empty. Keep and store applicator for use with this product's refill bottle/container/pouch/reservoir.]

[Rinse [& Store] [Applicator]: OR Cleaning/Rinsing Applicator: Fill the emptied bottle with water. Reattach the applicator to the bottle. Spray bottle over the treatment area until empty. Remove and store the applicator in a clean, dry space until next use.]

Images for Applicator steps and/or headings

Note To PM: *These images will be used as applicable with the headings and/or specific step(s). More than one image may be used with a step if needed.*



CONTROL OF SEDGES (INCLUDING NUTSEDGES)

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

This product is effective against newly emerged and established sedges. Spray directly on emerged weeds to control or suppress sedges (see Table 1). Good spray coverage is needed for optimum control.

[illustration – Lawn with sedge]

Table 1. Sedge weed species controlled or suppressed

Common Name	[Scientific Name
Kyllinga, green	<i>Kyllinga brevifolia</i>
Kyllinga, false green	<i>Kyllinga gracillima</i>
Nutsedge, purple*	<i>Cyperus rotundus</i>
Nutsedge, yellow	<i>Cyperus esculentus</i>
Sedge, globe	<i>Cyperus globulosus</i>
Sedge, cylindrical	<i>Cyperus retrorsus</i>
Sedge, Surinam	<i>Cyperus surinamensis</i>
Sedge, Texas	<i>Cyperus polystachyos</i>
*For optimal control of Purple Nutsedge, spot treat as needed with [Ortho 309] [Ortho Nutsedge Killer for Lawns2][Insert product name].	

CONTROL OF ANNUAL, BIENNIAL & PERENNIAL BROADLEAF WEEDS

This product is effective against annual, biennial and perennial broadleaf weeds (see Table 2). Spray directly on newly emerged weeds to control or suppress a wide range of broadleaf weeds.

Table 2: Broadleaf weeds controlled or suppressed [by ORTHO 343]:

Common Name	[Scientific Name
Bittercress	<i>Cardamine spp.</i>
Black medic	<i>Medicago lupulina</i>
Buttercups	<i>Ranunculus spp.</i>
Carolina geranium	<i>Geranium carolinianum</i>
Carpetweed	<i>Mollugo verticillata</i>
Chickweed, common	<i>Stellaria media</i>
Chickweed, mouseear	<i>Cerastium vulagatum</i>
Cinquefoil	<i>Potentilla spp.</i>
Clover	<i>Trifolium spp.</i>
Cudweed	<i>Gnaphalium spp.</i>
Dandelion	<i>Taraxacum officianale</i>
Dock, Curly	<i>Rumex crispus</i>
Evening primrose	<i>Oenothera spp.</i>
Fiddleneck	<i>Amsinckia spp.</i>
Filaree	<i>Erodium spp.</i>
Goldenrod	<i>Solidago spp.</i>
Ground ivy	<i>Glechoma hederacea</i>
Henbit	<i>Lamium amplexicaule</i>
Knotweed, prostrate	<i>Polygonum aviculare</i>
Kochia	<i>Kochia scoparia</i>

NOTE:

EPA Reg. No. 239-2793

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Lambsquarters, common	<i>Chenopodium album</i>
Lawn burweed (Spurweed)	<i>Soliva pterosperma</i>
Lespedeza, common	<i>Lespedeza striata</i>
Mallow, common	<i>Malva neglecta</i>
Parsley-piert	<i>Aphanes microcarpa</i>
Pennywort (Dollarweed)	<i>Hydrocotyle spp.</i>
Pigweed, Redroot	<i>Amaranthus retroflexus</i>
Pigweed, Smooth	<i>Amaranthus hybridus</i>
Pigweed, Tumble	<i>Amaranthus albus</i>
Pineapple weed	<i>Matricaria matricariodes</i>
Plantain broadleaf	<i>Plantago major</i>
Plantain, buckhorn	<i>Plantago lanceolata</i>
Puncturevine	<i>Tribulus spp.</i>
Purslane, common	<i>Portulaca oleracea</i>
Pursley, Florida	<i>Richardia scabra</i>
Redweed	<i>Melochia corchorifolia</i>
Rocket, London	<i>Sisymbrium irio</i>
Smartweed, Pennsylvania	<i>Polygonum pennsylvanicum</i>
Sorrel, Red	<i>Rumex acetosella</i>
Speedwell	<i>Veronica spp.</i>
Spurge, (annuals)	<i>Euphorbia spp.</i>
Spurge, prostrate	<i>Euphorbia humistrata</i>
Spurge, spotted	<i>Euphorbia maculate</i>
Star-of-Bethlehem	<i>Ornithogalum umbellatum</i>
Velvetleaf	<i>Abutilon theophrasti</i>
Violet, wild	<i>Viola spp.</i>
Wild garlic	<i>Allium vineale</i>
Wild onion	<i>Allium canadense</i>
Woodsorrel, creeping	<i>Oxalis corniculata</i>
Woodsorrel, yellow	<i>Oxalis stricta]</i>

CONTROL OF WEEDS IN ORNAMENTALS

This product is effective in killing the listed weeds in established landscape plantings (see Table 3). Apply This product spray solution to the area where weeds are present. Applications should only be made over the top of or around the listed ornamentals. APPLICATION TO THE FOLIAGE OR ROOT ZONE OF UNLABELED ORNAMENTALS, PERENNIALS, OR ANNUAL BEDDING PLANTS MAY RESULT IN SEVERE PLANT INJURY. Use only on well-established, non-stressed plants:

Table 3. THIS PRODUCT CAN BE APPLIED TO THE FOLLOWING ORNAMENTALS /USE ON THE FOLLOWING ORNAMENTALS

Common Name	[Scientific Name
Boxwood, Common Box, Bonsai	<i>Buxus spp.</i>
Dwarf Yaupon Holly	<i>Ilex vomitoria 'Nana'</i>
Creeping Juniper	<i>Juniperus horizontalis</i>
Roses	<i>Rosa spp.</i>

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Yews	<i>Taxus spp.</i>
Glossy abelia	<i>Abelia X grandiflora</i>
Butterfly bush or Summer lilac	<i>Buddleia davidii</i>
Round leaf holly	<i>Ilex rotunda</i>
Blue Holly or Meserve Holly	<i>Ilex X meserveae</i>
Crepe myrtle	<i>Lagerstroemia indica</i>
Douglas Fir	<i>Pseudotsuga menziesii</i>
Rhododendrons	<i>Rhododendron spp.</i>
Spirea (flowering bush)	<i>Spirea spp.]</i>

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area, preferably in a locked storage area and avoid excess heat. Keep from freezing. Do not store below 32°F. Always store pesticides in the original container. Store away from food and pet food. Keep out of reach of children and animals. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into drink containers.

Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

OPTIONAL CLAIMS (claims may appear on any or all label panels(s))

1. Kills weeds not lawns
2. Kills Yellow & Purple Nutsedge, Kyllinga
3. Kills Yellow & Purple Nutsedge, Kyllinga and over 50 other tough weeds
4. Kills Nutsedge
5. Kills Nutsedge in Warm and Cool Season Turf Grasses
6. Kills Nutsedge in Northern and Southern Turf Grasses
7. Kills Nutsedge in Northern Turf Grasses
8. Kills Nutsedge in Cool Season Turf Grasses
9. Kills Nutsedge in Southern Turf Grasses
10. Kills Nutsedge in Warm Season Turf Grasses
11. Nutsedge Killer
12. Nutsedge Killer in Warm and Cool Season Turf Grasses
13. Nutsedge Killer in Northern and Southern Turf Grasses
14. Nutsedge Killer in Cool Season Turf Grasses
15. Nutsedge Killer in Northern Turf Grasses
16. Nutsedge Killer in Southern Turf Grasses
17. Nutsedge Killer in Warm Season Turf Grasses
18. Nutsedge Killer in Southern Turf Grasses
19. Nutsedge Killer for broadcast application
20. For Northern and Southern Turf Grasses

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

21. For Northern Turf Grasses
22. For Warm and Cool Season Turf Grasses
23. For Cool Season Turf Grasses
24. Rainproof in 2 hours
25. Results are visible in days
26. Complete kill occurs in 2-3 weeks
27. Weed is yellowed in 1-2 days
28. Connect and Spray Applicator – No mixing required
29. Ready to Spray – no mixing
30. Kills Roots, Shoots and nutlets
31. Kills Tough Weeds
32. Kills Tough Weeds, such as Purple and Yellow Nutsedge, Kyllinga, and other listed Sedges
33. Also kills Plantain, Clover, Spurge, Woodsorrel, Knotweed, and other listed annual, biennial, and perennial broadleaf weeds
34. Selective Herbicide for use in Northern Turf Grasses
35. Selective Herbicide for use in Northern & Southern Turf Grasses
36. Apply to growing and dormant grasses
37. Uptake by both weed roots and shoots
38. Dual action killing: Uptake by both leaves and roots
39. Dual action killing - Uptake by both leaves and roots
40. Before/After
41. Convenient [Simple] [Design]
42. Easily covers large areas
43. [Easy] [Ergonomic] Comfort Grip [Design]
44. Easy grip [control]
45. Easy [to use]
46. Economical – use to cover large areas
47. Ergonomic [design]
48. Gentle shower [applicator] [spray pattern]
49. Guaranteed
50. Guaranteed Results
51. Hand doesn't get wet
52. Hand stays dry
53. Includes water [only] setting/option
54. Instant/Easy [One-handed] on/off applicator/switch/action
- Note to PM: for claims 55, 73 & 74 on labeling for the first six (6) months following commercial introduction.)***
55. New/Now
56. No mixing required
57. One-handed operation
58. Ready-Spray®/Ready-to-Spray/Applicator Name
59. Simple [and easy] [to use]
60. [Simply] attach to [garden] hose and spray/go
61. For Northern & Southern Turf Grasses
62. For Lawns
63. Kills Yellow & Purple Nutsedge, Kyllinga
64. Rainproof in 2 hours
65. Guaranteed results

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 66. Open resealable label for directions and precautions.
- 67. [Quick and] Easy to Use
- 68. Consistent spray [for maximum accuracy]
- 69. Continuous [Adjustable] Spray [Wand] [illustration]
- 70. Cut your time spraying in half
- 71. Up to X minutes of continuous spray
- 72. Over X minutes of continuous spray
- 73. [New] [Improved Applicator]
- 74. [New] [Comfort] [Shot] Wand [illustration]
- 75. The easy way [to spray]
- 76. Saves time and energy
- 77. Continuous Spray
- 78. Extended Reach [illustration]

Note to PM: any combination of weeds can be used on the market label for Kills/What it does?.

[PRODUCT USAGE/ FACTS]	
Kills/What it does?	Sedges and Broadleaf Weeds: Purple and Yellow Nutsedge, Kyllinga, Plantain, Clover, Spurge, Woodsorrel, Knotweed, Chickweed, Curly Dock, Wild Onion, Wild Garlic, and other listed weeds.
Use On	Well established turfgrasses. <u>Cool-Season Grasses:</u> Creeping Bentgrass, Fine & Tall Fescue, Perennial Ryegrass, Kentucky & Rough Bluegrass <u>Warm-Season Grasses:</u> Bahiagrass, Bermudagrass, Buffalograss, Carpetgrass, Centipedegrass, Kikuyugrass, Seashore Paspalum, St. Augustinegrass, Zoysiagrass
Amount to Use	Apply at the rate of 1 quart of this product to cover 5,000 sq ft See label for additional instructions.
When to Use	As weeds are small and actively growing. [Wait 1 month after application before re-seeding.]

Optional Instructions for Side Clip Tape

PULL / PEEL HERE [TO REMOVE TAPE]

Open Resealable Label For Directions and/ & Precautions

Press to Reseal

Questions & Comments: [icon phone] [icon computer]  

Call 1-800-225-2883 or [Visit [our Website] at www.ortho.com

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

Ortho and Your Environment – Your yard is a place for family and pets to enjoy. That’s why Ortho products are designed with care to provide effective solutions to weed problems. Please follow instructions for appropriate usage, storage and disposal.

[OUR PRODUCT GUARANTEE:] Scotts Miracle-Gro No-Quibble Money Back Guarantee™ - If for any reason you, the [end user] consumer, are not satisfied with the performance/results after using

NOTE:

EPA Reg. No. 239-2793

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

this product, you are entitled to get your money back. Limitations apply. See terms and conditions at scottsmiraclegro.com/no-quibble-money-back-guarantee/ / ***insert website***



The ORTHO Guarantee If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Alternate Guarantee: [†]GUARANTEED RESULTS or your money back. If for any reason you are not satisfied after using this product, simply send us the original proof of purchase and we will refund the purchase price.

The [insert company/brand] Promise: If this [company/brand] product when used for its intended purpose fails to give you complete satisfaction return the item to the [company] store where purchased for free replacement of the same or similar item.

Money Back Guarantee. See back panel for details™ [™]Great quality. Great Price. Guaranteed. Our guarantee is a promise that you'll be fully satisfied with the quality of every (Product Brand Name) product. If for any reason you aren't happy, we'll replace it or return your money – whichever you prefer. All you need to do is return the empty packaging. It's that simple. Guaranteed. Guaranteed within 1 year of the date of purchase. Questions or comments? Call (855-481-2977)

QR Code



[Item [Number][#]:xxxxx]

Note to PM: Item number or version/label ID is for internal company tracking purposes and may or may not be listed on the label.

Graphics: The following are representative examples of graphics that may be used on the market label. If the graphic is used, minor changes to the exact color, shapes or orientation of items depicted, or the amount or size of graphic may occur based on marketing decisions and the available space on the label.

Nutsedge



Manufactured for / Distributed for/by / Sold by:
The Ortho Group

NOTE:

EPA Reg. No. 239-2793

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

P.O. Box 190

Marysville, OH 43040

20XX[©] The Ortho Group, World rights reserved.

EPA Reg. No. 239-2793

EPA Est. No. XXXX-XXX

[Superscript is first letter of lot number].