PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. May cause allergic skin re[illegible] Do not get in eyes [illegible] when handling. Avoid contact [illegible] breathing of dust or vapor. Wash hands after [illegible] and launder clothing before re-use.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 min. for [illegible] a doctor. If swallowed, give a large amount of water to drink, make person vomit, and call a doctor. For skin contact, wash with plenty of soap and water. See a doctor if irritation occurs or rash develops.

Note to Physicians: Emergency Information — call (415) 233-3737

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.
Open dumping is prohibited.

STORAGE

Keep pesticide in original container.
Store in cool, dry place.
Protect from excessive heat.
Do not store or transport near feed or food.

PESTICIDE DISPOSAL

Pesticide spray mixture or rinse water that cannot be used according to label directions must be disposed of according to applicable federal, state and local procedures.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Dispose of empty container in sanitary landfill or by other means in accordance with federal, state and local regulations.

ORTHO

ORTHOCIDE® Streptomycin 7.5-.01 Dust

(FUNGICIDE)

Active Ingredients	By Wt.
*Captan	7.10%
Related Derivatives	0.40%
**Streptomycin	.01%
Inert Ingredients	92.49%

*N-(trichloromethylthio)-4-cyclohexene-1,2-dicarboximide.
**Streptomycin from streptomycin sulfate (agricultural grade)
Contains 100 ppm streptomycin

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Chevron Chemical Company
Ortho Agricultural Chemicals Division
San Francisco CA 94120 7144 Richmond CA 94804 0036

Product 3940 Made in U.S.A.
Form 7691-1 EPA Est. 239-MO-1
EPA Reg. No. 239-2258

NET WEIGHT 50 POUNDS

DIRECTIONS

This material is especially formulated for potato seed piece treatment.

POTATO SEED PIECES: To Control Black Leg, Seed Rot and Damp-Off, and Brown Eye Disease—Dust at 10 ounces per bushel of cut seed pieces (1 lb. per 100 lbs. of cut seed pieces). Apply in convenient container or by duster attachment over belt. Cut pieces should be treated within 6 hours of cutting. If planting is to be delayed more than 1 or 2 days the treated pieces should be stored for 2 to 3 days in open crates before bagging. See piece treatment only. Do not use treated seed pieces for food or feed purposes.

ACCEPTED
MAY 7 1982

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) [illegible] to the chemical description on [illegible] as directed herein [illegible] to make, [illegible] of FITNESS or of MERCHANTABILITY [illegible] guarantee [illegible] expressed, concerning this material [illegible] Beyond Chevron's control [illegible] all risks in connection with the use of [illegible] include, but are not limited to, damage to [illegible] to which the material is applied, lack of complete control [illegible] damage caused by drift to other plants or crops, [illegible] even though the product is reasonably fit for the [illegible] and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.