

240-21

DIRECTIONS

Do not use in commercial food preparation areas or in edible products areas of food processing plants. This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

WARNINGS

May be fatal if swallowed. Do not breathe spray mist. Do not get on skin, eyes, or on clothing. Contact with skin can cause toxic symptoms. In case of spillage on skin, wash immediately with soap and water. Keep out of reach of children. Do not use on pets or humans. Avoid contamination of feed and foodstuffs. Do not use on dairy animals or in dairy barns. Do not feed treated forage crops to dairy animals or to animals being finished for slaughter.

ACCEPTED
JAN. 24 1972

External -- In case of spillage on skin, wash promptly with soap and water.
Internal -- Emetic of 1 tablespoonful mustard in tumbler of water. Call a Physician.

EPA Reg. No. 240-21

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

Dee Aitch Chlordane

EMULSIFIABLE CONCENTRATE

CONTAINS: 8 lbs. technical chlordane per gallon

ACTIVE INGREDIENTS:

* Technical Chlordane _____ 74%
Petroleum Hydrocarbons _____ 21%

INERT INGREDIENTS _____ 5%
TOTAL _____ 100%

*Equivalent to 44.4% Octachloro-4,7-methanotetrahydroindane and 29.6% related compounds.

WARNING

KEEP OUT OF REACH OF CHILDREN

See side panel for other warnings

CONTROLS

Wireworms, Japanese Beetle Larva, Mole Crickets, White Fringed Beetle Larva, White Grubs, Ants, Chiggers, Earwigs, Chinch Bugs, Sod Webworms, Termites.

DALY-HERBING CO.

Ahoskie, N. C. 27910 Greensboro, N. C. 27405 Dillon, S. C. 29536
KINSTON, N. C. 28501

Net Contents: One Gallon

DIRECTIONS

IRISH POTATOES AND SWEET POTATOS: Wireworms, Flea Beetle Larva, Grubs Treatment -- Apply 2 to 3 quarts per acre with sufficient water to insure thorough coverage. Disc or harrow into soil.

Application is limited to preplanting, transplanting time.

LAWNS, ORNAMENTALS - Pre-plant - Apply 10 pints per acre. AITCH 74% Chlordane with sufficient water to insure thorough coverage. Disc in to the top two or three inches of soil.

LAWNS, ORNAMENTALS - Post-plant - Apply 10 pints per acre. AITCH 74% Chlordane E. C. with sufficient water to insure thorough coverage.

Keep children and pets off treated areas until soil is washed into soil and lawn has dried.

Do not apply to newly seeded lawns.

TERMITES: Mix 1 gal. Dee Aitch 74% E.C. with 95 gal. water. Use low pressure equipment. Use sufficient liquid to insure soaking of the area. Spray all pillars and floor level. Where trenching operations are used to protect wooden buildings from termites, dig trench along the entire foundation of the structure and one-half feet deep, but not below the footing if this is shallower, and eight to ten inches wide. Apply the spray mixture at the rate of one quart per linear foot as the trench is being dug. Buildings with deep foundations dig trench

240-21

DIRECTIONS

...erial food preparation areas or in
...of food processing plants.
...to fish and wildlife.
...ted areas may be killed.
...noff is likely to occur.
...water by cleaning of equipment,
...only as specified on this label.
...container. Destroy it by perfora-
...ry or discard in a safe place.

WARNING

...owed. Do not breathe spray mist
...eyes, or on clothing. Contact with
...symptoms. In case of spillage on
...ly with soap and water. Keep out
...Do not use on pets or humans.
...of feed and foodstuffs. Do not
...or in dairy barns. Do not feed
...to dairy animals or to animals
...ughter.

JAN. 24 1972

...AN UNNOT...
...se of spillage on skin, wash
...and water,
...of 1 tablespoonful mustard in
...all a Physician.

Reg. No. 240-21

...uarantee shall be limited to the
...and subject thereto the buyer as-
...persons or property arising out of
...accepts the product on these con-

Dee Aitch Chlordane

EMULSIFIABLE CONCENTRATE

CONTAINS: 8 lbs. technical chlordane per gallon

ACTIVE INGREDIENTS:

* Technical Chlordane _____ 74%
Petroleum Hydrocarbons _____ 21%

INERT INGREDIENTS _____ 5%
TOTAL _____ 100%

*Equivalent to 44.4% Octachloro-4,7-methanotetrahydro-
indane and 29.6% related compounds.

WARNING

KEEP OUT OF REACH OF CHILDREN

See side panel for other warnings

CONTROLS

Wireworms, Japanese Beetle Larva, Mole Crickets, White
Fringed Beetle Larva, White Grubs, Ants, Chiggers, Ear-
wigs, Chinch Bugs, Sod Webworms, Termites.

DALY-HERRING CO.

Ahoskie, N. C. 27910 Greensboro, N. C. 27405 Dillon, S. C.
KINSTON, N. C. 28501 29536

Net Contents: One Gallon

DIRECTIONS

IRISH POTATOES AND SWEET POTATOES —
Wireworms, Flea Beetle Larva, Grubs: Broadcast
Treatment — Apply 2 to 3 quarts per acre with suf-
ficient water to insure thorough coverage of entire
soil surface. Disc or harrow into soil immediately.

Application is limited to preplanting, planting or
transplanting time.

LAWNS, ORNAMENTALS - Pre-plant - Japanese
beetle larva, mole crickets, wireworms, white fringed
beetle larva, white grubs: Apply 10 pints of DEE
AITCH 74% Chlordane with sufficient water to cover
one acre. Disc in to the top two or three inches of soil.

LAWNS, ORNAMENTALS - Post-plant - Ants, chiggers,
earwigs, chinch bugs, sod webworms: Mix 2 to 5 pints
74% Chlordane E. C. with sufficient water to cover
one acre.

Keep children and pets off treated areas until material
is washed into soil and lawn has dried thoroughly.

Do not apply to newly seeded lawns.

TERMITES: Mix 1 gal. Dee Aitch 74% Chlordane
E.C. with 95 gal. water. Use low pressure spraying
equipment. Use sufficient liquid to insure thorough
soaking of the area. Spray all pillars and walls below
floor level. Where trenching operations are desired to
protect wooden buildings from termites, dig the trench
along the entire foundation of the structure one to two
and one-half feet deep, but not below the top of the
footing if this is shallower, and eight to twelve inches
wide. Apply the spray mixture at the rate of one gallon
per linear foot as the trench is being refilled. For
buildings with deep foundations dig trench 30" deep.