

# 5% SEVIN\* DUST

|  |      |  |
|--|------|--|
| ACTIVE INGREDIENT:                           |      |  |
| CARBARYL (1-Naphthyl N-Methylcarbamate)..... | 5%   |  |
| INERT INGREDIENTS: .....                     | 95%  |  |
| Total.....                                   | 100% |  |

**NET WEIGHT FOUR POUNDS**

**WARNING**  
**KEEP OUT OF REACH OF CHILDREN**  
 SEE OTHER WARNINGS ON BACK PANEL

MANUFACTURED BY  
**DALY-HERRING COMPANY**  
 KINSTON, NORTH CAROLINA 28501  
 AHOSKIE, NORTH CAROLINA 27910  
 DILLON, SOUTH CAROLINA 29536  
 GREENSBORO, NORTH CAROLINA 27405

**5%  
DIRECT**

**APPLICATION:** Make first app  
Apply 25 to 30 lbs. of dust of  
upper leaf surfaces. Repeat  
for control.

**BEANS:** To control the Mexic  
Japanese Beetle, Velvet Bea  
Bugs and Leafhoppers.

**CABBAGE, COLLARDS:** To c  
Corn Earworm, Armyworms,  
Stink Bugs. Dust can be app  
on collards.

**CUCUMBERS, CANTALOUPE,**  
Cucumber Beetles, Melonwo  
Leafhoppers.

**OKRA:** To control Corn Earw  
**POTATOES:** To control Blist  
and Leafhopper.

**EGG PLANT, PEPPER, AND**  
Armyworm, Tomato Hornwor  
and Tarnished Plant Bugs.

To control Brown Dog Ticks  
bedding or areas where anit  
puppies under four weeks of

**CHICKENS, TURKEYS, DUCI**  
**ON BIRDS:** To control North  
1 lb. of dust per 100 birds.

**IN DUST BATH BOXES:** Use  
can be used up to 7 days of

**WARNING:**  
Harmful if inhaled or swall  
ternally.

Skin contact may be harmful.  
and food products. Wash th

**NOTE FOR PHYSICIAN:** Car  
inhibitor. Atropine is antido  
**Avoid Contamination of Food**

\*Trade Mark of UCC for CARBARYL (1-  
USDA


**NOTICE** Seller's guarantee shall be limite  
any risk to persons or property arising out

**MA**  
**DALY-HEI**  
KINSTON,  
AHOSKIE,  
DILLON, S  
GREENSBOR

Disposal warning: Dispose of waste by burning in non-crop lands away from water supplies. Burn bag. Keep out of sight.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label.



## **5% SEVIN\* DUST** **DIRECTIONS FOR USE**

**APPLICATION:** Make first application when insect or egg masses are first seen. Apply 25 to 30 lbs. of dust per acre. Dust thoroughly the lower as well as the upper leaf surfaces. Repeat application at 5 to 7 day intervals or as needed for control.

### **VEGETABLES**

**BEANS:** To control the Mexican Bean Beetle, Cucumber Beetles, Flea Beetles, Japanese Beetle, Velvet Bean Caterpillar, Corn Earworm, Armyworms, Stink Bugs and Leafhoppers.

**CABBAGE, COLLARDS:** To control Flea Beetles, Leafhoppers, Harlequin Bug, Corn Earworm, Armyworms, Cabbage Caterpillars, Tarnished Plant Bugs, and Stink Bugs. Dust can be applied up to 3 days of harvest on cabbage; 14 days on collards.

**CUCUMBERS, CANTALOUPE, PUMPKINS, MELONS, AND SQUASH:** To control Cucumber Beetles, Melonworm, Pickleworm, Flea Beetles, Squash Bug, and Leafhoppers.

**OKRA:** To control Corn Earworm and Stink Bugs.

**POTATOES:** To control Blister Beetles, Colorado Potato Beetle, Flea Beetle, and Leafhopper.

**EGG PLANT, PEPPER, AND TOMATOES:** To control Tomato Fruitworm, Fall Armyworm, Tomato Hornworm, European Corn Borer, Stink Bugs, Lace Bugs, and Tarnished Plant Bugs.

### **CATS AND DOGS**

To control Brown Dog Ticks and Fleas. Dust animals lightly. Apply lightly to bedding or areas where animals stay. Treat weekly. Do not treat kittens or puppies under four weeks old.

### **POULTRY**

**CHICKENS, TURKEYS, DUCKS, GEESE, GAME BIRDS, AND PIGEONS:**


**ON BIRDS:** To control Northern Fowl Mite, Chicken Mite, Lice and Fleas, use 1 lb. of dust per 100 birds.

**IN DUST BATH BOXES:** Use 2½ lbs. of dust per box for each 50 birds. Dust can be used up to 7 days of slaughter.

### **WARNING:**

Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally.

Skin contact may be harmful. Avoid contact with skin. Avoid storage near food.



can be used up to 7 days or slaughter.

**WARNING:**

Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally.

Skin contact may be harmful. Avoid contact with skin. Avoid storage near feed and food products. Wash thoroughly after using.

**NOTE FOR PHYSICIAN:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

**Avoid Contamination of Food.**

\*Trade Mark of UCC for CARBARYL (1-naphthyl N-methylcarbamate) RE: U.S. Patent No. 2,903,478

USDA REGISTRATION NO. 240-76

**NOTICE** - Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions

**MANUFACTURED BY**

**DALY-HERRING COMPANY**


KINSTON, NORTH CAROLINA 28501

AHOSKIE, NORTH CAROLINA 27910

DILLON, SOUTH CAROLINA 29536

GREENSBORO, NORTH CAROLINA 27405

**\*5% SEVIN DUST**



**NET WT. 4 POUNDS**

