



DANGER—POISON—PRECAUTIONS ☠

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

S T O P - R E A D

POISON

**See Side Panels
for Antidote &
Precautions**

ACCEPTED

JUN 29 1972

UNDER THE FEDERAL INSECTICIDE ACT
FUNGICIDE AND FUNGICIDE
FOR ECONOMIC PEST CONTROL
UNDER U.S. PATENT

PARATHION




Active Ingredients:

Parathion: O, O-diethyl

Aromatic petroleum deri

Inert Ingredients: _____

DALY-HERRING COMPANY GAL. NET.
Kinston, North Carolina 28501



DANGER—POISON—PRECAUTIONS ☠

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if inhaled.

POISONOUS BY SKIN CONTACT

Do not get this product on your skin. If it reaches your skin, wash it off immediately with soap and water.

POISONOUS IF BREATHED

Do not breathe this product. It can irritate your lungs and may be fatal if inhaled.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep away from any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply if heavy runoff is likely to occur.

FALY-HERRING COMPANY

1000 North ...


READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions

POISONED

...



DANGER

Keep Out of
Reach of
Children

PARATHION - 4 LB. E.C.

Active Ingredients:

Parathion: O, O-diethyl O-p-nitrophenyl phosphorothioate

46.75 %

Aromatic petroleum derivative solvent

48.25 %

Inert Ingredients:

5.00 %

100.00 %

NOT FOR HOME USE

...ORE USING!

DANGER

Keep Out of Reach of Children

B. E. C.

throate	46.75 %
	48.25 %
	5.00 %
	100.00 %

SE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes, and wash them using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. **If swallowed** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See attached booklet for proper disposal.

CROP USE DIRECTIONS

Use only according to attached label booklet instructions.

PARATHION 4 lb. E.C.

— DANGER —



KEEP OUT OF REACH OF CHILDREN

WARNING—BE SURE TO READ AND UNDERSTAND THE PRECAUTIONARY STATEMENTS BEFORE USING

DIRECTIONS FOR USE

For Airplane application use a minimum of 3 to 10 gallons of diluted spray per acre.

This product is designed for application after dilution with water. Add the concentrate to the spray tank while filling with water, and mix thoroughly either by means of a tank agitator or pump by-pass. For best results, thoroughly cover all surfaces to be treated with spray. Rates of application given below should be considered general. Consult State Extension Service Specialists for specific recommendations regarding application, dosage and timing of sprays.

TOBACCO — To control wireworms, mix two quarts with sufficient water to insure thorough coverage of entire soil surface for ONE ACRE. Disc or harrow immediately into top 6 to 9 inches of soil. Apply one month before planting.

SWEET IRISH POTATOES — To control wireworms, mix 2 to 3 quarts with sufficient water to treat one acre. Disc immediately into upper 4 to 6 inches of soil.

CORN — To control corn rootworm, mix 1 to 1½ quarts with sufficient water to apply as a ROW soil treatment when planting. Work lightly into soil.

PEANUTS — To control corn rootworm, mix 2 to 2½ quarts with sufficient water to apply as a ROW soil treatment at planting or pegging time. Work lightly into soil.

BLUEBERRIES — For thrips or maggots, use ½ to 1 pint in 100 gallons of water before fruit sets or after harvest.

DO NOT APPLY PARATHION ON THE FOLLOWING CROPS WITHIN 15 DAYS OF HARVEST.

BEANS — For controlling Mexican bean beetle, leafroller, leaf miner, leafhopper, aphids, red spider mite and armyworms, use ½ pint per acre.

CUCUMBERS — For aphids, cucumber beetles, leaf miners, pickleworm, mites and thrips, use ½ to 1 pint per acre.

DO NOT APPLY PARATHION ON THE FOLLOWING CROP WITHIN 10 DAYS OF HARVEST

COLLARDS, BRUSSELS SPROUTS, AND GREENS — For aphids, use ½ to 1 pint per

soil.

BLUEBERRIES — For ~~thrips~~ or ~~maggots~~, use ½ to 1 pint in 100 gallons of water before fruit sets or after harvest.

DO NOT APPLY PARATHION ON THE FOLLOWING CROPS WITHIN 15 DAYS OF HARVEST.

BEANS — For controlling Mexican bean beetle, ~~leafroller~~, ~~leaf miner~~, ~~leafhopper~~, ~~aphids~~, ~~red spider mite~~ and ~~armyworms~~, use 1 pint per acre.

CUCUMBERS — For aphids, cucumber beetles, ~~leaf miners~~, ~~pickleworm~~, mites and ~~thrips~~, use ½ to 1 pint per acre.

DO NOT APPLY PARATHION ON THE FOLLOWING CROP WITHIN 10 DAYS OF HARVEST.

COLLARDS, KALE AND MUSTARD GREENS — For aphids, use ½ to 1 pint per acre. On fall and winter crops, do not use within 15 days of harvest.

CABBAGE AND COLE CROPS (BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER) — For aphids, thrips, ~~diamond back moth~~, ~~imported cabbage worm~~, ~~cabbage worm~~, ~~abbage looper~~ and ~~armyworm~~, use ½ to 1 pint per acre.

~~**DO NOT APPLY PARATHION ON THE CROPS BELOW WITHIN 7 DAYS OF HARVEST.**~~

COTTON — To control ~~aphids~~, ~~mites~~, ~~cotton leaf worm~~, ~~leafhopper~~, ~~garden webworm~~ and ~~thrips~~, apply ½ pint per acre, using enough water for complete coverage. Make first application when insects appear and repeat at 7 day intervals if required. If desired, this formulation may be combined with other insecticides in a complete cotton spray program. Do not apply within 7 days of harvest. Workers entering field within 24 hours of application should wear protective clothing.

TOBACCO — For controlling ~~aphids~~ and ~~tobacco suckfly~~, use ½ pint per acre. Do not apply within 5 days of priming, or 15 days of cutting. Avoid plant juices from coming in contact with the skin of those engaged in cutting or priming the crop.

Bury spillage; clean up area with strong lye solution. Burn or bury containers; never re-use. Stay out of smoke when burning containers.

COMBUSTIBLE: DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

E.P.A. REG. NO. 240-84

Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

Manufactured By

DALY-HERRING CO.

Ahoskie, N. C. 27910 Greensboro, N. C. 27401 Kinston, N. C. 28501 Dillon, S. C. 29536