



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

DALY-HERRING COMPANY GAL NET.
Kinston, North Carolina 28501

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Co-operative Agricultural Extension Service.

NOTICE OF WARRANTY - Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.


STOP - READ LABEL BEFORE USING!

POISON
See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children



TOP 4
METHYL PARATHION
Emulsifiable Concentrate

Contains 4 lbs. Methyl Parathion per gallon.

ACTIVE INGREDIENTS:

*O, O-dimethyl O-p-nitrophenyl thiophosphate 45.6%

Petroleum Distillate 49.4%

INERT INGREDIENTS: 5.0%

TOTAL: 100.0%

*Methyl Parathion

NOT FOR HOME USE

USE ONLY AS RECOMMENDED!

Not for use or storage in or around the home.

EPA REG. NO. 240-101

ACCEPTED
240-101
MAY 23 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. _____ SUBJECT
TO ATTACHED COMMENTS.

DO NOT USE, POUR, SPILL
OR STORE NEAR HEAT OR
OPEN FLAME.

**USE ONLY WHEN WEARING
PROTECTIVE EQUIPMENT**

(1) Wear water-proof pan-
ber boots or rubber over-
safety goggles. (3) Wear
tor approved by the U. S.
for parathion protection
natural rubber gloves.

WORK SAFETY

Keep all unprotected per-
son away from treated area
danger of drift.

Do not rub eyes or mouth
if you feel sick in any way
get help right away. Ca-
lian), clinic or hospital.
plain that the victim has
parathion and describe how
first aid is given (see F
Section) and if a doctor
victim to clinic or hospi-

IMPORTANT! Before
wash them with soap and
water before smoking, e-
AFTER WORK, take off
and shoes. Shower, using
Wear only clean clothes.
Do not wear contaminat-
ed protective clothing and
ment with soap and water.
Respirator should be re-
placed according to ins-
tructions with respirator.

POISON SIGNS

Parathion is a very dan-
gerous poison. It rapidly
enters the body through
skin surfaces and eyes.
If this material must be re-
sisted, this material must be re-
sisted. Exposed persons must
seek medical treatment or the
Some of the signs and sym-
ptoms are: Headache, d-
izziness, weakness, bl-
urred vision, tightness of
breathing, nervousness,
tingling of eyes, drooping of
eyelids, and nose, muscle spasm

FIRST AID TREATMENT


Call a doctor (physician)
immediately. Expla-

READ LABEL BEFORE USING!



DANGER

Keep Out of Reach of Children



TOP 4

METHYL PARATHION Emulsifiable Concentrate

Contains 4 lbs. Methyl Parathion per gallon

Ingredients:	
O-p-nitrophenyl	45.6%
Emulsifier	49.4%
Other Ingredients	5.0%
TOTAL	100.0%

NOT FOR HOME USE

USE ONLY AS RECOMMENDED!

Not for use or storage in or around the home.

EPA REG. NO. 240-101

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection.
- (4) Wear heavy natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes, Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim

has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

RECOMMENDATIONS

Application should be made only by experienced personnel using approved protection equipment. For airplane application use in a minimum of 3 to 10 gallons of water per acre consistent with crop growth and good coverage. For ground equipment apply in sufficient water for adequate coverage. **COTTON:** For control of Boll Weevil, Cotton Aphid, Cotton Leafworm, Fleahopper, Red Spider Mites and Thrips. Apply 1/2 pint per acre when the first two leaves appear. Follow by another application 7 days later. At the 3rd leaf stage apply 1 pint per acre. Repeat at 5 day intervals for 4 applications. July 1 to July 24 application may not be needed. Check field for Boll Worm damage or increase of Boll Weevils. On July 24 resume applications at 5 day intervals until squaring stops or all bolls are at least 21 days old. For boll worm control use 1 quart per acre.

SOYBEANS: For control of Stink Bugs, Thrips, Velvet Bean Caterpillar and Three-Cornered Alfalfa Hopper. Use 3/4 to 1 pint with sufficient water to give good coverage per acre. Do not apply more than twice per growing season.

WORKERS ENTERING THE FIELDS WITHIN 24 HOURS AFTER APPLICATION SHOULD WEAR PROTECTIVE CLOTHING.

DO NOT APPLY WITHIN SEVEN DAYS OF HAND-PICKING OR HARVEST.

DO NOT GRAZE DAIRY ANIMALS OR ANIMALS BEING FINISHED FOR SLAUGHTER IN TREATED FIELDS.

FOR ALL EMPTY CONTAINERS

Do NOT re-use the container. Completely empty contents and bury unused chemical at least 18 inches deep in an isolated location away from water supplies.

5-GALLON, 30-GALLON and 55-GALLON DRUMS — Pour the following mixture into empty containers:

5-Gal. Drums — 2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons of detergent.

30-Gal. Drums — 3 Gallons water, 1 lb. caustic soda (household lye), 1/2 cup detergent.

55-Gal. Drum — 5 gallons water, 2 lb. caustic soda (household lye), 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. **READ AND CAREFULLY FOLLOW THE PRECAUTIONS ON PACKAGE.** Punch holes in top and bottom of container, crush container. Bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Punch holes in TOP of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.