WARNING — BE SURE TO READ AND UNDERSTAND THE PRECAUTIONARY STATEMENTS BEFORE USING.

DANGER

Poisonous If Swallowed, Inhaled or Absorbed Through Skin!
Rapidly Absorbed Through Skin!
Do Not Get In Eyes, On Skin, Or On Clothing!

Wear natural rubber gloves, protective clothing and goggles.
Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion protection.
Airplane pilots should wear full face canister type mask during loading, mixing, application and during clean up operation.
Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated.
Do not contaminate feed and foodstuffs.
Wash hands, arms and face thoroughly with soap and water before eating or smoking.
Wash all contaminated clothing with soap and hot water before reuse.

U.S.D.A. Reg. No. 240-159

POISON

- POISONING SYMPTOMS: Headaches, dizziness, nausea, vomiting, weakness, blurred vision, dilation of pupils, profuse sweating.
- ANTIDOTE: ATROPINE is the specific antidote. Obtain emergency supply of Atropine (1/100 grain tablets) from your physician. Keep on hand.
- CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

FIRST AID TREATMENT

IF SWALLOWED — Give tablespoon of salt in glass of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet.

INHALATION — Remove patient from contaminated atmosphere.

SKIN — In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

EYES — In case of contact, flush immediately with water for at least 15 minutes.

- **INFORMATION FOR PHYSICIAN**—(Treatment) — Give atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg.), at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

OBSERVE THE FOLLOWING USE PRECAUTIONS

Do not apply or allow to drift to areas occupied by unprotected humans, beneficial animals or onto adjoining food and forage crops.
The Federal Food and Drug Administration has set official tolerance for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates and do not apply closer to harvest than specified. Do not apply during bloom when honey bees or other pollinators are active.

Toxic product is poison to fish and wildlife. Keep out of Lakes, Streams, and Ponds. Do not apply when weather conditions favor drift of spray from areas treated. Birds feeding on treated areas may be killed. Apply this product only as specified in this label.
Rinse equipment and containers and dispose of washes by burying on non-crop lands away from water supplies. Containers should be disposed by puncturing holes in them and burying in the ground. Do not reuse.

NOTE TO PHYSICIAN: Parathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine. Exposure produces central nervous system excitation such responds to the barbituric acid derivatives.

D-H PARATOX

CONTAINS 8 LBS. TOXAPHENE AND 2 LBS. METHYL PARATHION PER GALLON.

ACTIVE INGREDIENTS:	
Toxaphene-Technical Chlorinated Camphene (Chlorine Content 67-69%)	66.57%
O, O-Dimethyl O-p-Nitrophenyl Thiophosphate	16.74%
Xylene	12.60%
INERT INGREDIENTS	4.09%
TOTAL	100.00%

DANGER

POISON

Keep Out Of The Reach Of Children

Call a physician [illegible] handling develop poisoning [illegible] Atropine is the specific antidote. See [illegible] and other warning statements [illegible]

Manufactured by

DALY-HERRING CO.

Alkaline, N. C. [illegible]
KINSTON, N. C. [illegible]

Net Contents: .....5 Gallons

ACCEPTED
UNDER THE INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR INTERSTATE POISON REGISTRATION
REGISTRATION NO. 240-159
Comments

FIRST AID TREATMENT

IF SWALLOWED — Give tablespoon of salt in glass of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet.

INHALATION — Remove patient from contaminated atmosphere.

SKIN — In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

EYES — In case of contact, flush immediately with water for at least 15 minutes.

- **INFORMATION FOR PHYSICIAN**—(Treatment) — Give atropine preferably by injection, grains 1/50 to 1/15 (2 to 4 mg.), at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

OBSERVE THE FOLLOWING USE PRECAUTIONS

Do not apply or allow drift to areas where exposure to unprotected humans, beneficial animals or crops may occur.

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates and do not apply closer to harvest than specified. Do not apply during bloom when bees or other pollinators are active.

Do not contaminate water, fish or wildlife. Keep off all open streams and ponds. Do not apply when weather conditions favor drift from treated areas. Do not contaminate forage crops. Do not apply to [illegible] unless specified on label. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor runoff or drift.

NOTE TO PHYSICIAN: Poisoning by this pesticide may be manifested by [illegible] Exposure may also include the use of other pesticides which affect the central nervous system, excitation of which may result in the formation of cholinesterase inhibitors.

D-H PARATOX

CONTAINS 8 LBS. TOXAPHENE AND 2 LBS. METHYL PARATHION PER GALLON.

ACTIVE INGREDIENTS:

Toxaphene-Technical Chlorinated Camphene (Chlorine Content 67-69%)	66.57%
O, O-Dimethyl O-p-Nitrophenyl Thiophosphate	16.74%
Xylene	12.60%
INERT INGREDIENTS	4.09%
TOTAL	100.00%

— DANGER —

POISON

Keep Out Of The Reach Of Children

Call a physician immediately in case persons handling develop poisoning symptoms. Atropine is the specific antidote. See Antidote Statement and other warning statements on the left panel.

Manufactured by

DALY-HERRING CO.

Albemarle, N. C. Greensboro, N. C. Dillon, S. C.

KINSTON, N. C. 28501

Net Contents: .....5 Gallons

DIRECTIONS FOR USE

COTTON: For control of Bollweevil, Bollworm, Cotton Aphid, Cotton Leafworm, Thrips, Fleahoppers and Red Spider Mites.

Apply 1 pint per acre in a minimum of 20 gals. of water when the first two leaves appear. Follow by another application 7 days later. At the 8-leaf stage, apply 1 quart per acre. Repeat at 5-day intervals for 4 applications. July 1 to July 24 application may not be needed. Check field for Bollworm damage or increase of Bollweevils. On July 24, resume applications at 5-day intervals until squaring stops or all bolls are at least 21 days old.

NOTICE: Do not apply within 5 days of hand picking. Workers entering field within 5 days of treatment should be protected. Do not graze dairy animals or animals being finished for slaughter on treated fields.

For aircraft application use a minimum of 3 to 10 gallons of water per acre consistent with crop growth and good coverage.

SOYBEANS: For control of Armyworm, Velvet Bean Caterpillar, Corn Earworm, Bean Leaf Beetle, Grasshoppers, Stinkbugs and Thrips. Mix 2 pints with a minimum of 20 gallons of water to give good coverage per acre. Do not apply within 21 days of harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter. Do not feed soybean mill trash to poultry or livestock.

DALY HERRING COMPANY warrants this Pesticide to be fit for the purposes stated on the label thereof, subject to the directions for use set forth on the label when used in accordance therewith and under the normal conditions of use. DALY HERRING COMPANY makes no warranty, guarantee or representation, expressed or implied, other than those contained on the label, as to the results to be obtained from the use of this Pesticide, and DALY HERRING COMPANY shall not be responsible for any loss or damage arising from the use of this Pesticide contrary to the directions for use set forth on the label when used in accordance therewith and under the normal conditions of use. DALY HERRING COMPANY makes no warranty, guarantee or representation, expressed or implied, as to the fitness of this Pesticide for any purpose not specified on the label, or that it will be adequate or sufficient for any purpose or use not specified on the label, even if such purpose or use is known to DALY HERRING COMPANY. DALY HERRING COMPANY makes no warranty, guarantee or representation, expressed or implied, as to the effect on plants (including but not limited to phytotoxicity) of the use of this Pesticide contrary to the directions for use set forth on the label when used in accordance therewith and under the normal conditions of use, or that it will be adequate or sufficient for any purpose or use not specified on the label, even if such purpose or use is known to DALY HERRING COMPANY. DALY HERRING COMPANY warrants this Pesticide to be fit for the purposes stated on the label thereof, subject to the directions for use set forth on the label when used in accordance therewith and under the normal conditions of use. DALY HERRING COMPANY makes no warranty, guarantee or representation, expressed or implied, other than those contained on the label, as to the results to be obtained from the use of this Pesticide, and DALY HERRING COMPANY shall not be responsible for any loss or damage arising from the use of this Pesticide contrary to the directions for use set forth on the label when used in accordance therewith and under the normal conditions of use. DALY HERRING COMPANY makes no warranty, guarantee or representation, expressed or implied, as to the fitness of this Pesticide for any purpose not specified on the label, or that it will be adequate or sufficient for any purpose or use not specified on the label, even if such purpose or use is known to DALY HERRING COMPANY. DALY HERRING COMPANY makes no warranty, guarantee or representation, expressed or implied, as to the effect on plants (including but not limited to phytotoxicity) of the use of this Pesticide contrary to the directions for use set forth on the label when used in accordance therewith and under the normal conditions of use, or that it will be adequate or sufficient for any purpose or use not specified on the label, even if such purpose or use is known to DALY HERRING COMPANY. DALY HERRING COMPANY warrants this Pesticide to be fit for the purposes stated on the label thereof, subject to the directions for use set forth on the label when used in accordance therewith and under the normal conditions of use. DALY HERRING COMPANY makes no warranty, guarantee or representation, expressed or implied, other than those contained on the label, as to the results to be obtained from the use of this Pesticide, and DALY HERRING COMPANY shall not be responsible for any loss or damage arising from the use of this Pesticide contrary to the directions for use set forth on the label when used in accordance therewith and under the normal conditions of use. DALY HERRING COMPANY makes no warranty, guarantee or representation, expressed or implied, as to the fitness of this Pesticide for any purpose not specified on the label, or that it will be adequate or sufficient for any purpose or use not specified on the label, even if such purpose or use is known to DALY HERRING COMPANY. DALY HERRING COMPANY makes no warranty, guarantee or representation, expressed or implied, as to the effect on plants (including but not limited to phytotoxicity) of the use of this Pesticide contrary to the directions for use set forth on the label when used in accordance therewith and under the normal conditions of use, or that it will be adequate or sufficient for any purpose or use not specified on the label, even if such purpose or use is known to DALY HERRING COMPANY.

No agent of DALY HERRING COMPANY is authorized to make any warranty, guarantee or representation, expressed or implied, other than those contained on the label, or to vary or modify the foregoing warranty, guarantee or representation, or to assume any liability whatsoever for any loss or damage arising from the handling, storage or use of this product. The use of this product shall be deemed to have accepted these conditions, which may be varied only by agreement in writing signed by a duly authorized representative of the above named company.

ACCEPTED

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR REGISTRATION AS A POISON REGISTERED NO. 240-137

Comments

ACCEPTED WITH COMMENTS