

DANGER—POISON—PRECAUTIONS 

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray, mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin. In every case, nothing liquid goes through clothes.

POISONOUS IF BREATHED

Breathing vapors, spray, mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

DALY-HERRING COMPANY GAL NET

Kinston, North Carolina 28501

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTICE OF WARRANTY - Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

D-H 4-4

EMULSIFIABLE LIQUID

ACTIVE INGREDIENTS:

- *Toxaphene 36.83%
- **O, O-dimethyl O-p-nitrophenyl thiophosphate 36.83%
- Xylene 20.19%

INERT INGREDIENTS

- *Technical Chlorinated Camphene (67% - 69% Chlcrine)
- **Methyl Parathion

Total

6.15%
100.00%

NOT FOR HOME USE

USE ONLY AS RECOMMENDED!

Not for use or storage in or around the home.

EPA REG. NO. 240-200

USE ON PROTE


(1) Wear
ber, boot
Safety g
for appr
for para
natural

Keep al
away fr
danger c
Do not
you feel
get help
cian), c
plain th
parathio
first aid
Section)
victim to

IMPORT
wash th
wash ha
water be

AFTER
and shoe
Wear onl
Do not y
protectiv
ent wit

Respirat
placed a
with resp


Parathio
rapidly e
skin surt
this mate
Exposed
medical

Some of
ing are
cramps,
point, pu
breathing
ing of ey
and nose

ORE USING!

DANGER

Keep Out of Reach of Children

4
QUID

- 36.83%
- 36.83%
- 20.19%
- 6.15%
- 100.00%

SE

ED!

the home.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. **If swallowed** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as convulsions overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given simple oral oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

RECOMMENDATIONS

Application should be made only by experienced personnel using appropriate protective equipment. Use with care and water to give good coverage.

COTTON: Early Season Controls: Overwintered Boll Weevils, Cotton Fleahoppers, and Thrips—Use 2 pints per acre, making from two to four applications at 7 to 10 day intervals.

Mid and Late Season Controls: Aphids, Bollworms, Boll Weevils, Cotton Leaf Per-

forators, Cotton Fleahoppers, Fleahoppers, Grasshoppers, Root Spider Mites, and Thrips—Use one quart per acre. Apply at four to five day intervals until control is gained. Proper timing of applications is essential.

WORKERS ENTERING THE FIELDS WITHIN 24 HOURS AFTER APPLICATION SHOULD WEAR PROTECTIVE CLOTHING.

DO NOT APPLY WITHIN SEVEN DAYS OF HAND-PICKING OR HARVEST.

DO NOT GRAZE DAIRY ANIMALS OR ANIMALS BEING FINISHED FOR SLAUGHTER IN TREATED FIELDS.

FOR ALL EMPTY CONTAINERS

Do NOT re-use the container. Completely empty contents and bury mixed chemical at least 18 inches deep in an isolated location away from water supplies.

5-GALLON, 30-GALLON and 55-GALLON DRUMS — Pour the following mixture into empty containers:

5-Gal. Drums — 2 qts. water, 1 cup caustic soda (household lye), 2 tablespoons of detergent.

30-Gal. Drums — 3 Gallons water, 1 lb. caustic soda (household lye), 1 cup detergent.

55-Gal. Drums — 5 gallons water, 2 lbs. caustic soda (household lye), 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

CAUTION: Handle caustic soda (lye) with extreme care. Do not touch skin, clothes, or clothing. **READ AND CAREFULLY FOLLOW THE PRECAUTIONS ON PACKAGE.** Package contents are to be disposed of according to instructions on label. Bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Package contents TOP of container and inner surfaces should be thoroughly wet and completely buried in an isolated area. Extra care should be given and the following precautions are completely mandatory that contents stay well away from water supplies. Do not attempt to burn or incinerate contents of any kind.