

BACCO DOPE is especially formulated for killing suckers on Tobacco only.

Consult your State Agricultural Experiment Station or your State Agricultural Extension Service for additional information consistent with this label cautions and directions.

TOBACCO Mix 1 quart of Bacco Dope with 3 to 4 quarts of water and apply approximately 1 tablespoonful of diluted material to the top of tobacco stalk after topping using an oil applicator, pump type oil can or a tablespoon.

If rain occurs soon after application, effectiveness may be reduced.

Do not spray this material on leaf surfaces since some injury may occur to young leaves.

CONTENTS
ONE
GALLON

ACCEPTED

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 27910

TOBACCO SUCKER KILLER

ACTIVE INGREDIENTS

Heavy Aromatic Naphthalene

99%

INERT INGREDIENTS

1%

TOTAL

100%

E. P. A.
Reg. No.
240-206

KINSTON, NORTH CAROLINA 28501

Ahoskie, N. C. 27910 Greensboro, N. C. 27408 Dillon, S. C. 29536

1. **EXAMINATION OF [FeO₄]²⁻ IN AQUEOUS SOLUTION**
 The FeO_4^{2-} ion was prepared by the method of S. S. Koryagin and
 I. A. Kiseleva.¹ The FeO_4^{2-} ion was precipitated by the addition of
 1.0 ml of 0.1 M FeO_4^{2-} solution to 10 ml of 0.1 M H_2O_2 solution.

CONTENTS

As a result of the above, the following

[illegible]

1. *Pharmaceuticals*
 2. *Medical Devices*
 3. *Biotechnology*

TOBACCO SUCKER KILLER

$$N_{\text{eff}} = N_{\text{eff}}^{\text{SM}} + \frac{1}{2} \left(\frac{N_{\text{eff}} - N_{\text{eff}}^{\text{SM}}}{N_{\text{eff}}^{\text{SM}}} \right)^2$$

TOBACCO SUCKER KILLER

CONTENTS
PREFACE
CHAPTER I
CHAPTER II
CHAPTER III
CHAPTER IV
CHAPTER V
CHAPTER VI
CHAPTER VII
CHAPTER VIII
CHAPTER IX
CHAPTER X
CHAPTER XI
CHAPTER XII
CHAPTER XIII
CHAPTER XIV
CHAPTER XV
CHAPTER XVI
CHAPTER XVII
CHAPTER XVIII
CHAPTER XIX
CHAPTER XX
CHAPTER XXI
CHAPTER XXII
CHAPTER XXIII
CHAPTER XXIV
CHAPTER XXV
CHAPTER XXVI
CHAPTER XXVII
CHAPTER XXVIII
CHAPTER XXIX
CHAPTER XXX
APPENDIX
INDEX
BIBLIOGRAPHY
PLATE I
PLATE II
PLATE III
PLATE IV
PLATE V
PLATE VI
PLATE VII
PLATE VIII
PLATE IX
PLATE X
PLATE XI
PLATE XII
PLATE XIII
PLATE XIV
PLATE XV
PLATE XVI
PLATE XVII
PLATE XVIII
PLATE XIX
PLATE XX
PLATE XXI
PLATE XXII
PLATE XXIII
PLATE XXIV
PLATE XXV
PLATE XXVI
PLATE XXVII
PLATE XXVIII
PLATE XXIX
PLATE XXX

ACTIVE INGREDIENTS		TOTAL	
HERBAL ACTIVE INGREDIENT	mg	HERBAL ACTIVE INGREDIENT	mg
INERT INGREDIENTS		TOTAL	

L. P. A.
Reg. No.
240-206

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, and handling of this material not in strict accordance with directions given herewith.

Application of more than the recommended amount may result in injury to the plant.

Any puddling of the material at the bottom of the plant will normally result in injury to the plant.

DO NOT USE, POUR, SPILL OR
STORE NEAR HEAT OR OPEN
FLAME.
DO NOT REUSE CONTAINER.
DESTROY WHEN EMPTY.

ACCEPTED

KINSTON, NORTH CAROLINA 19501

N	i	N	C	(C)	at	Sheridan	N	C	Dillon	S	C
279610						27308				29836	