BACCO 3-1 Dust

INSECTICIDE

ACTIVE INGREDIENTS

*Endosulfan(hexachlorohexa hydromethano-2, 4, 3-benzo-dioxathiepin oxide)	3.0%
**Parathion	1.0%
INERT INGREDIENTS:	96.0%
Total	100.0%

*Thiodan, U. S. Pat. No. 2,799,685
**O, O-Diethyl O-p-nitrophenyl thiophosphate

— DANGER —

POISON

KEEP OUT OF THE REACH OF CHILDREN

CROP: Tobacco

INSECTS: Hornworms, budworms, grasshoppers, flea beetles, aphids, suckflies, cabbage loopers and stink bugs.

DISEASES: None

Make application at the rate of 15 to 25 pounds per acre (amount depending on the size of the plants) under calm conditions with a power dusting machine that will give thorough coverage of all plant surfaces. Repeat applications as necessary.

DANGER: Do not use within 5 days of priming or 15 days of cutting. Avoid plant juices coming in contact with skin or other parts of the body of those engaged in cutting crop.

Workers entering fields within 24 hours of application should wear protective clothing

Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated

This product is toxic to fish and wildlife. Do not contaminate any body of water nor apply to any crop not specified on the label

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions

ANTIDOTE: [illegible] Give [illegible] tablespoonful of salt in a glass of warm water to repeat [illegible] until vomit is clear. Have [illegible] and keep quiet. Call Physician immediately

[illegible] Wash [illegible] and clothing [illegible] and rinsed skin with soap and water.

WARNING: POISONOUS if Swallowed, Inhaled or Absorbed Through Skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves [illegible] Avoid breathing [illegible] use of contact [illegible] Wash thoroughly after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse. Keep out of reach of children. Read entire label before using. Use only according to label directions. Before reentering treated fields within the days of buffer [illegible] wear protective clothing described above. Do not contaminate feed or food. Buffer [illegible] Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Thiodan is a registered trademark of Farbwerke Hoechst A G

Parathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine.

Thiodan produces central nervous system excitation which responds to the barbituric acid derivatives

Keep on hand an emergency supply of 10 tablets, grains 1/100. In case of poisoning take 3 tablets (gr. 1/100) and call physician at once. 2-pam is also a human antidote.

PHYSICIAN: Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay. Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes cyanotic. Use of [illegible] if necessary

[illegible] physical [illegible] chemical [illegible] position away [illegible] container [illegible] and stay well away from smoke