


(Illustration)

[241-47]
one of four

CYTHION^(R) Insecticide, The Premium Grade Malathion*
57% Emulsifiable Liquid



(red)

(18 pt. type) CAUTION!
(12 pt. type) KEEP OUT OF REACH OF CHILDREN
See Side Panel For Additional Cautions

AL USUARIO: Si usted no lee inglés, no use este producto hasta
que la etiqueta le haya sido explicada ampliamente.
(TO THE USER: If you cannot read English, do not use this product
until the label has been fully explained to you.)

CYANAMID

Active Ingredients:
Malathion**..... 57.0%
Xylene..... 21.5%
Inert Ingredients..... 11.5%

** 1,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate

(1 gallon contains 5 pounds of Malathion)

EPA Reg. # 241-47-AA

Net Contents: 5 Gallons

ACCEPTED
MAY 6 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 241-47. SUBJECT
TO ATTACHED COMMENTS.

ACCEPTED WITH COMMENTS

/jw
11/74

[24-47]
two of four

In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201-831-3100.

CAUTION!

HARMFUL IF SWALLOWED

COMBUSTIBLE

Avoid breathing of spray mist

Avoid contact with skin

Wash thoroughly after handling

Do not contaminate food or feed products

Do not use, pour, spill or store near heat or open flame.

This product is toxic to fish. Keep out of lakes, streams or ponds.
Do not contaminate water by cleaning of equipment or disposal of wastes.
Apply this product only as specified on this label.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential or incidental damages such as loss of profits or value, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of fitness or of MERCHANTABILITY.

BUYER assumes the risk of any use contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by American Cyanamid Company.

DIRECTIONS FOR USE

[241-47] Do not use this product for any uses other than those specified on this label.

third of four

CRACK AND CREVICE TREATMENT IN FOOD HANDLING ESTABLISHMENTS

IN FOOD AREAS -

Includes areas for receiving, serving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

As an aid in the control of ROACHES, ANTS, SPIDERS, SILVERFISH, CRICKETS, CLOVER MITES, CARPET BEETLES, DRUG STORE BEETLES, CIGARETTE BEETLES, EARWIGS, CONFUSED FLOUR BEETLES, FLAT GRAIN BEETLES, GRANARY WEEVILS, INDIAN MEAL MOTHS, RED FLOUR BEETLES, RICE WEEVILS, RUSTY GRAIN BEETLES, AND SAW-TOOTHED GRAIN BEETLES, apply CYTHION 57 % Emulsifiable Liquid at the rate of 1 pint in 2 1/2 gallons of water. To make an oil solution, dilute 1 part 57% Emulsifiable Liquid in 19 parts of a mixture consisting of 9 parts kerosene type solvent and 1 part aromatic hydrocarbon type solvent. Apply in small amounts directly into cracks and crevices using a pin stream of insecticide. Do not spray in expansion joints between different elements of construction or between ceiling and the floor, wall voids, motor housing, ducts, boxes or outlet boxes, conduits or hollow equipment base voids. Do not spray on open flames. Care should be taken to avoid depositing the product onto exposed surfaces or into pipes or material into the air. Avoid recontamination of surfaces that receive the product. Repeat application as necessary. Application must be made only by a commercial pest control operator.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

IN NON-FOOD AREAS -

Includes garbage rooms, lavatories, floor drains (to sewers) entries and vestibules, offices, locker rooms, steam rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply as a coarse spray to backboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Repeat application as necessary. Application must be made only by a commercial pest control operator.

[241-47]
four of four

RINSE/DRAIN PROCEDURE:

(1) Drain container into spray tank (after normal emptying) in a vertical position for 30 seconds. (2) Rinse carefully 3 times with 1 gallon of water for each rinse for a 5-gallon pail and drain into spray tank after each rinse. (3) Do not reuse container.

DISPOSAL OF PAILS: Drain pail completely. Add 1/2 gallon water, 1/4 cup of detergent and 1/4 pound of lye. Tighten closure. Rotate pail to wet all surfaces and let stand for at least 15 minutes. Drain completely (not into sprayer tank) and rinse several times with water. Bury rinse solution at least 18 inches deep in an isolated area away from water supplies. Tighten closure. Puncture and crush pail to prevent reuse. Bury deeply in an isolated location with 18 inches of cover.

AMERICAN CYANAMID COMPANY
Agricultural Division
Princeton, N.J. 08540

Lot No.

*Trademark