



000241-00053-020471

Printed: 07:26:16 Wednesday, 13 Sep, 2000 # 89 / 10329

Systems Integration Group, Inc.

PLEASE NOTE

This image contains more than one label approved for this product on this date.

Face



(Illustration)

THIMET® 10-G

Soil and Systemic Insecticide

(24/48 mesh)



(red)

CYANAMID

Active Ingredient:

Phorate (O,O-diethyl S-[(ethylthio)methyl] phosphorodithioate).....10.0%

Inert Ingredients.....90.0%

USDA Reg. No. 241-53

Organic phosphate compound mixture, dry n.o.s.

(18 pt. type)

DANGER!

(12 pt. type)

KEEP OUT OF REACH OF CHILDREN



POISON



(red)

See Side Panel For Antidote and Other Warnings

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.


(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

Net Weight: 10 Lbs.

24626-03

AB:gc

9/11/70



DANGER!
POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING
RAPIDLY ABSORBED THROUGH SKIN
REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS,
PROGRESSIVELY INCREASE SUSCEPTIBILITY TO
POISONING

Do Not Get In Eyes, On Skin, On Clothing

Wear freshly laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before re-use. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.

Do Not Breathe Dust

While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Do Not Contaminate Food or Feed Products

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift from air applications.

Destroy empty bags and cartons by burning. Stay away from smoke and fumes.

Keep Out Of Reach Of Domestic Animals

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. Birds feeding on treated areas may be killed.



In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201 - 835-3100.

Antidote: Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain (0.6 milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been sick enough to have taken atropine must be seen by a physician as soon as possible.

FIRST AID

If swallowed, induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person.

If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING

NOTE TO PHYSICIANS: Warning symptoms include weakness, headache, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) every 15 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams, or more, may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

© Trademark

Made and Printed in U.S.A.

Lot No.

Sold By

AMERICAN CYANAMID COMPANY
 AGRICULTURAL DIVISION
 PRINCETON, N. J.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

BUYER assumes the risk of any use contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by American Cyanamid Company.

DIRECTIONS FOR USE

Do not use this product for any uses other than those specified on this label.

IMPORTANT! Read precautionary statements on gusset of bag before using this product.

Do not enter fields within 7 days after plants have been treated with foliar applications.

Crop	Pests Controlled	Rate THIMET 10-G	Application	Remarks
SORGHUM (Milo)	Aphids (greenbugs)	10 lbs. per acre	Apply granules topically by air or ground equipment	Do not apply within 28 days of harvest



WARNING

KEEP AWAY from FEED or FOOD PRODUCTS

POISON

CAUTION—DO NOT DROP

IF LEAKING DON'T BREATHE FUMES
TOUCH CONTENTS
SWALLOW

This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the Regulations prescribed by the Department of Transportation.

Shipper's name required hereon for shipments by EXPRESS

NEXT

LABEL

THIMET 10-G Soil and Systemic Insecticide

USDA Reg. No. 241-53

Use Claim

Crop	Pests Controlled	Rate THIMET 10-G	Application	Remarks
Sorghum (Milo) at planting time	Aphids (greenbugs)	10 pounds per acre (on 40-inch row) or 12 oz. per 1000 ft. of row at 30-inch minimum row spacing	Place granules 2 inches to side and 1 inch below the seed at planting or as a 7-inch band over the row just prior to press wheel	Do not place THIMET in direct contact with the seed

ACCEPTED

FEB 4 1971

OFFICE OF THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
EDWARD R. JOHNSON REGISTERED
EFFECTIVE DATE 241-53 SUBJECT
TO ATTACHED COMMENTS

10-20
40-10

241-53

02/04/1971

1/1