

[241-84] 1 of 2

Front Panel

SAMPLE LABEL

Plants Only Pressurized Spray

ACTIVE INGREDIENTS:

Malathion*	0.10%
Pyrethrins	0.02%
N-octylbicyclo-(2,2,1)-5-heptene-2,3-dicarboximide	0.30%
Fotenone	0.10%
Other cube resins	0.20%
Petroleum distillates	0.11%

INERT INGREDIENTS:

	1.03%
Total:	93.97%
	100.00%

\*O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate from Malathion Premium Grade Technical

USDA Reg. No. 241-34

(10-pt. type)  
(6-pt. type)

CAUTION  
KEEP AWAY FROM CHILDREN  
See Below For Additional Cautions and Warnings

ACCEPTED  
241-34

Net Contents:

DIRECTIONS

ACCEPTED WITH COMMENTS

Remove plastic cup. Hold container upright. Point spray opening away from you and press button. Apply sparingly in short bursts.

Indoors

For house plants, spray in short bursts, holding the can 15 inches from foliage for such plants as English ivy and African violets. Spray both sides of the leaves lightly. Do not wet. Repeat as often as necessary. Cover or remove fish bowls for one hour.

Outdoors

For bugs on such plants as asters, azaleas, begonias, chrysanthemums, dahlias, delphiniums, gladioli, irises, marigolds, petunias, roses and snapdragons. Also, for bugs on evergreen and small ornamental deciduous trees, shrubs and vines.

When sprayed directly on insects, this spray kills sucking insects such as aphids, leafhoppers, spotted mites, thrips (exposed) and lace bugs. Kills chewing insects such as caterpillars, climbing cutworms and Japanese beetles.

[241-847292]

For best results spray in evening or on a cloudy day when air is still. Use a slow sweeping motion. Keep can 12 inches from plants. Avoid wetting foliage with the spray. Spray rows at the rate of one foot per second. For heavy growth, spray row on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray garden when temperature exceeds 90° F.

CAUTION

Harmful if swallowed. Avoid prolonged or repeated breathing of spray mist. Do not contaminate food or feed products.

WARNING

Contents under pressure. Do not puncture. Do not use near fire or open flame. Exposure to temperatures above 130° F. may cause bursting. Never throw container into fire or incinerator.

Company Signature  
Address