

[2, 1, 18, 10]

Registered Spray For Use On Dogs

Kills Fleas, Lice and Ticks
Repels Flies

ACTIVE INGREDIENTS:

Melathion*		0.2%
pyrethrins		0.2%
Technical Piperonyl Butoxide**		0.23%
Methoxychlor, Technical***		0.50%
Petroleum distillate	24/55	4.71%
Essential oils		0.50%

INERT INGREDIENTS:

Total:

100.00%

*O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate from Melathion Premium Grade Technical.

**Equivalent to 0.224% of (butylcarbityl) (6-propyl piperonyl) ether and 0.006% of related compounds.

***Equivalent to 0.224% 2,2-bis (4-methoxy-phenyl)-1,1-trichloroethane and 0.006% other isomers and related compounds.

U.S. Pat. No. 2,811,337

(1-pt. type)
(6-pt. type)

CAUTION!
Keep AWAY FROM CHILDREN
See Below For Additional Cautions and Warnings

Net Contents:

DIRECTIONS FOR USE

To operate, remove protective cap from top of can. Hold can upright, about 2 to 4 inches from dog's hair. Point orifice on side of valve in desired direction for spray. To release spray, place finger on top of valve and press down. Move the nozzle over the entire animal, using "air-bleed" motion. All coat is slightly damp. It may be essential, especially on long-haired animals, to run the hand through the base of hair, dragging into the matted hair directly behind the hand. Thirty to forty seconds is sufficient to treat a 30-pound animal. Repeat treatment as necessary, making sure spray wets ticks. Do not use more often than once every seven days.

Thoroughly spray interior of kennel or other animal sleeping quarters. Also spray bedding and replace with fresh bedding if necessary.

CAUTION!

Harmful if swallowed. Avoid prolonged or repeated breathing of spray mist. Do not contaminate food or feed products.

General

Do not puncture. Do not incinerate. Do not use in any way that
exposes to temperatures above 100°F. Do not use in
any other container into fire or incinerator.

Company Signature
Address

ACCEPTED WITH COMMENTS