Best Available Copy

ACCEPTED

AUG 8 1973

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 241-94 SUBJECT TO ATTACHED COMMENTS.

241-94

8-8-73

1 of 1

WARNING! HARMFUL OR FATAL IF SWALLOWED

VAPOR HARMFUL—CONCENTRATED MATERIAL CAUSES EYE IRRITATION—COMBUSTIBLE

Avoid breathing vapor or spray mist.
Use only with adequate ventilation.
Avoid contact with skin and eyes.

Wash thoroughly after handling.
Do not contaminate feed or food products.
Do not use, pour, spill or store near heat or open flame.

FIRST AID: In case of contact with eyes, flush eyes with plenty of water for at least 15 minutes; get medical attention.

NOTE TO PHYSICIANS: This product may cause cholinesterase inhibition. Atropine is antidotal. Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

Toxic to bees and other wildlife. Keep out of hives, streams or ponds. Do not apply when runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to bees. Restrict application to the period after dark when bees are inside the hive or in the early morning before the bees are foraging in the fields. Protective information may be obtained from your cooperative agricultural extension service.

DO NOT STORE BELOW FREEZING TEMPERATURES

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

BUYER assumes the risk of any use contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable by American Cyanamid Company.

DIRECTIONS FOR USE

Do not use this product for any uses other than those specified on this label

CROPS

This product is intended for use by the commercial grower or commercial applicator in conventional hydraulic sprayers, ground applicators or airplane sprayers. When applying by ground equipment, use recommended amount in sufficient water for thorough coverage by aircraft equipment, in 2 to 10 gallons of water. Do not apply when weather conditions favor drift of spray from areas treated. Repeat applications as necessary unless otherwise specified. Consult your state experiment station or state extension service for proper timing of applications.

CROP	PESTS CONTROLLED	RATE	INTERVAL (DAYS) BETWEEN LAST APPLICATION AND HARVEST
FRUIT: Apples	Aphids, leafhoppers, mites	[illegible]	28 Do not apply during the bloom period
	[illegible]	Ground Equipment: [illegible] Aircraft Equipment: [illegible] gals. water	
Grapefruit, Lemons, Oranges, Tangerines	White (wooly) (fuzzy or snow)	Ground Equipment: [illegible] gals. water Apply as a thorough dormant dormant spray	28
	Black (wooly) (fuzzy or snow)	Ground Equipment: [illegible] gals. water Aircraft Equipment: [illegible]	28
	Mites	Ground Equipment: [illegible] gals. water Aircraft Equipment: [illegible] gals. water	28
	Aphids	Ground Equipment: [illegible] gals. water Aircraft Equipment: [illegible]	28
	Do not apply during bloom period. Do not use on citrus seedlings.	Make no more than 2 applications in a season. Do not enter treated groves within 4 days of any application.	
NUTS: Pecans	Aphids, mites, leafhoppers	Ground Equipment only [illegible]	Do not graze livestock in treated groves
VEGETABLE CROPS: Beans (green lima, snap, dry)	Aphids, leafhoppers, leaf miners, mites, pods bugs	[illegible]	Beans may be harvested on day of application. Do not feed or graze livestock on treated vines.
Broccoli, Cauliflower	Aphids	[illegible]	7
Cabbage	Aphids	[illegible]	7
Head Lettuce	Aphids, leafhoppers, leaf miners	[illegible]	7
Leaf Lettuce, Spinach, Collards, Kale, Turnip (greens and roots), Mustard Greens, Swiss Chard, Endive (escarole)	Aphids, leafhoppers, leaf miners	[illegible]	14
Melons (except watermelons)	Aphids, leafhoppers, leaf miners	[illegible]	7
Watermelons	Aphids, leafhoppers, leafhoppers	[illegible]	[illegible]

14-0032

CROP	PESTS CONTROLLED	RATE	INTERVAL (DAYS) BETWEEN LAST APPLICATION AND HARVEST
Pears	Aphids	[illegible]	Pears may be harvested on day of application. Do not feed or graze livestock 21 days after last application unless a stationary mixer is used. Do not feed or graze when a mobile mixer is used.
Peppers	Aphids, leaf miners, maggots	[illegible]	Peppers may be harvested on day of application.
Potatoes	Aphids, leaf miners, leafhoppers	[illegible]	Potatoes may be harvested on day of application.
Tomatoes	Aphids, leaf miners, leafhoppers	[illegible]	7
WHERE CABBAGEWORMS AND CABBAGE LOOPERS ARE A PROBLEM, THE ABOVE RATES OF CYGON 267 ARE COMPATIBLE WITH ENDOSULFAN, MALATHION OR PARATHION. USE IN ACCORDANCE WITH THE MANUFACTURERS' DIRECTIONS FOR CONTROL OF THESE INSECTS.			
FIELD CROPS: Alfalfa (Grown for hay)	Aphids, leafhoppers, lygus bugs, grasshoppers, adults of alfalfa weevil larvae	[illegible]	Do not apply to alfalfa in the bloom period. Do not apply within 30 days of harvest or stockpiling. Make only one application per year. Effective only on cutting to which applied.
Cotton (Grown in California and Arizona)	Lygus bugs, leafhoppers, black leafhoppers	[illegible]	14 Repeat applications should not be made at intervals closer than 14 days. Make only 2 applications per season at the higher rate. Do not feed treated forage or grass livestock on treated fields.
Cotton	Aphids, mites, thrips, leafhoppers	[illegible]	14 Repeat applications should not be made at intervals closer than 14 days. Do not feed treated forage or grass livestock on treated fields.
Safflower (Grown in California and Arizona)	Aphids, leafhoppers, lygus bugs, thrips	[illegible]	14 Repeat applications should not be made at intervals closer than 14 days. Make only 2 applications per season at the higher rate.
Sorghum (milo)	Aphids	[illegible]	Do not feed or graze within 28 days of last application. Make 3 aerial applications or 3 ground applications as needed per season.
Tobacco	Aphids	[illegible]	21
Wheat (grown in Texas, Oklahoma, Kansas, S. Dakota)	Aphids (greenbug)	[illegible]	Do not apply within 14 days of grain formation stage. Do not harvest grain within 30 days of last application. Never feed or graze livestock in treated fields.
	Brown wheat mite	[illegible]	
SEED CROPS: Alfalfa	Aphids, leafhoppers, lygus bugs, grasshoppers, reduction of alfalfa weevil larvae	[illegible]	Do not apply to alfalfa in the bloom period. Do not feed or graze livestock in treated fields. Do not [illegible] within 30 days of last application.

WARNING!

DO NOT USE ON SEED ONIONS, SEED CARROTS, OR SEED BERMUDA GRASS. RECOMMENDATION FOR USE ON THESE [illegible] HAS BEEN WITHDRAWN FROM THIS LABEL.

FOREST INSECTS

Do not apply to pine trees used for [illegible] or [illegible] products.

TREE	PESTS CONTROLLED	RATE	DIRECTIONS
[illegible]	[illegible]	[illegible]	[illegible]
Douglas Fir	Fire commission	[illegible]	[illegible]
Holly	Leaf miner	[illegible]	[illegible]

CITRUS TREES—NONBEARING AND NURSERY STOCK

Consult your state agricultural [illegible]

PLANT	PESTS CONTROLLED	AMOUNT
[illegible]	Flower Borers [illegible] Leaf Miners [illegible] Scale Dropping Trees [illegible]	[illegible]

RINSE/DRAIN PROCEDURE:

[illegible]

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
PRINCETON, N.J. 08540