

Best Available Copy

**WARNING! FLAMMABLE. HARMFUL OR FATAL IF SWALLOWED.
VAPOR HARMFUL. CONCENTRATED MATERIAL CAUSES EYE IRRITATION.**

Avoid breathing vapor or spray mist.
Use only with adequate ventilation.
Keep container closed.
Avoid contact with skin and eyes.

Wash thoroughly after handling.
Do not contaminate food or feed products.
Do not use, pour, spill or store near heat or open flame.

FIRST AID: In case of contact with eyes, flush eyes with plenty of water for at least 15 minutes; get medical attention.

NOTE TO PHYSICIANS: This product may cause cholinesterase inhibition. Atropine is antidote. Pralidoxime chloride (2-PAM, PRIDOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

DO NOT STORE BELOW FREEZING TEMPERATURES

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages. This shall not include consequential commercial damages such as loss of profits or values, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or MERCHANTABILITY.

BUYER assumes the risk of any use contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable by American Cyanamid Company.

RINSE/DRAIN PROCEDURE:

(1) Drain container into spray tank (after normal emptying) in a vertical position for 30 seconds. (2) Rinse carefully 3 times with 1 gallon of water for each rinse for a 5-gallon pail and drain into spray tank after each rinse. (3) Do not reuse container.

DISPOSAL OF PAILS: Drain pail completely. Add 10-gallon water, 1/4 cup of detergent and 1/2 pound of lye. Tighten closure. Rotate pail to wet all surfaces and let stand for at least 15 minutes. Drain completely (not into sprayer tank) and rinse several times with water. Bury rinse solution at least 18 inches deep in an isolated area away from water supplies. Tighten closure. Puncture and crush pail to prevent reuse. Bury deeply in an isolated location with 18 inches of cover.

Toxic to birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply where drift or runoff may reach treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product to crops specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DIRECTIONS FOR USE
BEFORE USING, READ WARNING STATEMENTS ON CONTAINER LABEL**

CROPS

This product is intended for use by the commercial grower or commercial applicator in conventional hydraulic sprayers, ground applicators or airplane sprayers. When applying by ground equipment, use recommended amount in sufficient water for thorough coverage, by aircraft equipment, in 2 to 10 gallons of water. Do not apply when weather conditions favor drift of spray from areas treated. Repeat applications as necessary unless otherwise specified. Consult your state experiment station or state extension service for proper timing of applications.

CROP	PESTS CONTROLLED	RATE	INTERVAL (DAYS) BETWEEN LAST APPLICATION AND HARVEST
FRUIT: Apples Pears	Aphids, leafhoppers, mites (except rust mites)	1/4 to 1/2 pts. 100 gals. water	28 Do not apply during the bloom period
	Aphids	Ground Equipment: 1/4 to 1/2 pts. 100 gals. water Apply as an outside coverage spray Aircraft Equipment: 3 to 6 pts. acre in 15 to 20 gals. water	15
	Mites (except rust mites)	Ground Equipment: 1/4 to 1/2 pts. 100 gals. water Apply as a thorough distribution coverage spray	15
	Scutes (except black or snow)	Ground Equipment: 1/4 to 1/2 pts. 100 gals. water Apply as a thorough coverage spray	45
	Thrips	Ground Equipment: 1/4 to 1/2 pts. 100 gals. water Apply as a mist spray Aircraft Equipment: 3 to 6 pts. acre in 15 to 20 gals. water	15
Grassfruit Lemons Oranges Tangerines	Whiteflies	Ground Equipment: 1/4 pts. 100 gals. water Apply as a thorough distribution coverage spray	15
	Do not apply during bloom period. Do not apply to citrus orchards. Do not enter treated groves within 4 days of last application.		Make 2 or 3 applications at 15-day intervals.
NUTS: Pecans	Aphids, mites, leafhoppers	Ground Equipment: 1 qt. 100 gals. water	28 Do not apply during the bloom period
	Aphids	Air Equipment: 1 qt. 100 gals. water	

241-94

3-19-75

1043

14-0032



AVISO

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

CYANAMID

Active ingredient:	
Dimethoate [O,O-dimethyl S-(N-methylcarbamoylmethyl) phosphorodithioate]	30.5%
Inert ingredients	69.5%
(1 Gallon contains 2.67 pounds of Dimethoate)	
EPA Reg. No. 241-04-AA	EPA Est. No. 241-NJ-2

WARNING!

KEEP OUT OF REACH OF CHILDREN
See Side Panel for Antidote and Other Warnings

Trademark

Net Contents: 5 Gallons

24660-03

D69

[illegible]

WARNING!

DO NOT USE ON SEED ONIONS, SEED CARROTS, OR SEED BERMUDA GRASS. RECOMMENDATION FOR USE ON THESE CROPS HAS BEEN WITHDRAWN FROM THIS LABEL.

Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to bees. Restrict application to the period after dark when bees are inside the hive or in the early morning before the bees are foraging in the fields. Protective information may be obtained from your cooperative agricultural extension service.

The use of the within contained material for systemically protecting living plants is covered by Patent No. 3,210,242. The selling price includes a royalty for the right of any purchaser of said material to practice the methods claimed in said patent. A nontransferable license under said patent may be obtained from American Cyanamid Company on current royalty terms whatever the source of material used.

In case of an emergency endangering life or property involving this product,
call collect, day or night, Area Code 201-835-3100.

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
PRINCETON, N.J. 08540

Made and Printed in U.S.A.

BLACK LJ-37638

6/17/20

ACCEPTED
 1 MAR 19 1975
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 EPA Reg. No. 241-94
 registered under 241-94

2544

2544