

[241-96]

Container Label

(Illustration)

MALATHION 3-X

Livestock Spray



(red)

CYANAMID

Active Ingredients:

Malathion*	48.0%
Toxaphene**	20.0%
Aromatic Petroleum Solvent	15.1%

Inert Ingredients	16.9%
-------------------	-------

USDA Reg. No. 741-96

(Contains 4.8 lbs. of malathion and 2.0 lbs. of toxaphene per gallon)

*O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate
 **Technical chlorinated camphene containing 7% to 9% chlorine

(18 pt. type)

CAUTION!

(12 pt. type)

KEEP OUT OF REACH OF CHILDREN

See Side Panel For Additional Cautions

Net Contents: 1 quart

1964-1

D--

AD.gc
10/10/64

20-14

[241-96]

Side Panel 1

CAUTION:

POISONOUS IF SWALLOWED.

Avoid prolonged breathing of spray mist.

Avoid contact with eyes, skin and clothing.

Wash thoroughly after handling.

Avoid contamination of feed, food containers and watering troughs.

Keep away from heat, sparks and open flame.

To protect fish and wildlife, do not contaminate streams, lakes or ponds with this spray or washings from spray tank.

DIRECTIONS FOR USE

CATTLE (Beef and Nonmilking), HORSES AND HOGS:

To control horn flies, lice and ticks mix 1 pint of MALATHION T-X with 12 gallons of water, stir well to form a creamy emulsion and spray animals thoroughly with sufficient pressure to penetrate to the skin. Approximately 2 quarts are required to treat full-grown cows and proportionately less for smaller animals.

For a lower cost spray for temporary control of these pests, mix 1 pint of MALATHION T-X with 25 gallons of water and apply as above.

For control of keds and lice on goats (nonmilking) and sheep, mix 1 pint of MALATHION T-X with 25 to 50 gallons of water and apply as above.

MANGE AND SCAB:

For control and prevention of sarcoptic, chorioptic and psoroptic mange on hogs, sheep, goats (nonmilking) and cattle (nonmilking), mix 1 pint of MALATHION T-X with 12 gallons of water and apply thoroughly to all body surfaces, including inside of ears.

BACKRUBBING DEVICES:

For the reduction of lice and horn flies, dilute 1 pint of MALATHION T-X with 4 1/2 gallons of kerosene oil and fill insecticide compartment of backrubber device or soak the sack or cloth. Approximately 1 gallon will be required to treat 15 to 20 feet of turlap cable initially and 1 to 2 quarts thereafter at 2 to 3-week intervals. These devices should be made continuously accessible, one to each 35 to 45 head of cattle (nonmilking).

[241-96]
3 of 4

Side Panel 2

-3-

PRECAUTIONARY STATEMENTS for Direct Application Spray and Backrubber Devices:

Do not make applications, including backrubber devices, on dairy animals. Do not treat animals within 28 days of slaughter. The product should not be used around poultry, dogs, pets or fish. Avoid treating animals during cold stormy weather. Do not treat overheated animals or animals under 1 month of age. If older calves must be sprayed, use a minimum amount of spray.

PREMISE SPRAY FOR BARNYARDS AND BUILDINGS:

For the control of fleas, mosquitoes, roaches, stable flies, house flies and other insects around buildings and premises, dilute 1 pint of MALATHION T-X with 5 gallons of water and apply thoroughly to all areas where insects rest or crawl. For control of fleas, remove debris and treat areas where animals sleep. Repeat applications as necessary. Do not apply to freshly whitewashed surfaces less than 2 weeks old.

PRECAUTIONARY STATEMENTS for Premise Sprays:

Remove dairy animals and any animal under 1 month of age before treating. Do not apply this mixture to animals and pets. Do not use in rooms where edible products are handled or in dwellings. Do not apply in dairy barns.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of fitness or of MERCHANTABILITY.

BUYER assumes the risk of any use contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by American Cyanamid Company.

In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201 - 835-3100.

Fixe spills on outside of bottle after use. When empty, wash thoroughly with water containing a household detergent. Recap and discard bottle. Never reuse.

[241-96]
4 of 4

Side Panel 2 continued

-4-

Made and Printed in U.S.A.

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
PRINCETON, N. J.