



THIMET[®]
15-G

THIMET[®] 15-G TH

15-G

SOIL AND SYSTEMIC INSECTICIDE

DANGER!

POISONOUS BY SKIN CONTACT, INHALATION
OR SWALLOWING
RAPIDLY ABSORBED THROUGH SKIN
REPEATED INHALATION OR SKIN CONTACT MAY,
WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE
SUSCEPTIBILITY TO POISONING

DO NOT GET IN EYES, ON SKIN, ON CLOTHING

Wear freshly laundered, long sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before reuse. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.

DO NOT BREATHE DUST

While emptying bags into equipment, pour downward and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

DO NOT CONTAMINATE FOOD OR FEED PRODUCTS

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Keep all unprotected persons out of operating areas.

KEEP OUT OF REACH OF DOMESTIC ANIMALS

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Destroy empty bags and cartons by burning. Stay away from smoke and fumes.

This product is toxic to fish, birds, and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

CYANAMID

Active Ingredient:

Phorate (O,O-diethyl S-[(ethylthio)methyl] phosphorodithioate) 15.0%

Inert Ingredients

85.0%

ORGANIC PHOSPHATE COMPOUND MIXTURE, DRY N.O.S.

DANGER!

KEEP OUT OF REACH OF CHILDREN



POISON



See Back Panel For Antidote And Other Warnings

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)



In case of an
emergency involving
night. Area C

Antidote: Atropine, obtaining a supply emergency dose. If cramps or tightness take two tablets at of poisoning have to have taken at possible.

If swallowed, induce giving soap, rinsed clear. Never give. If inhaled, remove respiratory, prefer.

In case of contact, i water for at least clothing and shoe.

CALL A PH

NOTE TO PHYSICIANS
In case of tightness o
but s. salivation,
abdominal cramp
treatment depending
two tablets. 1.1
atropine as sh
tally and lower
dosed during the
the patient is quie
further exposure
Observe patient
Further exposure
terase regenerative
tests.
Prat to some chlo
effective as an d
directions.

® Trade mark

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the uses thereon described when used in accordance with the directions for use.
 Any damages arising from use of this warranty are limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.
 American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS FOR MERCHANTABILITY.
 BUYER assumes the risk of any use contrary to label instructions or under conditions not intended or approved in writing by American Cyanamid Company.

DIRECTIONS FOR USE

IMPORTANT! READ PRECAUTIONARY STATEMENTS BEFORE USING THIS PRODUCT
 Do not use this product for any uses other than those specified on this label.

THIMET 15-G should be applied with a granular pesticide applicator in a dry, well-drained field to insure a uniform placement and proper disposal.
 Fields may be re-treated on day of treatment with soil applications of THIMET 15-G for the control of weeds with 7 days after plants have been treated with foliar application.

Crop	Pests Controlled	Rate THIMET 15-G	Application	Remarks
ALFALFA	Alfalfa weevils, grasshoppers	10.5 lb. per acre	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in late spring or early summer. Apply in late spring or early summer.
BARLEY Irrigated Barley Only	Aphids	10.5 lb. per acre	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in late spring or early summer. Apply in late spring or early summer.
BEANS	Mexican bean beetle, Colorado potato beetle, alfalfa weevils, grasshoppers	10.5 lb. per acre	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in late spring or early summer. Apply in late spring or early summer.
FIELD CORN	Armyworms, Mexican bean beetle, alfalfa weevils, grasshoppers	10.5 lb. per acre	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in late spring or early summer. Apply in late spring or early summer.
Application Timing: Pre-plant	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in late spring or early summer. Apply in late spring or early summer.
Application Timing: Post-plant	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in late spring or early summer. Apply in late spring or early summer.
Application Timing: Plant	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in late spring or early summer. Apply in late spring or early summer.
WESTERN Application Timing: Pre-plant	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in dry, well-drained fields. Apply in late spring or early summer.	Apply in late spring or early summer. Apply in late spring or early summer.

THIMET[®]
15-G

 **POISON** 

Antidote: Atropine is an antidote. Consult your physician about obtaining a supply of 1-100 grain (0.6-mg) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been sick enough to have taken atropine must be seen by a physician as soon as possible.

If swallowed. induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person.

If inhaled. remove to fresh air at once. If breathing, give artificial respiration preferably by mouth to mouth. If breathing is difficult, give oxygen.

**CALL A PHYSICIAN AT ONCE IN ALL CASES OF
SUSPECTED POISONING**

Pralidoxime chloride (2 PAM) (Epi-PAM) chlorides may be effective as an adjunct to atropine use according to label directions.

Sold by

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
PRINCETON N J 08540

[illegible]