

[241-146]

NET WEIGHT: 50 LBS.

THIWEI 10% Systemic Insecticide with
FERRAFLOR* Super X Soil Fungicide
Granular

ACCEPTED
MAY 1972

FOR USE ON COTTON

CYANAMID



Active Ingredients:	
Diisopropyl phosphorodithioate (O,O-diethyl S-[(ethylthio)methyl] phosphorodithioate)	10.0%
Pentachloronitrobenzene	10.0%
5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole	2.5%
Inert Ingredients	77.5%

EPA Reg. No. 241-146-AA

DANGER!

KEEP OUT OF REACH OF CHILDREN



See Reverse Side for Antidote and Other Warnings. Use as Directed on Reverse Side.

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
 (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

DANGER!

POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING.

Do Not Get In Eyes, On Skin, On Clothing.

Wear freshly laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before re-use. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.

Do Not Breathe Dust

While emptying bags into equipment, pour downward and allow as little dust fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Do Not Contaminate Food or Feed Products

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Keep all unprotected persons out of operating areas.

Keep Out of Reach of Domestic Animals.

Not For Use or Storage in or Around the Home.

Destroy empty bags and cartons by burning. Stay away from smoke and fumes.

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste.

In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201- 835-3190.

Antidote: Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain (0.6 milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been sick enough to have taken atropine must be seen by a physician as soon as possible.

FIRST AID

If swallowed, induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before re-use.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

NOTE TO PHYSICIANS: Warning symptoms include weakness, headache, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) every 15 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams or more may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests. Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

DIRECTIONS FOR USE

Do not use this product for any uses other than those specified on this label.

For the control of early season insects (aphids, black cutworms, leafhoppers, leafminers, thrips, whiteflies, and mites) and seedling disease complex-Rhizoctonia, Pythium and Fusarium on cotton, apply THIMET 10% Systemic Insecticide with TERRACLOR Super X Granular at the rate of 10-15 pounds per acre (40-inch row spacing or 12 ozs. per 1,000 ft. of row for any row spacing, minimum 36-inch spacing). Distribute the granules evenly in the furrow at planting time. Do not allow the feeding or grazing of cotton foliage to livestock. Do not feed gin waste to livestock. Do not plant treated fields to any other crop than cotton.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY. BUYER assumes the risk of any use contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable by American Cyanamid Company.

Lot No.

D40

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
PRINCETON, N. J. 08540

Trademark

*TERRACLOR is a registered trademark of Olin Mathieson Chemical Corp.