

Face

(Illustration)




(red)

6-24-12 Fertilizer + THIMET[®] Soil and Systemic Insecticide

(Contains 0.20 Lb. of phorate per 100 Lbs.)

FOR USE ON SUGAR BEETS



Active Ingredient:

Phorate (0,0-diethyl S-2[(ethylthio)methyl]phosphorodithioate)..... 0.20%

Inert Ingredients..... 99.80%

USDA Reg. No. 241-XXX

ACCEPTED FOR REGISTRATION

(13-pt. type)

DANGER!

(12-pt. type)

KEEP OUT OF REACH OF CHILDREN



POISON



(red)

See Side Panel For Antidote and Other warnings

Net Weight:

1955

11/9/57

11/9/57

! DANGER !

TOXIC BY SKIN CONTACT, INHALATION, OR SWALLOWING

RAPIDLY ABSORBED THROUGH SKIN

REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS,

PROGRESSIVELY INCREASE SUSCEPTIBILITY TO

POISONING

Do Not Get In Eyes, On Skin, On Clothing

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before re-use. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.

Do Not Breathe Dust

While emptying bins into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Do Not Contaminate Feed or Feed Products

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bin has been opened, use it completely or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Keep all unreflected persons out of operating areas.

Destroy empty cans and cartons by burning. Stay away from smoke and fumes.

Keep Out Of Reach Of Domestic Animals

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label.



W.D. 7 (red)



ANTIDOTE: Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain tablets for emergency use. Never take atropine unless symptoms of poisoning have occurred.

FIRST AID: If symptoms or signs of poisoning (See Note to Physicians) include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1/100 grain) at once.

Call a physician at once in all cases of suspected poisoning.

Remove patient immediately from the area. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of the pesticide. If swallowed, induce vomiting by giving warm salty or soapy water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

NOTE TO PHYSICIANS: Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) at once and every hour as required until pupils dilate. Twenty to 30 milligrams, or more, may be required during the first 24 hours. Never give morphine or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

MINIMUM GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N)..... 6.0%
Available Phosphoric Acid (P₂O₅).....24.0%
Soluble Potash (K₂O).....12.0%

IMPORTANT! Read precautionary statements before using this product.

Do not use this product for any uses other than those specified on this label.

DIRECTIONS FOR USE

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

BUYER assumes the risk of any use contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by American Cyanamid Company.

THIMET is an effective soil and systemic insecticide for early season pest control on sugar beets which has been combined with fertilizer for efficient and uniform application. Do not apply when weather conditions favor drift of dust from areas treated.

{ SUGAR BEETS (Grown in Arizona, California, Colorado, Idaho, Oregon, Washington):
For control of aphids, beet root maggots, leafhoppers, mites and pea leaf miners, apply at the rate of 500 lbs. (1 lb. actual phorate) per acre by drilling at seeding time. Do not place in direct contact with the seed.
Do not feed sugar beet tops or silage to dairy cattle.

® Trademark

Made and Printed in U.S.A.

Lot No.

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
PRINCETON, N. J.



WARNING
KEEP AWAY from FEED or FOOD PRODUCTS
POISON
CAUTION—DO NOT DROP

IF LEAKING DON'T BREATHE FUMES
TOUCH CONTENTS
SWALLOW

This is to certify that the contents of this package
are properly described by name and are packed
and marked and are in proper condition for
transportation according to the Regula-
tions prescribed by the Interstate
Commerce Commission.

Shipper's name required
hereon for ship-
ments by
EXPRESS