

DANGER!

POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING • RAPIDLY ABSORBED THROUGH SKIN • REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING

DO NOT GET IN EYES, ON SKIN, ON CLOTHING

Wear clean rubber gloves, goggles and clean waterproof or freshly-laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Wash thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

DO NOT BREATHE MIST

Wear a mask or respirator of a type approved by the U.S. Bureau of Mines for THIMET protection. If handled indoors, provide mechanical exhaust ventilation. Remove unauthorized persons from operating area.

DO NOT CONTAMINATE FOOD OR FEED PRODUCTS

Cover spillage with an absorbent such as soda ash, lime, clay or sawdust. Sweep up and bury. Wash area thoroughly with a full-strength liquid household chlorine bleach.

DISPOSAL OF DRUMS: Drain drum completely. Add 5 gallons of water, 1 cup of detergent and 2 pounds of lye. Tighten bungs. Rotate drum to wet all surfaces and let stand for at least 15 minutes. Drain completely and rinse several times with water. Tighten bungs. Transport to a professional drum reconditioner having burning equipment for reconditioning.

This product is highly toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

SHIPPERS: SHOULD SPILLAGE OR LEAKAGE OCCUR IN TRANSIT, DECONTAMINATE AREA AS ABOVE.



POISON



In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201-835-3100.

Antidote: Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain (0.6 milligrams) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been sick enough to have taken atropine must be seen by a physician as soon as possible.

FIRST AID

If **swallowed**, induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person.

If **inhaled**, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

In case of **contact**, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.


CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING

NOTE TO PHYSICIANS: Warning symptoms include weakness, headache, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) every 15 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams, or more, may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

MADE AND PRINTED IN U.S.A.

© TRADEMARK



ED


29 1973

FEDERAL INSECTICIDE AND RODENTICIDE ACT
REGISTRATION NO. 241-212
SUBJECT ATTACHED COMMENTS.

THIMET® MC-85

**FOR MANUFACTURING PURPOSES ONLY
DANGER!**

KEEP OUT OF REACH OF CHILDREN



See Side Panel for Antidote and Other Warnings

PELIGRO!

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

CYANAMID

Active ingredient: Phorate (O,O-diethyl S-(phosphorothioic methyl) phosphorodithioate) 35.0%
Inert ingredients 65.0%
(Contains cyanide 0.2 lbs. of Phorate)

Net Weight (lb.) 24.0

Net Weight (kg) 5.27

24122-01

U.S.

241-212

05/29/1973

1/2



WARNING
KEEP AWAY from FEED or FOOD PRODUCTS

POISON
CAUTION—DO NOT DROP

IF LEAKING DON'T BREATHE FUMES
TOUCH CONTENTS
SWALLOW

This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the Regulations prescribed by the Department of Transportation.

Shipper's name required hereon for shipments by EXPRESS

ORGANIC PHOSPHATE COMPOUND, LIQUID, N.O.S.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

BUYER assumes the risk of any use contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by American Cyanamid Company.

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
PRINCETON, N. J. 08540