

ACCEPTED
FEB 13 1976
Under the Federal Insecticide,
Fungicide and Rodenticide Act,
as amended, the pesticide
registered under
EPA Reg. No. 241-213

THIMET

TECHNICAL



POISON



STOP — READ LABEL ON OPPOSITE SIDE OF DRUM

HANDLING AND STORAGE

Do Not Contaminate Food or Feed Products.

Keep away from heat and open flame. Keep container closed. Use with adequate ventilation. Store in original container.

Highly toxic to fish and wildlife. Do not contaminate any body of water.

FIRE FIGHTING

Wear impervious clothing and self-contained breathing apparatus.

EVACUATE people downwind of fire. Avoid working downwind of fire.

Avoid heavy hose streams.

HOT CONTAINERS MAY EXPLODE – Keep a safe distance from fire in which these are present.

Dike area of fire to prevent pesticide runoff.

Decontaminate area before reuse.

SPILLS AND LEAKAGE

Isolate area and dike to prevent runoff.

Wear complete protective clothing – rubber gloves, rubber boots, coveralls, cap, etc.

Absorb spilled liquid in soda ash, clay, sweeping compound, etc., and transfer to container for disposal by burial.

Decontaminate area of spill

DECONTAMINATION

Areas of leakage or spillage: Scrub with full-strength chlorine bleach solution followed by water wash. Repeat several times. Bury washes. Wooden floors of transportation equipment are difficult to decontaminate and should be replaced.

DISPOSAL OF DRUMS: Drain drum completely. Add 5 gallons of water, 1 cup of detergent and 2 pounds of lye. Tighten bungs. Rotate drum to wet all surfaces and let stand for at least 15 minutes. Drain completely and rinse several times with water. Tighten bungs. Transport to a professional drum reconditioner having burning equipment for reconditioning.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY. USER assumes the risk of any use contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by American Cyanamid Company.

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
PRINCETON, N.J. 08540


EPA Est. No. 241-NJ-2

In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201 - 835-3100.



ORGANIC PHOSPHATE COMPOUND , LIQUID, N.O.S.

DANGER – POISON – PRECAUTIONS 



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors or spray mist are breathed.

PROTECTIVE CLOTHING AND EQUIPMENT

Wear clean rubber gloves, goggles and clean waterproof or freshly-laundered protective clothing. Destroy and replace gloves frequently.

Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for THIMET protection. If handled indoors, provide mechanical exhaust ventilation.

Firefighters should use self-contained breathing apparatus and waterproof clothing.

PRECAUTIONARY MEASURES

Do not get in eyes, on skin, on clothing.

Do not breathe vapor or mist.

Wash thoroughly before eating or smoking or using the toilet.

Bathe immediately after work and change all clothing.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Remove unauthorized persons from operating area.

ANTIDOTE, FIRST AID AND MEDICAL INFORMATION

ANTIDOTE: Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain (0.6 milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been given atropine must be seen by a physician as soon as possible.

FIRST AID: If swallowed, induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING

NOTE TO PHYSICIANS

Warning symptoms include weakness, headache, tightness of chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) every 15 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams, or more, may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for a least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

POIS

SEE SIDE
FOR ANT
AND OTHER I

DANGER!

REPE

TH

PELIGRO!

Active Ingredient

Phorate (0,0-d

Inert Ingredients

(1 gall

Net (

PROTECTIVE CLOTHING AND EQUIPMENT

Use clean rubber gloves, goggles and clean waterproof or freshly-laundered protective clothing. Destroy and replace gloves frequently.

Use a mask or respirator of a type passed by the U.S. Bureau of Mines for THIMET protection. Work indoors, provide mechanical exhaust ventilation.

Workers should use self-contained breathing apparatus and waterproof clothing.

CAUTIONARY MEASURES

Do not get in eyes, on skin, on clothing.

Do not breathe vapor or mist.

Wash thoroughly before eating or smoking or using the toilet.

Wash immediately after work and change all clothing.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Keep unauthorized persons from operating area.

ANTIDOTE, FIRST AID AND MEDICAL INFORMATION

ANTIDOTE: Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain (milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or chest pain, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been given atropine must be seen by a physician as soon as possible.

FIRST AID: If swallowed, induce vomiting by sticking finger down throat or by giving soapy or strong water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. If breathing is difficult, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING

RECOMMENDATIONS TO PHYSICIANS

Initial symptoms include weakness, headache, tightness of chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. Give atropine intravenously or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) every 15 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams, or more, may be required during the first 24 hours. Never give atropine with phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for a least 48 hours. Allow no further food until patient is sure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by food tests.

2-PAM (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

POISON



DANGER

SEE SIDE PANEL
FOR ANTIDOTE
AND OTHER WARNINGS

KEEP OUT OF
REACH OF CHILDREN

CAN KILL YOU

**DANGER! POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING
RAPIDLY ABSORBED THROUGH SKIN**

REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS,
PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING

THIMET[®] TECHNICAL

FOR MANUFACTURING PURPOSES ONLY

PELIGRO!

AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you)

CYANAMID

Active Ingredient:

Phorate (O,O-diethyl S-[(ethylthio)methyl] phosphorodithioate) 85.0%

Inert Ingredients 15.0%

(1 gallon contains 8.2 lbs. of Phorate)

EPA Reg. No. 241-213-AA

Net Contents: 525 Lbs.

24624-02

D 44