

SUPPLEMENTAL LABELING

CYGON* 400 systemic insecticide
EPA Reg. No. 241-233

ACCEPTED
JUL 10 1979
Under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, for the pesticide registered under EPA Reg. No. 241-233

THIS LABEL MUST BE IN POSSESSION OF THE USER AT TIME OF APPLICATION

OBSERVE ALL PRECAUTIONARY STATEMENTS ON CONTAINER LABEL BEFORE USING

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR CONTROL OF GRASSHOPPERS

Unless otherwise specified, when applying by ground equipment, use recommended rate in sufficient water for good coverage; by aircraft equipment, 2 to 10 gallons of water.

Site	Rate	Interval (Days) Between Last Application and Harvest
Beans (green, lima, snap, dry)	1/2 to 1 pt./acre	Beans may be harvested on day of application. Do not feed treated vines.
Field Corn	<u>Aerial Application:</u> Apply 1 pt. in 1 or more gallons of water per acre	Make no more than 3 applications per year. Do not feed or graze within 14 days of last application
Potatoes	1/2 to 1 pt./acre	Potatoes may be harvested on day of application.
Sorghum (milo)	1 pt./acre <u>Ground Application:</u> Apply above rate in 25 to 40 gallons of water per acre. <u>Aerial Application:</u> Apply above rate in 1 or more gallons of water per acre.	Do not feed or graze within 28 days of last application. Make 3 applications as needed per season.
Soybeans	1 pt./acre <u>Aerial Application:</u> Apply recommended rate in a minimum of 3 3/4 gallons of water per acre.	Do not feed or graze within 5 days of last application. Do not harvest within 21 days of last application.

Site	Rate	Interval (Days) Between Last Application and Harvest
Wheat	3/4 pt./acre	Do not apply within 14 days of grazing immature plant. Do not harvest grain within 60 days of last application.
Alfalfa (grown for hay)	1/2 to 1 pt./acre	Do not apply to alfalfa in the bloom period. Do not apply within 10 days of harvest or pasturing. Make only one application per cutting. Effective only on cutting to which applied.
Alfalfa (grown for seed)	1/2 to 1 pt./acre	Do not apply to alfalfa in the bloom period. Do not feed or graze livestock in treated crops, hay, threshings or stubble within 10 days of application.

*Trademark of American Cyanamid Company

00

1