

**Counter  
15-6**



In case of an emergency endangering life or property involving this product, call collect day or night, Area Code 201-835-3100.

**Antidote:** Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain (0.6 milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been sick enough to have taken atropine must be seen by a physician as soon as possible.

**CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING**

**FIRST AID**

If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

**NOTE TO PHYSICIANS:** Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) every 10 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams, or more, may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

Pralidoxime chloride (2-PAM; PROTOPAM chlonide) may be effective as an adjunct to atropine. Use according to label directions.

Lot No. \_\_\_\_\_ Made and Printed in U.S.A.

® Trademark

Sold by  
**AMERICAN CYANAMID COMPANY**  
AGRICULTURAL DIVISION  
PRINCETON, N.J. 08540

**Counter  
15-G**



**SOIL INSECTICIDE**

FOR USE ON FIELD CORN, POPCORN,  
SWEET CORN AND SUGAR BEETS

**CYANAMID**

**Active Ingredient:**

Terbufos S-[(1,1-dimethylethyl)thio]methyl]0,0-diethyl phosphorodithioate ... 15.0%

Inert Ingredients ..... 85.0%

EPA Reg. No. 241-238-AA

EPA Est. No. \_\_\_\_\_

Organic phosphote compound mixture dry

**DANGER!**

KEEP OUT OF REACH OF CHILDREN



SEE SIDE PANEL FOR ANTIDOTE AND OTHER WARNINGS

**PELIGRO**

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicado completamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

Net Weight: 20 Lbs.  
9.07 kg.

24696-04

D40

ACCEPTED

JUN 29 1977

UNLAWFUL TO REPRODUCE OR  
FURNISH TO THE PUBLIC  
FOR ECONOMIC PURPOSES WITHOUT THE  
WRITTEN CONSENT OF THE REGISTERED  
UNLAWFUL NO. 241-238

**Counter 15-G**  
**SOIL INSECTICIDE**

**DANGER!**  
**MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN**  
**RAPIDLY ABSORBED THROUGH SKIN**  
**REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS,**  
**PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING**

DO NOT GET IN EYES, ON SKIN, ON CLOTHING, OR IN NEARLY EXHAUSTED, LONG SLEEVED WORK CLOTHING. While transferring from package to equipment, wear a cap, cap and goggles, rubber or plastic gloves and shoes. If gloves are used, they must be washed or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before reuse. Wash thoroughly with soap and water before eating or drinking. Wash at the end of the work day and change outer clothes.

**DO NOT BREATHE DUST.** While emptying bags into equipment, pour downward and allow as much free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

**DO NOT CONTAMINATE FOOD OR FEED PRODUCTS.** Sweep up and bury soil, urine and bedding areas by deep plowing immediately after treating fields.

Keep all unprotected persons out of operating areas. Make sure that the operators of equipment are instructed in the field.

Keep Out Of Reach Of Domestic Animals. Destroy empty bags and cartons by burning. Stay away from smoke and fumes. Not For Use or Storage in or Around the Home.

This product is toxic to fish and other wildlife. Treated areas exposed on soil surface may be hazardous to birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by washing of equipment or disposal of wastes.

**DISCLAIMER**

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the use or application of the product contrary to label instructions, all of which are beyond the control of American Cyanamid Company. All such risks shall be assumed by the user.

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use thereon described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential, commercial damages such as loss of profits or values of any other special or indirect damages.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

**DIRECTIONS FOR USE**

COUNTER 15-G should be applied with a granular spreader, also rated properly calibrated to assure accurate placement and proper dosage. Cover granules that may be exposed on the ends of the treated row and turns and leading areas by deep plowing immediately after treating fields.

Crop	Rate (lb./Acre)	Rate (oz./1,000 Ft. of Row)	Application
FIELD CORN, POPCORN AND SWEET CORN	See opposite page for directions. Do not apply to corn or other crops in the same field during the same year.	8 oz. to 10 oz. for 10 to 12 ft. row spacing. 12 oz. to 14 oz. for 14 to 16 ft. row spacing.	Apply to corn in the same field during the same year. Do not apply to corn or other crops in the same field during the same year.
At Planting	See opposite page for directions. Do not apply to corn or other crops in the same field during the same year.	8 oz. to 10 oz. for 10 to 12 ft. row spacing. 12 oz. to 14 oz. for 14 to 16 ft. row spacing.	Apply to corn in the same field during the same year. Do not apply to corn or other crops in the same field during the same year.
SUGAR BEETS	See opposite page for directions. Do not apply to sugar beets in the same field during the same year.	8 oz. to 10 oz. for 10 to 12 ft. row spacing. 12 oz. to 14 oz. for 14 to 16 ft. row spacing.	Apply to sugar beets in the same field during the same year. Do not apply to sugar beets in the same field during the same year.

**Typical Application Rates for Various Row Spacings**

Rate—Oz./1,000 Ft. of Row

ROW WIDTH	4 oz.	6 oz.	8 oz.	10 oz.	12 oz.	14 oz.	16 oz.
40"	4.9	6.5	8.2	9.8	11.4	13.1	
38"	5.2	6.9	8.6	10.3	12.0	13.7	
36"	5.4	7.3	9.1	10.9	12.7	14.5	
34"	5.6	7.7	9.7	11.6	13.5	15.4	
32"	6.1	8.2	10.2	12.3	14.3	16.3	
30"	6.5	8.7	10.9	13.1	15.2	17.4	
28"	7.1	9.5	11.8	14.2	16.6	18.9	
24"	8.2	10.9	13.6	16.3	19.1	21.8	
22"	8.9	11.9	14.9	17.9	21.0	24.0	
20"	9.8	13.1	16.3	19.6	22.8	26.1	

EQUIVALENT POUNDS PER ACRE

241-238

06/29/1977

1/1

# Counter 15-G

## SOIL INSECTICIDE

Apply Application Rates for Various Row Spacings

Rate, Oz. / 1,000 ft. of Row	16 in.	14 in.	12 in.	10 in.	8 in.	6 in.	4 in.
40	16.0	14.4	12.8	11.2	9.6	8.0	6.4
36	14.4	12.96	11.52	10.08	8.64	7.2	5.76
32	12.8	11.52	10.08	8.64	7.2	5.76	4.32
28	11.2	10.08	8.64	7.2	5.76	4.32	2.88
24	9.6	8.64	7.2	5.76	4.32	2.88	1.44
20	8.0	7.2	5.76	4.32	2.88	1.44	0.72

100% MOH

### DANGER!

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN  
 RAPIDLY ABSORBED THROUGH SKIN  
 REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS,  
 PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING

**DO NOT GET IN EYES, ON SKIN, ON CLOTHING.** Wear freshly laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

**In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before reuse. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.**

**DO NOT BREATHE DUST.** While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

**DO NOT CONTAMINATE FOOD OR FEED PRODUCTS.** Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Keep all unprotected persons out of operating areas.

**KEEP OUT OF REACH OF DOMESTIC ANIMALS. NOT FOR USE OR STORAGE IN OR AROUND THE HOME.**

**DESTROY EMPTY BAGS BY BURNING. STAY AWAY FROM SMOKE AND FUMES.**

This product is toxic to fish, birds and other wildlife. Treated granules exposed on soil surface may be hazardous to birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the use or application of the product contrary to label instructions, all of which are beyond the control of American Cyanamid Company. All such risks shall be assumed by the user. American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

#### DIRECTIONS FOR USE

COUNTER 15-G should be applied with a granular pesticide applicator properly calibrated to assure accurate placement and proper dosage. Cover granules that may be exposed on the ends of the treated row and turns and loading areas by deep disking immediately after treating fields.

Crops	Pests Controlled	Rate of COUNTER 15-G (See guide for rate/acre conversion)	Application
FIELD CORN, POPCORN AND SHEET CORN	Corn rootworms Seedcorn maggots	Banded or In-Furrow 8 ozs. per 1,000 ft. of row for any row spacing (minimum 20-inch row spacing).	Banded For corn rootworms place granules in a 7-inch band over the row directly behind the planter shoe in front of the press wheel. In-Furrow For seedcorn maggots and/or corn rootworms place granules directly in the seed furrow behind the planter shoe.
At Planting	Early season control of adult southern corn billbugs* Reduction of corn wireworms *(Southeastern States)	Banded 8 1/2 ozs. per 1,000 ft. of row for any row spacing (minimum 20-inch row spacing). In-Furrow 8 ozs. per 1,000 ft. of row for any row spacing (minimum 20-inch row spacing).	Banded Place granules in a 7-inch band over the row directly behind the planter shoe in front of the press wheel. In-Furrow Place granules directly in the seed furrow behind the planter shoe.
At Cultivation	Corn rootworms	8 ozs. per 1,000 ft. of row for any row spacing (minimum 20-inch row spacing).	Apply granules at time of cultivation in a band at base of plant just ahead of cultivation shovels so as to cover granules with soil. Cultivation treatment may be applied in addition to treatment at planting.
SUGAR BEETS	Sugar beet root maggot	4.5 to 9.0 ozs. per 1,000 feet of row for any row spacing (minimum 20 inch row spacing).	At Planting Apply in a 5 to 7-inch band over the row and lightly incorporate into the soil. Do not place granules in direct contact with the seed. Power incorporation may be used. Do not incorporate deeper than 2 inches. Post Emergence Apply in a 5 to 7-inch band over the row at the time of first fly emergence and lightly incorporate into the soil.



**POISON**

**IN CASE OF AN EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL COLLECT, DAY OR NIGHT, AREA CODE 201-838-3100.**

**ANTIDOTE:** Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain (0.6 milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or lightheadness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been sick enough to have taken atropine must be seen by a physician as soon as possible.

**CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING**

#### FIRST AID

**IF SWALLOWED,** drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

**IF INHALED,** remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, given oxygen.

**IN CASE OF CONTACT,** immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

**NOTE TO PHYSICIANS:** Warning symptoms include weakness, headache, lightheadness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) every 10 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams, or more, may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

Sold By  
**AMERICAN CYANAMID COMPANY**  
 AGRICULTURAL DIVISION  
 PRINCETON, N.J. 08540

1 of 10  
 \* Trademark

Made and Printed in U.S.A.