

# COUNTER 15-G Soil Insecticide..

EPA Reg. No. 241-238-AA

## DIRECTIONS FOR USE

### BEFORE USING, READ PRECAUTIONARY STATEMENTS ON BAG

COUNTER 15-G should be applied with a granular pesticide applicator properly calibrated to assure accurate placement and proper dosage. Cover granules that may be exposed on the ends of the treated row and turns and loading areas by deep disking immediately after treating fields.

| CROPS                                                      | PESTS CONTROLLED | RATE—<br>COUNTER 15-G                                                                 | APPLICATION                                                                                                                                                                                                                           |
|------------------------------------------------------------|------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Field Corn,<br>Popcorn and<br>Sweet Corn<br>At Cultivation | Corn rootworms   | 8 ozs. per 1000 ft. of<br>row for any row<br>spacing (minimum<br>20-inch row spacing) | Apply granules at time of<br>cultivation in a band at base of<br>plant just ahead of cultivation<br>shovels so as to cover<br>granules with soil. Cultivation<br>treatment may be applied in<br>addition to treatment at<br>planting. |

DATE: MARCH 1978

