

DIRECTIONS FOR USE
IN SUGARBEETS
BEFORE USING READ PRECAUTIONARY
STATEMENTS ON BAG

AUG 24 1988

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 241-238

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. COUNTER should be applied with a granular pesticide applicator properly calibrated to assure placement and proper dosage. See label for specific instructions.

Cover granules that may be exposed on the ends of the treated rows and turns and loading areas by deep discing immediately after treating fields.

Crop	Pests Controlled	Rate of COUNTER	Application	Remarks
SUGAR BEETS At Planting	Sugar beet root maggots(1) Wireworms(1) White grub(sill) Crown borer	Modified in-furrow or Banded 4-8oz. per 1,000 ft. of row for any row spacing (minimum 20-inch row spacing).	Modified in-furrow Apply in-furrow at planting time 2-3 inches behind the seed drop zone after some soil has covered the seed.	Only one application per year may be made.
SUGAR BEETS Post-emergence	Sugar beet root maggots Crown borer	Banded 4-8oz. per 1,000 ft. of row for any row spacing (minimum 20-inch row spacing).	Banded Apply in a 5 to 7-inch band over the row and lightly incorporate into the soil.	At Planting Do not place granules in direct contact with the seed as crop injury may occur. Power incorporation may be used. Do not incorporate deeper than 2 inches.
SUGAR BEETS At Planting	Suppression of: Cutworms	Banded 8oz. per 1,000 ft. of row for any row spacing (minimum 20-inch row spacing).		Postemergence Apply at the time of first fly emergence. Lightly incorporate into the soil.
	Suppression of: Sugar Beet cyst nematode Control of: Beet leafhopper Aphids	Knifed-in 18oz. per 1,000 ft. of row for any row spacing (minimum 20-inch row spacing) no more than 29 lbs. per acre.	Knifed-in Drill granules 2 inches to the side of the seed and 2-4 inches below the seed.	¹ If especially heavy, infestations are suspected use the 8 oz. rate.

THIS LABEL SHOULD BE IN THE POSSESSION OF THE
USER AT THE TIME OF PESTICIDE APPLICATION.

 **CYANAMID**
American Cyanamid Company
Agricultural Division
Crop Protection Chemicals Department
Wayne, NJ 07470

1071987