

Active Ingredient: terbufos
 S [(1,1 dimethylethylthio)methyl]
 O,O-diethyl phosphorodithioate 15.0%
 Inert Ingredients 85.0%
 Total 100.0%

EPA Reg. No. 241-238 EPA Est. No. 407-MN-1

**KEEP OUT OF REACH
 OF CHILDREN
 DANGER
 ¡PELIGRO!**



¡PELIGRO!
PRECAUCION AL USUARIO:
 Si usted no lee ingles, no use este
 producto hasta que la etiqueta le haya
 sido explicada ampliamente

**CALL A PHYSICIAN AT ONCE IN ALL
 CASES OF SUSPECTED POISONING.**

SOLD BY
 **CYANAMID**
 American Cyanamid Company
 Agricultural Division
 Crop Protection Chemicals Department
 Wayne, NJ 07470 1990

NOTIFICATION
 LABEL NOT REVIEWED
 PER PR NOTICE 88-6
 DATE AUG 21 1990

RESTRICTED USE PESTICIDE


Due to acute oral and dermal toxicity.

For retail sale to and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator and only for those uses covered by the Certified Applicator's certification. American Cyanamid Company endorses Certification to promote the responsible use of pesticides to insure the protection of man and the environment.

systemic insecticide nematocide
Counter

LOCK'n LOAD™
**CLOSED HANDLING
 SYSTEM**

**FOR USE IN FIELD CORN, POPCORN,
 SWEET CORN, SUGAR BEETS, AND
 GRAIN SORGHUM**



FIRST AID

If **swallowed**, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Avoid alcohol. Get medical attention.

If **inhaled**, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Get medical attention.

If **on skin**, wash thoroughly with soap and water. Remove contaminated clothing and shoes. Wash clothing and decontaminate shoes before reuse.

If **in eyes**, immediately flush eyes with plenty of water. Get medical attention.


Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to poisoning. **Antidote:** Atropine is an antidote.

NOTE TO PHYSICIANS: Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, nausea, vomiting, diarrhea, and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams every 10 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams, or more, may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

Pralidoxime chloride (2 PAM, PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

**See side panel for additional
 Precautionary Statements.**

Net Weight: 40 lbs. 24696-16
 Registered trademark of American Cyanamid Company 7/90
 Trademark of American Cyanamid Company



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER!

Fatal if swallowed, inhaled, or absorbed through the skin. Do not breathe dust. Do not get in eyes, on skin, or on clothing.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

Do Not Breathe Dust

While emptying container into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Do Not Contaminate Food or Feed Products

Once a container has been opened, use it completely. Make sure the hoppers are emptied while still in the field. Refer to STORAGE AND DISPOSAL statement for further instructions.

Keep All Unprotected Persons Out of Operating Areas

Do not apply this product in such a manner as to directly or through drift expose workers or other persons.

Keep Out of Reach of Domestic Animals

Not For Use or Storage In or Around the Home

**See leaflet for Re-entry Statement and
Work Safety Rules.**

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and wildlife. Birds and wild mammals utilizing treated fields may be killed.

Do not apply directly to water or wetlands (including swamps, marshes, bogs, and potholes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters. Cover or incorporate granules that are spilled during mixing and loading.

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT CALL COLLECT, DAY OR NIGHT,
AREA CODE 201-835-3100.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See attached leaflet for complete Directions For Use. See Disclaimer inside leaflet.

STORAGE AND DISPOSAL

Storage

Store pesticide products in a secure locked area where children, unauthorized persons and animals cannot enter. Do not store in the same area with food or feed. Do not store open containers.

Prohibitions

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Return empty container to point of purchase.

General

Consult federal, state, or local disposal authorities for approved alternative procedures.