

PM 11 241-238

1071

RESTRICTED USE PESTICIDE

Due to acute oral and dermal toxicity

For retail sale to, and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those used covered by the Certified Applicator's certification. American Cyanamid Company enforces Certification to promote the responsible use of pesticides to insure the protection of man and the environment.

EPA Reg. No. 241-238 FOR USE ON FIELD CORN, POPCORN, AND SWEET CORN

DIRECTIONS FOR USE BEFORE USING, READ PRECAUTIONARY STATEMENTS ON BAG

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. COUNTER 15G should be applied with a granular pesticide applicator properly calibrated to assure placement and proper dosage. See label for specific instructions. This label must be in the possession of the user at the time of pesticide application.



Cover granules that may be exposed on the ends of the treated rows and turns and loading areas by deep disking immediately after treating fields.

Crop	Pests Controlled	Rate of COUNTER	Application	Remarks
Field corn, popcorn, and sweet corn	European cornborer	6-8 oz. per 1,000 ft. of row for any row spacing. Do not exceed 8.7 pounds of COUNTER 15G per acre.	Apply granules over the top of plants just ahead of cultivation shovels so as to cover granules with soil.	Only one at planting, post emergence incorporated or cultivation time treatment of COUNTER 15G may be used.

At Cultivation

If especially heavy infestations are expected, use the 8 oz. rate.

Do not graze or cut for forage within 30 days of treatment.



PE- SD 1/5/93
Registered Trademark of American Cyanamid Company

BEST AVAILABLE COPY