

241-241

4-24-75

1 of 4



Best Available Copy

COTNITE B

TECHNICAL


POISON

ACCEPTED
 APR 24 1975
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 241-241



STOP -- READ LABEL ON OPPOSITE SIDE OF DRU

2044



STOP! READ THE LABEL

POISON

SEE SIDE PANEL
FOR ANTIDOTE
AND OTHER WARNINGS



DANGER

KEEP OUT OF
REACH OF CHILDREN

CAN KILL YOU

DANGER! POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING
RAPIDLY ABSORBED THROUGH SKIN
REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS,
PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING

COMBUSTIBLE

COUNTER[®] TECHNICAL SOIL INSECTICIDE

For The Formulation of COUNTER Soil Insecticides Only

PELIGRO!

AL USUARIO: Si usted no lee inglés, no use este producto hasta que le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

NOTE TO FORMULATORS: Refer to American Cyanamid Company's Technical Bulletin for information on the chemical properties and toxicology of COUNTER.

CYANAMID

Active Ingredient:		
terbufos S-[(1,1-dimethylethyl)thio]methyl] O,O-diethyl phosphorodithioate	85.0%	
Inert Ingredients	15.0%	

EPA Reg. No. 241-241-AA

EPA Est. No. 241-NJ-2

Net Weight: 515 Lbs.

24708-02

D41

In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201 - 835-3100

HANDLING AND STORAGE

Do Not Contaminate Food or Feed Products.
Do not use, pour, spill or store near heat or open flame.
Keep container closed. Use with adequate ventilation.
Store in original container.

FIRE FIGHTING

Wear impervious clothing and self-contained breathing apparatus.
EVACUATE people downwind of fire. Avoid working downwind of fire.
Avoid heavy hose streams.
HOT CONTAINERS MAY EXPLODE - Keep a safe distance from fire in which these are present.
Dike area of fire to prevent pesticide runoff.
Decontaminate area before reuse.

SPILLS AND LEAKAGE

Isolate area and dike to prevent runoff.
Wear complete protective clothing - rubber gloves, rubber boots, coveralls, cap, etc.
Absorb spilled liquid in soda ash, clay, sweeping compound, etc., and transfer to container for disposal by burial.
Decontaminate area of spill.

DECONTAMINATION


Areas of leakage or soilage: Scrub with full-strength chlorine bleach solution followed by water wash. Repeat several times. Bury washes. Wooden floors of transportation equipment are difficult to decontaminate and should be replaced.
DISPOSAL OF DRUMS: Drain drum completely. Add 5 gallons of water, 1 cup of detergent and 2 pounds of lye. Tighten bungs. Rotate drum to wet all surfaces and let stand for at least 15 minutes. Drain completely and rinse several times with water. Tighten bungs. Transport to a professional drum reconditioner having burning equipment for reconditioning.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.
Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.
American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY. USER assumes the risk of any use contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by American Cyanamid Company.

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
PRINCETON, N.J. 08540



ORGANIC PHOSPHATE COMPOUND LIQUID, N.O.S.

3044


Best Available copy

DANGER - POISON - PRECAUTIONS ☠



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors or spray mist are breathed.

PROTECTIVE CLOTHING AND EQUIPMENT

Wear clean rubber gloves, goggles and clean waterproof or freshly-laundered protective clothing. Destroy and replace gloves frequently.

Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for COUNTER protection. If handled indoors, provide mechanical exhaust ventilation.

Firefighters should use self-contained breathing apparatus and waterproof clothing.

PRECAUTIONARY MEASURES

Do not get in eyes, on skin, on clothing.

Do not breathe vapor or mist.

Wash thoroughly before eating or smoking or using the toilet.

Bathe immediately after work and change all clothing.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Remove unauthorized persons from operating area.

ANTIDOTE, FIRST AID AND MEDICAL INFORMATION

ANTIDOTE: Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain (0.6 milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been given atropine must be seen by a physician as soon as possible.

FIRST AID: If swallowed induce vomiting by sticking finger down throat or by giving soap or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING

NOTE TO PHYSICIANS

Warning symptoms include weakness, headache, tightness of chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) every 10 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams, or more, may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for a least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.



1484