

ACCEPTED
 AUG 17 1981
 Federal Insecticide
 Fungicide and Rodenticide Act
 registered under
 EPA Reg. No.

AMDRO* 20 fire ant insecticide



(r)

Active Ingredient:

Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone-3-[4-(trifluoromethyl)phenyl]-1-yl-2-[4-(trifluoromethyl)phenyl]ethenyl-2-propenylidene)hydrazone.....	.0.88%
Inert Ingredients.....	99.12%
Total	100.00%

(1.0 lb. contains 0.14 oz. of active ingredient)

EPA Reg. No. 241-261

EPA Est. No.

Keep Out Of Reach Of Children

CAUTION

SEE BACK PANEL FOR OTHER PRECAUTIONS

PRECAUCION

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)


In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201-835-3100.

American Cyanamid Company
 Agricultural Division
 Wayne, New Jersey 07470

Product Code

*Trademark of American Cyanamid Company

Net Weight: 25 lb.
 11.34 Kg.



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Observe all cautions and limitations on this label. AMDRO is formulated in an oil bait that functions as an attractant to important fire ants. Prolonged exposure to air may turn oil rancid and reduce the attractiveness of the bait. Close container tightly after use. USE WITHIN 3 DAYS AFTER OPENING.

Apply when ants are active (typically when soil temperature is greater than 60°F) or consult your state agricultural experiment station or state agricultural extension service for proper timing of applications.

An effective fire ant insecticide must be slow acting so that it can be passed by the workers throughout the ant colony and eventually to the queen. AMDRO is a slow acting insecticide and is especially effective against the queen ant. Typically, in 2-4 weeks the queen and a number of ants are killed. Within 4-8 weeks a significant number of the ants die so that a visible reduction in mound activity is observed. Very large mounds may continue to be active for 4-6 months even though the queen is dead and no young are being produced. Retreatment after 4 months may be desirable under these circumstances.

BROADCAST APPLICATION

AMDRO fire ant insecticide should be applied with an applicator properly calibrated to assure accurate placement and proper dosage.

Sites	Rate lb./A	Application
Pasture and Range Grass, Lawns, Turf and Nonagricultural lands	1.0 to 1.5 lb./A	Broadcast uniformly with ground equipment or fixed or rotary wing aerial equipment

INDIVIDUAL MOUND TREATMENT

Pasture and Range Grass, Lawns, Turf and Nonagricultural lands: Use 5 level tablespoons of bait per mound. The product should be uniformly distributed 3 to 4 feet around the base of the mound. Do not apply more than 1.5 lbs. of bait per acre. Do not contaminate kitchen utensils by use or storage.

