

AVENGE

wild oat herbicide

**Supplemental
Labeling**

EPA Reg. No. 241-266

**FOR USE IN WHEAT
USE AND NON-USE IN ADDITIONAL WHEAT VARIETIES**

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE AVENGE LEAFLET LABEL BEFORE USING. SEE THE AVENGE LEAFLET LABEL FOR ALL OTHER USE DIRECTIONS.

DIRECTIONS FOR USEIt is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This label must be in the possession of the user at the time of herbicide application.**GENERAL INFORMATION****WHERE TO USE AVENGE:** In addition to the varieties listed in the leaflet label, AVENGE alone or in combination can be applied to:**WHEAT: SEE TABLE BELOW**

WHEAT TYPE	RECOMMENDED Apply AVENGE to the following varieties:	NOT RECOMMENDED Do not apply AVENGE to the following varieties:
Fall and Winter Seeded	All EXCEPT	All varieties listed on leaflet label.
Soft-White Spring Seeded	All EXCEPT	All varieties listed on leaflet label.
Spring Seeded Durums	All EXCEPT	All varieties listed on leaflet label.
Hard Red Spring Seeded	Anza, Backup, Brooks, Cavalier, Colusa, Ernest, Forge, Hank, HiLine, HJ98, Kulm, McNeal, Oxen, Rich, Serra, Stander	DO NOT apply to varieties of hard red spring wheat not listed here or on the leaflet label

For additional information regarding the use of AVENGE wild oat herbicide, call telephone number 800-832-HELP.

BASF Corporation
P.O. Box 13528
Research Triangle Park, NC 27709**ACCEPTED**

MAY 4 2001

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 241-266

Agricultural Products

®Registered Trademark of BASF

NVA 2001-04-106-0067
PE-1161 Rev. 3 02/14/01**BASF**© 2001 BASF Corporation
All right reserved.

NEXT

LABEL

AVENGE

wild oat herbicide

Supplemental Labeling

EPA Reg. No. 241-266

FOR USE IN WHEAT

FOR USE IN MINNESOTA, NORTH DAKOTA
AND SOUTH DAKOTA
USE IN ADDITIONAL WHEAT VARIETIES

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE AVENGE LEAFLET LABEL BEFORE USING. SEE THE AVENGE LEAFLET LABEL FOR ALL OTHER USE DIRECTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This label must be in the possession of the user at the time of herbicide application.


GENERAL INFORMATION

WHERE TO USE AVENGE: In addition to the varieties listed in the leaflet label, AVENGE alone or in combination can be applied at a maximum application rate of 2 1/2 - 3 pts per acre depending on wild oat population (see leaflet label) to:

WHEAT: SEE TABLE BELOW

WHEAT TYPE	RECOMMENDED Apply AVENGE to the following varieties:	NOT RECOMMENDED Do Not apply AVENGE to the following varieties:
Hard Red Spring Seeded	AC Barrie, AC Domain, AC Majestic, Anvil, Anza, Aurora, Backup, Brooks, Cavalier, Colusa, Dandy, Ember, Ernest, Forge, Hamer, HiLine, HJ98, Ingot, Ivan, Kulm, Lars, McKenzie, McNeal, McVey, Mercury, ND 2375, Norlander, Oxen, Rich, Russ, Serra, and Sharpshooter.	DO NOT apply to varieties of hard red spring wheat not listed here or on the leaflet label.

For additional information regarding the use of AVENGE wild oat herbicide, call telephone number 800-832-HELP.



BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

BASF

©2001 BASF Corporation
All rights reserved