

Product Back Label

MAXFORCE*

insecticide roach feeding station

FOR USE BY PROFESSIONAL PEST CONTROL APPLICATORS

(in any area where cockroaches are a problem)

Active Ingredient:

Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone (3-[4-(trifluoromethyl)phenyl]-
1-(2-[4-(trifluoromethyl)phenyl]ethenyl)-2-propenylidene)hydrazone.....1.65%

Inert Ingredients.....98.35%

Total.....100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION: May be harmful if swallowed. Avoid skin contact. Wash after handling.

STATEMENT OF PRACTICAL TREATMENT: If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. In case of emergency, call collect, day or night, area code 201-835-3100.

Net Wt. 0.053 oz. (1.5 g)

*Trademark of American Cyanamid Company

EPA Reg. No. 241-

EPA Est. No. 1730-MA-01

SEE OUTER CARTON AND PACKAGE INSERT FOR COMPLETE DIRECTIONS AND PRECAUTIONS

241-267

Until Reregistration

170/71709
18 | 1

SEP 30 1982

MAXFORCE Insecticide Roach
Feeding Station

American Cyanamid Company
Agricultural Research Division
P. O. Box 400
Princeton, NJ 08540

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 241-267."
 - b. Add to the directions a restriction that prohibits use on food contact surfaces.
 - c. The phrase "and etc." is too ambiguous when used to describe use areas and should be deleted. You may wish to add additional sites.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

Carton Label

in EPA Label

SEP 30 1962

MAXFORCE*

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the year 1962 registered under EPA Reg. No. 241-

insecticide roach feeding station

FOR USE BY PROFESSIONAL PEST CONTROL APPLICATORS

(In any area where cockroaches are a problem)

Active Ingredient:

Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone (3-[4-(trifluoromethyl)phenyl]-1-(2-[4-(trifluoromethyl)phenyl]-ethenyl)-2-propenylidene)hydrazone.....	1.65
Inert Ingredients.....	98.35

Total.....100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautions

PRECAUTION

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

ENGLISH TRANSLATION

CAUTION

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA Reg. No. 241-

EPA Est. No. 1730-NA-01

Net Weight: 7.62 oz. (216.0 g)

Product Code

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
Wayne, New Jersey 07470

* Trademark American Cyanamid Company

D-40

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

MAY BE HARMFUL IF SWALLOWED
Wash Thoroughly After Handling

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

STORAGE AND DISPOSAL DIRECTIONS

Do not contaminate water, food or feed by storage or disposal. Do not remove bait from containers. Wrap used containers and put in a garbage can.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MAXFORCE insecticide roach feeding station may be used for the control of cockroaches in any area where cockroaches are a problem, such as residential, institutional, warehousing, food service, food manufacturing, food processing, commercial food and feed establishments, hospitals, and etc.

MAXFORCE is packaged in a child-proof container.

Place MAXFORCE in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations. Feeding stations should be placed in or near the areas of greatest infestation. The stickers provided in the plastic bag can be used to attach feeding stations in out-of-way places. Use 4-6 feeding stations per 100 square feet of the surface area to be treated. Roaches will begin feeding immediately and population reduction can be expected in about a week. Replace all feeding stations every two to three months to maintain control. Keep feeding stations away from open food and out of reach of children.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use. American Cyanamid Company makes no other express or implied warranty of FITNESS or of MERCHANTABILITY.

In case of an emergency endangering life or property involving this product,
call collect, day or night, Area Code 201-835-3100.

201-835-3100

Package Insert

MAXFORCE*

insecticide roach feeding station

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MAXFORCE insecticide roach feeding station may be used for the control of cockroaches in any area where cockroaches are a problem, such as residential, institutional, warehousing, food service, food manufacturing, food processing, commercial food and feeding establishments, hospitals, and etc.

MAXFORCE is packaged in a child-proof container.

Place MAXFORCE in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations. Feeding stations should be placed in or near the areas of greatest infestation. The stickers provided in the plastic bag can be used to attach feeding stations in out-of-way places. Use 4-6 feeding stations per 100 square feet of the surface area to be treated. Roaches will begin feeding immediately and population reduction can be expected in about a week. Replace all feeding stations every two to three months to maintain control. Keep feeding stations away from open food and out of reach of children.

American Cyanamid Company
Agricultural Division
Wayne, New Jersey 07470

* Trademark of American Cyanamid Company

MAXFORCE*

insecticide roach feeding station

FOR USE BY PROFESSIONAL PEST CONTROL APPLICATORS

(in any area where cockroaches are a problem)

Active Ingredient:

Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone (3-[4-(trifluoroethyl)phenyl]-1-(2-[4-(trifluoroethyl)phenyl]ethenyl)-2-propenylidene)hydrazide

Inert Ingredients.....

Total.....

KEEP OUT OF REACH OF CHILDREN

CAUTION: May be harmful if swallowed. Avoid skin contact. Wash after handling.

STATEMENT OF PRACTICAL TREATMENT: If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. In case of emergency, call collect, day or night, area code 201-835-3100.

Net Wt. 0.053 oz. (1.5 g)

*Trademark of American Cyanamid Company

EPA Reg. No. 241-

EPA Est. No. 1730-MA-01

SEE OUTER CARTON AND PACKAGE INSERT FOR COMPLETE DIRECTIONS AND PRECAUTIONS

241-267

Until reregistration

SEP 30 1982

MAXFORC insecticide
Feeding Station

American Cyanamid Company
Agricultural Research Division
P. O. Box 400
Princeton, NJ 08540

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 241-267."
 - b. Add to the directions a restriction that prohibits use on food contact surfaces.
 - c. The phrase "and etc." is too ambiguous when used to describe use areas and should be deleted. You may wish to add additional sites.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

Carton Label



ACCEPTED
with COMMENTS
in EPA Letter Dat. L

SEP 30 1982

MAXFORCE*

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the products
registered under EPA Reg. No.

insecticide roach feeding station

FOR USE BY PROFESSIONAL PEST CONTROL APPLICATORS

(In any area where cockroaches are a problem)

Active Ingredient:

Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone (3-[4-(trifluoromethyl)phenyl]-1-(2-[4-(trifluoromethyl)phenyl]-ethenyl)-2-propenylidene)hydrazone.....	1.65%
Inert Ingredients.....	98.35%

Total.....100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautions

PRECAUTION

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

ENGLISH TRANSLATION

CAUTION

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA Reg. No. 241-

EPA Est. No. 173C-MA-01

Net Weight: 7.62 oz. (216.0 g)

Product Code

AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
Wayne, New Jersey 07470

* Trademark American Cyanamid Company

D-40

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

MAY BE HARMFUL IF SWALLOWED
Wash Thoroughly After Handling

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

STORAGE AND DISPOSAL DIRECTIONS

Do not contaminate water, food or feed by storage or disposal. Do not remove bait from containers. Wrap used containers and put in a garbage can.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MAXFORCE insecticide roach feeding station may be used for the control of cockroaches in any area where cockroaches are a problem, such as residential, institutional, warehousing, food service, food manufacturing, food processing, commercial food and feed establishments, hospitals, and etc.

MAXFORCE is packaged in a child-proof container.

Place MAXFORCE in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations. Feeding stations should be placed in or near the areas of greatest infestation. The stickers provided in the plastic bag can be used to attach feeding stations in out-of-way places. Use 4-6 feeding stations per 100 square feet of the surface area to be treated. Roaches will begin feeding immediately and population reduction can be expected in about a week. Replace all feeding stations every two to three months to maintain control. Keep feeding stations away from open food and out of reach of children.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use. American Cyanamid Company makes no other express or implied warranty of FITNESS or of MERCHANTABILITY.

In case of an emergency endangering life or property involving this product,
call collect, day or night, Area Code 201-835-3100.

Package Insert

MAXFORCE*
insecticide roach feeding station

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MAXFORCE insecticide roach feeding station may be used for the control of cockroaches in any area where cockroaches are a problem, such as residential, institutional, warehousing, food service, food manufacturing, food processing, commercial food and feeding establishments, hospitals, and etc.

MAXFORCE is packaged in a child-proof container.

Place MAXFORCE in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations. Feeding stations should be placed in or near the areas of greatest infestation. The stickers provided in the plastic bag can be used to attach feeding stations in out-of-way places. Use 4-6 feeding stations per 100 square feet of the surface area to be treated. Roaches will begin feeding immediately and population reduction can be expected in about a week. Replace all feeding stations every two to three months to maintain control. Keep feeding stations away from open food and out of reach of children.

American Cyanamid Company
Agricultural Division
Wayne, New Jersey 07470

* Trademark of American Cyanamid Company