

Package Insert

MAXFORCETM

roach control system

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MAXFORCE may be used for the control of cockroaches in any area where cockroaches are a problem, such as residential, institutional, and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, laboratories, computer facilities, pet shops, zoos, buses, boats and trains.

MAXFORCE is packed in a child-proof container.

Place MAXFORCE in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations. Feeding stations should be placed in or near the areas of greatest infestation. The stickers provided in the plastic bag can be used to attach feeding stations in out-of-way places. Use 4-6 feeding stations per 100 square feet of the surface area to be treated. Roaches will begin feeding immediately and population reduction can be expected in about a week. Replace all feeding stations every two to three months to maintain control. Keep feeding stations away from food contact surfaces and open food and out of reach of children.

**AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
Wayne, New Jersey 07470**

TM Trademark of American Cyanamid Company

241-267

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

MAY BE HARMFUL IF SWALLOWED
Wash Thoroughly After Handling

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

STORAGE AND DISPOSAL DIRECTIONS

Do not contaminate water, food or feed by storage or disposal. Do not remove baits from containers. Wrap used containers and put in a garbage can.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MAXFORCETM may be used for the control of cockroaches in any area where cockroaches are a problem, such as residential, institutional, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, laboratories, computer facilities, pet shops, zoos, buses, boats and trains.

MAXFORCE is packaged in a child-proof container.

Place MAXFORCE in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations. Feeding stations should be placed in or near the areas of greatest infestation. The stickers provided in the plastic bag can be used to attach feeding stations in out-of-way places. Use 4-6 feeding stations per 100 square feet of the surface area to be treated. Roaches will begin feeding immediately and population reduction can be expected in about a week. Replace all feeding stations every two or three months to maintain control. Keep feeding stations away from food contact surfaces and open food and out of reach of children.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use. American Cyanamid Company makes no other express or implied warranty of FITNESS or of MERCHANTABILITY.

In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201-835-3100.

Box Label

MAXFORCE™
roach control system

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

(In any area where cockroaches are a problem)

Active Ingredient:

Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone (3-[4-(trifluoromethyl)phenyl]-1-(2-[4-(trifluoromethyl)phenyl]-ethenyl)-2-propenylidene)hydrazone	1.65%
Inert Ingredients	98.35%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautions



PRECAUCION

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

ENGLISH TRANSLATION

CAUTION

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA Reg. No. 241-267

EPA Est. No. 1730-MIA-01

Net Weight: 2.54 oz. (72.0 g)

Product Code No. 24563-01



AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
Wayne, New Jersey 07470

TM Trademark American Cyanamid Company

D-41

241-267

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

MAY BE HARMFUL IF SWALLOWED
Wash Thoroughly After Handling

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

STORAGE AND DISPOSAL DIRECTIONS

Do not contaminate water, food or feed by storage or disposal. Do not remove baits from containers. Wrap used containers and put in a garbage can.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MAXFORCE™ may be used for the control of cockroaches in any area where cockroaches are a problem, such as residential, institutional, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, laboratories, computer facilities, pet shops, zoos, buses, boats and trains.

MAXFORCE is packaged in a child-proof container.

Place MAXFORCE in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations. Feeding stations should be placed in or near the areas of greatest infestation. The stickers provided in the plastic bag can be used to attach feeding stations in out-of-way places. Use 4-6 feeding stations per 100 square feet of the surface area to be treated. Roaches will begin feeding immediately and population reduction can be expected in about a week. Replace all feeding stations every two or three months to maintain control. Keep feeding stations away from food contact surfaces and open food and out of reach of children.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use. American Cyanamid Company makes no other express or implied warranty of FITNESS or of MERCHANTABILITY.

In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201-835-3100.

Carton Label

MAXFORCE™
roach control system

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

(In any area where cockroaches are a problem)

Active Ingredient:

Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone (3-[4-(trifluoromethyl)phenyl]-1-(2-[4-(trifluoromethyl)phenyl]-ethenyl)-2-propenylidene)hydrazone	1.65%
Inert Ingredients	98.35%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautions



PRECAUCION

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

ENGLISH TRANSLATION

CAUTION

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA Reg. No. 241-267

EPA Est. No. 1730-MA-01

Net Weight: 10.18 oz. (288.0 g)

Product Code No. 24563-01



AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
Wayne, New Jersey 07470

™Trademark American Cyanamid Company

D-41

241-267

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

MAY BE HARMFUL IF SWALLOWED
Wash Thoroughly After Handling

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

STORAGE AND DISPOSAL DIRECTIONS

Do not contaminate water, food or feed by storage or disposal. Do not remove baits from containers. Wrap used containers and put in a garbage can.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use. American Cyanamid Company makes no other express or implied warranty of FITNESS or of MERCHANTABILITY.

In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201-835-3100.

Shipping Case Label

MAXFORCE™
roach control system

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

(In any area where cockroaches are a problem)

Active Ingredient:

Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone (3-[4-(trifluoromethyl)phenyl]-1-(2-[4-(trifluoromethyl)phenyl]-ethenyl)-2-propenylidene)hydrazone	1.65%
Inert Ingredients	98.35%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautions

ACCEPTED
DEC 12 1983
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 241-267

PRECAUCION

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

ENGLISH TRANSLATION

CAUTION

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA Reg. No. 241-267

EPA Est. No. 1730-MA-01

Net Weight: 3.82 lb. (1.73 kg.)

Product Code No. 24563-01



AMERICAN CYANAMID COMPANY
AGRICULTURAL DIVISION
Wayne, New Jersey 07470

™ Trademark American Cyanamid Company

D-41

MAXFORCE™ Package Insert

PE 10012

MAXFORCE™ roach control system is a basic tool to incorporate in any cockroach control program - the NO nonsense product - no odor, no vapor, no mixing, no preparation on the part of the client. Your key to success is how you use it.

Why MAXFORCE?

For many years the structural pest control industry has had a need for a non-volatile and non-odorous bait that works well on cockroaches.

Where can MAXFORCE be used?

MAXFORCE can be used in any area where cockroaches are a problem. This includes homes, restaurants, hotels, buses, ships, food processing areas, hospitals, nursing homes.


Because it has no odor and is non-volatile, MAXFORCE can be used in areas where spray vapors could create a problem - animal research facilities, pet shops, areas occupied by asthmatics or other sensitive people, computer facilities.

How does MAXFORCE work?

Cockroaches approach and enter the bait station in their search for food. They find and feed on the bait. A single feeding will cause death within 4 to 5 days. Because the bait does not kill the cockroaches instantly, you will continue to see them move about until the bait starts to take effect. They will then become lethargic and show little or no movement before dying. Most of the cockroaches die with their head down and back end up, while cockroaches dying from most other pesticides die belly up.

How do I know how many bait stations to put out?

The label calls for 4-6 bait stations per 100 square feet of floor space, including shelf space. From a practical standpoint you can use the following rule of thumb: place at least one bait station on each set of shelves where cockroaches can readily move from one shelf to another. For each isolated group of shelves or drawers, you need at least one separate placement. If you find a very heavy population of cockroaches, then increase the number of MAXFORCE bait stations used to the maximum of 6 per 100 square feet.



Will MAXFORCE replace the need to use all my other materials?

While MAXFORCE is highly effective used alone, individuals do not generally want to wait 4 to 5 days before seeing dead cockroaches. You may wish to use conventional means to get the initial decrease of the cockroach population. However, there are numerous situations where even on the initial cleanout you will want to use MAXFORCE - a closet not properly prepared for residual sprays, areas outside or adjacent to a TV, radio, computers or other sensitive instruments, near a fish tank, etc. In any account situation, placement of MAXFORCE throughout with or without initial spray assures you of 2-3 month trouble-free control.

Practical tips on MAXFORCE use:

1. Inspect premises to determine the general locality of the cockroach infestation. Ask the people working or living on the premises where they have seen cockroaches. They can help determine ideal areas for placement of MAXFORCE.

(Line drawing of technician with flashlight in hand bending down and inspecting the inside of a cabinet.)

2. In areas where cockroaches have been seen, place bait stations on the floor near walls, on shelves, in cabinets, and particularly under sinks, near stoves and refrigerators. The enclosed double-sided tape can be used to attach bait stations to surfaces out of reach of children and pets. Keep the bait stations away from open food. If possible, avoid placing stickers on valuable painted or plastered surfaces. It is possible that removal of stickers may slightly deface these areas.

(Line drawing - placement under basin, placement above circuit breaker box.)

3. Place one bait station within all areas where cockroaches are sighted. In many situations, vertical placement of bait stations can maximize effectiveness. If cockroaches are harboring above a doorway or behind a pipe collar leading into a wall, MAXFORCE will work best by taping the bait station vertically closest to where the cockroaches are found. MAXFORCE is packaged with two-faced tape to aid in such placements.

In closets, cabinets, suspended ceilings and many other locations the bait station can be placed horizontally.

Place MAXFORCE near areas where cockroach fecal material exists. Even if no problem currently exists, it is a likely area for future cockroaches. It is the odor from these "focal fecal points" that attracts new cockroaches. By placing the bait station nearby, you eliminate the cockroaches before they have a chance to build up.

(Line drawing - placement in suspended ceiling, under steam table.)

4. When the source of a persistent pocket of cockroaches cannot be located, use sticky traps to help determine the source area. Place 2 or 3 sticky traps in each of these areas. As long as you place MAXFORCE within the cockroaches feeding area, the bait station will work.

5. Follow label directions for flexibility in the number of bait placements to utilize in a room. The number used will vary with the amount of shelf, closet and floorspace with placements concentrated in areas where there is a source of food/water.

(Line drawing of technician reading label from MAXFORCE package.)

6. Record location of each bait station and replace every 3 months. Dispose by wrapping and putting in the trash.




CYANAMID

Agricultural Division
Bio-Tech Products Department
Wayne, NJ 07470

™ Trademark of American Cyanamid Company

(c) 1983 American Cyanamid Company

PE-10012 11/83



Product Back Label

MAXFORCE™

roach control system

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

(in any area where cockroaches are a problem)

Active Ingredient:

Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone (3-[4-(trifluoromethyl)-phenyl]-1-(2-[4-(trifluoromethyl)phenyl]ethenyl)-2-propenylidene)-hydrazone.	1.65%
Inert Ingredients	98.35%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION: May be harmful if swallowed. Avoid skin contact. Wash after handling.

STATEMENT OF PRACTICAL TREATMENT: If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. In case of emergency, call collect, day or night, Area Code 201-835-3100.

Net Weight: 0.053 oz. (1.5 g)

EPA Reg. No. 241-267

EPA Est. No. 1730-MA-01

™ Trademark of American Cyanamid Company

SEE OUTER CARTON AND PACKAGE INSERT FOR COMPLETE DIRECTIONS AND PRECAUTIONS.