

241-211

(Other Panels)

-2-

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Wash thoroughly with soap and water after handling and before eating or smoking. Use protective gloves when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not contaminate water by disposal of used tags.

STORAGE AND DISPOSAL

STORAGE: DO NOT contaminate water, food, or feed by storage.

DISPOSAL: Remove ear tags before slaughter. Open dumping is prohibited. Ear tags removed from animals and ear tags that cannot be used according to label instructions must be disposed of in a sanitary landfill, or by other approved state and local procedures.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use Directions: Attach one tag to each ear when pests first appear in spring. Tags remain effective for up to 5 months. Replace as necessary. For details of attachment, follow steps below:

241-271

-3-

Step 1. Slide male button on pin until pin projects through tip. Disinfect pliers and button. Button is now ready for application. (Illus #1)

Step 2. Place female part of tag under clip by depressing lever. Collar on tag must be pointing down. (Illus #2)

Step 3. Position tag on the flat surface in center of ear. Do not allow shaft of the male button to penetrate any cartilage rib or blood vessel. Ear damage may result. (Illus #3)

Step 4. When properly positioned, the tag should hang as shown. (Illus #4)

//

2.1. 27.

PRECAUCION

AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(English Translation)

CAUTION

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

DISCLAIMER

Seller warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits or values, etc.

Seller makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

User assumes the risk of any use contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable by Seller.

18/1

(Bulk Pack)
(Main Panel)

(STOP SIGN)
(WITH)
("GUARDIAN*")

(Cattle Symbol)

GUARDIAN*

Insecticide Cattle Ear Tags

For Use on Dairy and Beef Cattle and Calves to Control Horn Flies, Face Flies, Gulf Coast Ticks, Spinose Ear Ticks, and as an Aid to Control Stable Flies, Houseflies and Lice.

Active Ingredient:	By Weight
Flucythrinate: (+) Cyano (3-phenoxyphenyl) methyl (+)-4-(difluoromethoxy)-alpha-(1-methylethyl) benzeneacetate	7.5
Inert Ingredients	92.5
Total	100.0%

(1 ear tag contains 750 mg of active ingredient)

EPA Reg. No. 241-271

EPA Est. No. 50594-NJ-1


KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

(Cyanamid Logo)

American Cyanamid Company
Agricultural Division
Wayne, NJ 07470



Contents: 1000 tags
Net Weight: 10 g per tag

Product No. 22324-07
CM03

In case of an emergency involving this product, call collect, day or night, 201-835-3100.

*Trademark of American Cyanamid Company

211-241

(Other Panels)

-2-

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Wash thoroughly with soap and water after handling and before eating or smoking. Use protective gloves when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not contaminate water by disposal of used tags.

STORAGE AND DISPOSAL

STORAGE: DO NOT contaminate water, food, or feed by storage.

DISPOSAL: Remove ear tags before slaughter. Open dumping is prohibited. Ear tags removed from animals and ear tags that cannot be used according to label instructions must be disposed of in a sanitary landfill, or by other approved state and local procedures.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use Directions: Attach one tag to each ear when pests first appear in spring. Tags remain effective for up to 5 months. Replace as necessary. For details of attachment, follow steps below:

241-371

-3-

Step 1. Slide male button on pin until pin projects through tip. Disinfect pliers and button. Button is now ready for application. (Illus #1)

Step 2. Place female part of tag under clip by depressing lever. Collar on tag must be pointing down. (Illus #2)

Step 3. Position tag on the flat surface in center of ear. Do not allow shaft of the male button to penetrate any cartilage rib or blood vessel. Ear damage may result. (Illus #3)

Step 4. When properly positioned, the tag should hang as shown. (Illus #4)

241-271

-4-

PRECAUCION

AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(English Translation)

(CAUTION)

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

DISCLAIMER

Seller warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits or values, etc.

Seller makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

User assumes the risk of any use contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable by Seller.

16

184

(Pail Carton Label)
(Main Panel)

(STOP SIGN)
(WITH)
("GUARDIAN*")

(Cattle Symbol)

GUARDIAN*

Insecticide Cattle Ear Tags

For Use on Dairy and Beef Cattle and Calves to Control Horn Flies, Face Flies, Gulf Coast Ticks, Spinose Ear Ticks, and as an Aid to Control Stable Flies, Houseflies and Lice.

Active Ingredient:	By Weight
Flucythrinate: (+) Cyano (3-phenoxyphenyl) methyl (+)-4-(difluoromethoxy)-alpha-(1-methylethyl) benzeneacetate	7.5
Inert Ingredients	92.5
Total	100.0%

(1 ear tag contains 750 mg of active ingredient)

EPA Reg. No. 241-271

EPA Est. No. 50594-NJ-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

(Cyanamid Logo)

American Cyanamid Company
Agricultural Division
Wayne, NJ 07470

ACCEPTED
APR 13 1984
241-271

Contents: 4 pails of 50 tags each
Net Weight: 10 g per tag

Product No. 22324-06
CM04

In case of an emergency involving this product, call collect, day or night, 201-835-3100.

*Trademark of American Cyanamid Company

241-211

(Other Panels)

-2-

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Wash thoroughly with soap and water after handling and before eating or smoking. Use protective gloves when handling.

Do not reuse pails for food, feed, or beverages.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not contaminate water by disposal of used tags.

STORAGE AND DISPOSAL

STORAGE: DO NOT contaminate water, food, or feed by storage.

DISPOSAL: Remove ear tags before slaughter. Open dumping is prohibited. Ear tags removed from animals and ear tags that cannot be used according to label instructions must be disposed of in a sanitary landfill, or by other approved state and local procedures.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use Directions: Attach one tag to each ear when pests first appear in spring. Tags remain effective for up to 5 months. Replace as necessary. For details of attachment, follow steps below:

241-271

-3-

- Step 1.** Slide male button on pin until pin projects through tip. Disinfect pliers and button. Button is now ready for application. (Illus #1)
- Step 2.** Place female part of tag under clip by depressing lever. Collar on tag must be pointing down. (Illus #2)
- Step 3.** Position tag on the flat surface in center of ear. Do not allow shaft of the male button to penetrate any cartilage rib or blood vessel. Ear damage may result. (Illus #3)
- Step 4.** When properly positioned, the tag should hang as shown. (Illus #4)

241-271

-4-

PRECAUCION

AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(English Translation)

(CAUTION)

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

DISCLAIMER

Seller warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits or values, etc.

Seller makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

User assumes the risk of any use contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable by Seller.

(Zip Strip Label)
(Main Panel)

(STOP SIGN)
(WITH)
("GUARDIAN*")

(Cattle Symbol)

GUARDIAN*

Insecticide Cattle Ear Tags

For Use on Dairy and Beef Cattle and Calves to Control Horn Flies, Face Flies,
Gulf Coast Ticks, Spinose Ear Ticks, and as an Aid to Control Stable Flies,
Houseflies and Lice.

Active Ingredient:	By Weight
Flucythrinate: (+) Cyano (3-phenoxyphenyl) methyl (+)-4- (difluoromethoxy)-alpha-(1-methylethyl) benzeneacetate	7.5
Inert Ingredients	92.5
Total	100.0%

(1 ear tag contains 750 mg of active ingredient)

EPA Reg. No. 241-271

EPA Est. No. 9480-IN-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Inside for Additional Precautionary Statements

(Cyanamid Logo)

American Cyanamid Company
Agricultural Division
Wayne, NJ 07470

Contents: 2 tags
Net Weight: 10 g per tag

Product No. 22324-02
CM04

In case of an emergency involving this product, call collect, day or
night, 201-835-3100.

*Trademark of American Cyanamid Company

APR 13 1984

1020

241-271

(Other Panels)

-2-

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Wash thoroughly with soap and water after handling and before eating or smoking. Use protective gloves when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not contaminate water by disposal of used tags.

STORAGE AND DISPOSAL

STORAGE: DO NOT contaminate water, food, or feed by storage.

DISPOSAL: Remove ear tags before slaughter. Open dumping is prohibited. Ear tags removed from animals and ear tags that cannot be used according to label instructions must be disposed of in a sanitary landfill, or by other approved state and local procedures.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use Directions: Attach one tag to each ear when pests first appear in spring. Tags remain effective for up to 5 months. Replace as necessary. For details of attachment, follow steps below:

Step 1. Slide male button on pin until pin projects through tip. Disinfect pliers and button. Button is now ready for application. (Illus #1)

Step 2. Place female part of tag under clip by depressing lever. Collar on tag must be pointing down. (Illus #2)

Step 3. Position tag on the flat surface in center of ear. Do not allow shaft of the male button to penetrate any cartilage rib or blood vessel. Ear damage may result. (Illus #3)

Step 4. When properly positioned, the tag should hang as shown. (Illus #4)

PRECAUCION

AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(English Translation)

(CAUTION)

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

DISCLAIMER

Seller warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits or values, etc.

Seller makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

User assumes the risk of any use contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable by Seller.

10/1/71

(Pail Label)
(Main Panel)

(STOP SIGN)
(WITH)
("GUARDIAN*")

(Cattle Symbol)

GUARDIAN*

Insecticide Cattle Ear Tags

For Use on Dairy and Beef Cattle and Calves to Control Horn Flies, Face Flies, Gulf Coast Ticks, Spinose Ear Ticks, and as an Aid to Control Stable Flies, Houseflies and Lice.

Active Ingredient:	By Weight
Flucythrinate: (+) Cyano (3-phenoxyphenyl) methyl (+)-4-(difluoromethoxy)-alpha-(1-methylethyl) benzeneacetate	7.5
Inert Ingredients	92.5
Total	100.0%

(1 ear tag contains 750 mg of active ingredient)

EPA Reg. No. 241-271

EPA Est. No. 50594-NJ-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

(Cyanamid Logo)

American Cyanamid Company
Agricultural Division
Wayne, NJ 07470

Contents: 50 tags
Net Weight: 10 g per tag

Product No. 22324-05
CM04

In case of an emergency involving this product, call collect, day or night, 201-835-3100.

*Trademark of American Cyanamid Company

241-271

24-211

(Other Panels)

-2-

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Wash thoroughly with soap and water after handling and before eating or smoking. Use protective gloves when handling.

Do not reuse pail for food, feed, or beverages.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not contaminate water by disposal of used tags.

STORAGE AND DISPOSAL

STORAGE: DO NOT contaminate water, food, or feed by storage.

DISPOSAL: Remove ear tags before slaughter. Open dumping is prohibited. Ear tags removed from animals and ear tags that cannot be used according to label instructions must be disposed of in a sanitary landfill, or by other approved state and local procedures.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use Directions: Attach one tag to each ear when pests first appear in spring. Tags remain effective for up to 5 months. Replace as necessary. For details of attachment, follow steps below:

Step 1. Slide male button on pin until pin projects through tip. Disinfect pliers and button. Button is now ready for application. (Illus #1)

Step 2. Place female part of tag under clip by depressing lever. Collar on tag must be pointing down. (Illus #2)

Step 3. Position tag on the flat surface in center of ear. Do not allow shaft of the male button to penetrate any cartilage rib or blood vessel. Ear damage may result. (Illus #3)

Step 4. When properly positioned, the tag should hang as shown. (Illus #4)

24.277

PRECAUCION

AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(English Translation)

(CAUTION)

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

DISCLAIMER

Seller warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits or values, etc.

Seller makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

User assumes the risk of any use contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable by Seller.



(Zip Strip Shipping Carton Label)
(Main Panel)

(STOP SIGN)
(WITH)
("GUARDIAN*")

(Cattle Symbol)

GUARDIAN*

Insecticide Cattle Ear Tags

For Use on Dairy and Beef Cattle and Calves to Control Horn Flies, Face Flies, Gulf Coast Ticks, Spinose Ear Ticks, and as an Aid to Control Stable Flies, Houseflies and Lice.

Active Ingredient:	By Weight
Flucythrinate: (+) Cyano (3-phenoxyphenyl) methyl (+)-4-(difluoromethoxy)-alpha-(1-methylethyl) benzeneacetate	7.5
Inert Ingredients	92.5
Total	100.0%

(1 ear tag contains 750 mg of active ingredient)

EPA Reg. No. 241-271

EPA Est. No. 9480-IN-1


KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

(Cyanamid Logo)

American Cyanamid Company
Agricultural Division
Wayne, NJ 07470



Contents: 4 boxes of 30 tags each
Net Weight: 10 g per tag

Product No. 22324-04
CM04

In case of an emergency involving this product, call collect,
day or night, 201-835-3100.

*Trademark of American Cyanamid Company