

EPA Reg. No. 241-289

PL25  
241-289  
pg. 1 of 2

## FOR USE IN SOYBEANS

# SCEPTER PREPLANT INCORPORATED OR PREEMERGENCE PLUS LINURON PREEMERGENCE TANK MIXTURE

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE SCEPTER AND LINURON LABELS BEFORE USING. SEE THE SCEPTER LABEL FOR USE AREA AND SPRAYING AND APPLICATION INFORMATION. SEE THE SCEPTER AND LINURON LABELS FOR WEED SPECIES CONTROLLED AND FOLLOW CROP RESTRICTIONS. ALWAYS FOLLOW THE MORE RESTRICTIVE LABEL.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system.

**NOTE:** Linuron can cause soybean injury under some environmental conditions. **DO NOT** use this tank mix combination if soybean injury cannot be tolerated.

SCEPTER may be applied preemergence in tank mix combination with linuron (Lorox<sup>1</sup> or Linex<sup>2</sup>).

SCEPTER may also be applied preplant incorporated, followed by a preemergence application of linuron. The tank mix or sequential application of SCEPTER and linuron will enhance control of common ragweed and lambsquarters in addition to the weeds controlled by a soil application of SCEPTER.

Apply SCEPTER at a rate of 2/3 pint per acre. Refer to the SCEPTER label for registered tank mix options and rates. Refer to the linuron label for specific application rates, restrictions and precautionary instructions.

**DO NOT** apply this tank mixture postemergence.

### SPRAY INSTRUCTIONS

Uniformly apply with properly calibrated ground equipment in 20 to 60 gallons of water or liquid fertilizer per acre. A spray pressure of 30 to 40 psi is recommended. Nozzle screens should be no smaller than 50 mesh.

**DO NOT** apply when wind velocity is greater than 10 mph.

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

MAY 17 1990

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

-1-

241-289

<sup>1</sup>Lorox is a trademark of E.I. duPont de Nemours and Company  
<sup>2</sup>Linex is a trademark of Griffin Ag. Products Co., Inc.  
<sup>3</sup>Registered Trademark of American Cyanamid Company

herbicide to the spray tank first and make sure it is thoroughly mixed before adding SCEPTER.

SCEPTER label for liquid fertilizer compatibility determinations. Mix linuron according to the following table:

### LIQUID FERTILIZER COMPATIBILITY DETERMINATIONS

Refer to the SCEPTER leaflet label for Liquid Fertilizer Compatibility Determinations. Use the teaspoons of specified herbicides listed in the following table.

#### Teaspoons of Specified Herbicide to be Added to 1 Pint of Liquid Fertilizer Solution

Gallons of Liquid Fertilizer to be Applied per Acre	SCEPTER	PROWL	trifluralin	Lasso	Dual	linuron DF*	linuron L**
20	1/2	2 1/2	2 1/2	5	2 1/2	2	2/3
30	1/4	1 3/4	1 3/4	3 1/2	1 3/4	1 1/2	1/2
40	1/4	1 1/4	1 1/4	2 1/2	1 1/4	1	1/3

\*Based on 50 DF. Adjust number of teaspoons accordingly if active ingredient concentration differs from 50%.

\*\*Based on 4 pounds of active ingredient per gallon. Adjust number of teaspoons accordingly if concentration differs from 4 pounds per gallon.

**NOTE:** Only SCEPTER plus PROWL, Lasso, or Dual may be applied preemergence in tank mix combination with linuron. If trifluralin is used then it must be incorporated prior to preemergence application of linuron. **DO NOT** apply linuron preplant incorporated.

Use of SCEPTER herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

**DO NOT** apply products containing chlorimuron ethyl (e.g. Classic, Canopy, Preview, Gemini, Lorox Plus<sup>®</sup>, etc.) or imazethapyr (e.g. PURSUIT<sup>®</sup> herbicide or PURSUIT<sup>®</sup> PLUS herbicide) the same year as SCEPTER or injury to follow crops may occur.

**DO NOT** graze or feed treated soybean forage, hay or straw to livestock.

\*Lasso is a trademark of Monsanto Agricultural Products Company.

\*\*Dual is a trademark of Ciba-Geigy Corporation.

\*Classic, Canopy, Preview, Gemini, and Lorox Plus are trademarks of E.I. du Pont de Nemours and Company.

\*Registered Trademarks of American Cyanamid Company.

PE-12192 3/16/90



**AMERICAN CYANAMID COMPANY**  
Agricultural Division  
Crop Protection Chemicals Department  
Wayne, NJ 07470 21990

MAY 17 1990


Mark W. Galley  
Sr. Product Registration Manager  
American Cyanamid Company  
Agricultural Research Division  
P.O. Box 400  
Princeton, NJ 08543-0400

Dear Mr. Galley:

Subject: Scepter herbicide  
EPA Registration No. 241-289  
Re: Tank-Mix With Linuron  
Your Amendment Submission Dated April 30, 1990

The supplemental label referred to above, submitted in connection with the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable. Please submit five (5) copies of your final printed labeling incorporating this amendment before you release the product for shipment. A stamped copy is enclosed for your records.

Sincerely yours,



Robert J. Taylor  
Product Manager (25)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

CONCURRENCES

SYMBOL	H7505C						
SURNAME	Mojrill						
DATE	5/16/90						

EPA Reg. No. 241-289

## FOR USE IN SOYBEANS

# SCEPTER PREPLANT INCORPORATED OR PREEMERGENCE PLUS LINURON PREEMERGENCE TANK MIXTURE

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE SCEPTER AND LINURON LABELS BEFORE USING. SEE THE SCEPTER LABEL FOR USE AREA AND SPRAYING AND APPLICATION INFORMATION. SEE THE SCEPTER AND LINURON LABELS FOR WEED SPECIES CONTROLLED AND FOLLOW CROP RESTRICTIONS. ALWAYS FOLLOW THE MORE RESTRICTIVE LABEL.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system.

**NOTE:** Linuron can cause soybean injury under some environmental conditions. **DO NOT** use this tank mix combination if soybean injury cannot be tolerated.

SCEPTER may be applied preemergence in tank mix combination with linuron (Lorox<sup>1</sup> or Linex<sup>2</sup>).

SCEPTER may also be applied preplant incorporated, followed by a preemergence application of linuron. The tank mix or sequential application of SCEPTER and linuron will enhance control of common ragweed and lambsquarters in addition to the weeds controlled by a soil application of SCEPTER.

Apply SCEPTER at a rate of 2/3 pint per acre. Refer to the SCEPTER label for registered tank mix options and rates. Refer to the linuron label for specific application rates, restrictions and precautionary instructions.

**DO NOT** apply this tank mixture postemergence.

### SPRAY INSTRUCTIONS

Uniformly apply with properly calibrated ground equipment in 20 to 60 gallons of water or liquid fertilizer per acre. A spray pressure of 30 to 40 psi is recommended. Nozzle screens should be no smaller than 50 mesh.

**DO NOT** apply when wind velocity is greater than 10 mph.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

1977 11 17 1977  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

-1- 241-289

<sup>1</sup>Lorox is a trademark of E.I. duPont de Nemours and Company  
<sup>2</sup>Linex is a trademark of Griffin Ag. Products Co., Inc.  
\*Registered Trademark of American Cyanamid Company

**BEST AVAILABLE COPY**

SCEPTER with recommended herbicides, add the other herbicide to the spray tank first and make sure it is thoroughly mixed before adding SCEPTER.

If applications are made with liquid fertilizers, refer to the SCEPTER label for liquid fertilizer compatibility determinations. Mix linuron according to the following table:

### LIQUID FERTILIZER COMPATIBILITY DETERMINATIONS

Refer to the SCEPTER leaflet label for Liquid Fertilizer Compatibility Determinations. Use the teaspoons of specified herbicides listed in the following table.

#### Teaspoons of Specified Herbicide to be Added to 1 Pint of Liquid Fertilizer Solution

Gallons of Liquid Fertilizer to be Applied per Acre	SCEPTER	PROWL	trifluralin	Lasso	Dual	linuron DF*	linuron L**
20	1/2	2 1/2	2 1/2	5	2 1/2	2	2/3
30	1/4	1 3/4	1 3/4	3 1/2	1 3/4	1 1/2	1/2
40	1/4	1 1/4	1 1/4	2 1/2	1 1/4	1	1/3

\*Based on 50 DF. Adjust number of teaspoons accordingly if active ingredient concentration differs from 50%.

\*\*Based on 4 pounds of active ingredient per gallon. Adjust number of teaspoons accordingly if concentration differs from 4 pounds per gallon.

**NOTE:** Only SCEPTER plus PROWL, Lasso, or Dual may be applied preemergence in tank mix combination with linuron. If trifluralin is used then it must be incorporated prior to preemergence application of linuron. **DO NOT** apply linuron preplant incorporated.

Use of SCEPTER herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

**DO NOT** apply products containing chlorimuron ethyl (e.g. Classic, Canopy, Preview, Gemini, Lorox Plus<sup>®</sup>, etc.) or imazethapyr (e.g. PURSUIT<sup>®</sup> herbicide or PURSUIT<sup>®</sup> PLUS herbicide) the same year as SCEPTER or injury to follow crops may occur.

**DO NOT** graze or feed treated soybean forage, hay or straw to livestock.

<sup>†</sup>Lasso is a trademark of Monsanto Agricultural Products Company.

<sup>‡</sup>Dual is a trademark of Ciba-Geigy Corporation.

<sup>§</sup>Classic, Canopy, Preview, Gemini, and Lorox Plus are trademarks of E.I. du Pont de Nemours and Company.

<sup>¶</sup>Registered Trademarks of American Cyanamid Company.

PE-12152 3/18/80



American Cyanamid Company  
Agricultural Division  
Crop Protection Chemicals Department  
Wayne, NJ 07070 21980

BEST AVAILABLE COPY