

EPA Reg. No. 241-289
FOR USE IN SOYBEANS

FOR DISTRIBUTION AND USE ONLY IN INDIANA, OHIO, AND KENTUCKY

FOR CONTROL OF EASTERN BLACK NIGHTSHADE AND GIANT RAGWEED

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE SCEPTER LABEL BEFORE USING. SEE THE SCEPTER LABEL FOR SPRAYING AND APPLICATION INFORMATION, USE RATES, AND ROTATIONAL CROP RESTRICTIONS. WHEN TANK MIXING, ALWAYS FOLLOW THE MORE RESTRICTIVE LABEL.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This label must be in the possession of the user at the time of herbicide application.

SCEPTER applied preemergence as directed on the SCEPTER leaflet label will control the following weeds in addition to the weeds labeled for control on the SCEPTER label.

Eastern black nightshade (*Solanum ptycanthum*)
Giant ragweed (*Ambrosia trifida*)

Large seeded weeds such as Eastern black nightshade and giant ragweed germinating deep in the soil or with subsequent flushes may require a cultivation or postemergence herbicide application for season long control.

Preemergence applications of SCEPTER will aid in the control and reduce competition from:

Velvetleaf (*Abutilon theophrasti*)

Use of SCEPTER herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

*Registered Trademark of American Cyanamid Company
PE-12187 1/30/91 DL

CALL
FEB 10 1997