

Please read Instructions on reverse before completing form.

Form Approved OMB No. 2070-0060. Approval expires 11-30-93

<b>(A)</b> 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <b>207858</b>
	<b>Application for Pesticide:</b>		
	<b>Section I</b>		


1. Company/Product Number 241-289	2. EPA Product Manager R. Taylor	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SCEPTER® herbicide	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) American Cyanamid Company Agricultural Research Center P.O. Box 400 Princeton, NJ 08543-0400 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____	

<b>Section II</b>	
<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
 Notification of minor changes to label for use on Roundup Ready soybeans per PR Notice 95-2. This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

<b>Section III</b>					
1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other (_____)					

<b>Section IV</b>		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Janet M. Overholt	Title Product Registrations Manager	Telephone No. (include Area Code) 609-716-2410

<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Product Registrations Manager	
4. Typed Name Janet M. Overholt	5. Date 1/11/96	



# Supplemental Labeling

EPA Reg. No. 241-289

## FOR USE IN SOYBEANS

### SCEPTER AND ROUNDUP<sup>1</sup> (OR GLYPHOSATE CONTAINING PRODUCTS) FOR WEED CONTROL IN SOYBEANS AND SCEPTER USE IN ROUNDUP READY<sup>1</sup> SOYBEANS

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE SCEPTER LEAFLET LABEL BEFORE USING. SEE THE SCEPTER LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of herbicide application. The use of SCEPTER herbicide not consistent with this labeling may result in injury to crops. Keep container closed to avoid spills and contamination. **DO NOT** apply this product through any type of irrigation system.

#### GENERAL INFORMATION

SCEPTER provides control of broadleaf and grass weeds when applied preplant, preemergence and postemergence. SCEPTER can be applied to either conventional or no-till soybeans. When applied as a burndown application, Roundup or glyphosate containing products may be tank-mixed with SCEPTER for control of weeds common to no-till production, such as marestalk.

SCEPTER may also be applied to Roundup Ready soybeans.

Refer to the SCEPTER label and the Roundup or glyphosate containing product label for specific use recommendations, rates, and weeds controlled.

##### No-till Soybeans (non-glyphosate resistant)

Apply SCEPTER plus Roundup or glyphosate containing products for weed control in no-till soybeans. Roundup or glyphosate containing products will enhance the control of weeds including marestalk and prickly lettuce. Always include a nonionic surfactant in the spray solution. **DO NOT** apply Roundup or glyphosate containing products postemergence to non-glyphosate resistant soybeans.

##### Roundup Ready Soybeans (glyphosate resistant)

SCEPTER may be used for weed control in Roundup Ready soybeans. Apply SCEPTER either preplant soil applied, preplant as a burndown treatment, or for postemergence weed control. SCEPTER may be applied either prior to Roundup or glyphosate containing products, or following Roundup or glyphosate containing products for general weed control and residual activity on broadleaf and grass weeds. For sequential treatments, a sufficient time period should occur between treatments to allow an appropriate assessment of weed control needs.

SCEPTER may be tank-mixed with other herbicides (not Roundup or glyphosate containing products) or Roundup Ready soybeans when applied postemergence. Refer to the SCEPTER label for recommended herbicides. Refer to the other herbicide labels for weeds controlled and recommended application rates.

#### MIXING INSTRUCTIONS

Fill the spray tank one-fourth to one-half full with clean water. When tank-mixing SCEPTER with recommended herbicides, while agitating, add the required amount of SCEPTER to the spray tank first and make sure it is thoroughly

mixed before adding the other herbicide; then fill the remainder of the tank with clean water. Maintain agitation while spraying to ensure a uniform spray mixture. For postemergence applications, add the nonionic surfactant as the last ingredient in the tank. To avoid injury to sensitive crops, spray equipment used for SCEPTER herbicide applications must be drained and thoroughly cleaned with water before being used to apply other products.

### USE RATE

Refer to the SCEPTER and Roundup or glyphosate containing product labels for recommended use rates.

### SCEPTER HERBICIDE USE AREA

See SCEPTER leaflet label for use area and a description of Use Regions.

### APPLICATION INSTRUCTIONS

#### SOIL APPLICATIONS

SCEPTER may be applied in conventional, minimum, or no-till soybeans as a preplant incorporated or preemergence application up to 45 days (30 days in Use Region 1) before planting. Preemergence applications may also be applied during or after planting but before the crop emerges.

Adequate moisture is required for activation of SCEPTER.

#### PREPLANT INCORPORATED APPLICATIONS

Apply SCEPTER before planting and incorporate uniformly into the top 1 to 2 inches of soil.

SCEPTER may be applied immediately before planting or up to 30 days prior to planting in Use Region 1. For Use Region 2 and Use Region 3, SCEPTER may be applied 45 days prior to planting. Incorporate within 7 days after application.

If soybeans are planted on beds, apply and incorporate after bed formation using PTO-driven equipment or rolling cultivator.

#### PREEMERGENCE APPLICATIONS (including no-till)

Apply SCEPTER up to 45 days (30 days in Use Region 1) before, during or after planting but before the crop emerges. As with other herbicides applied preemergence, rainfall or irrigation is necessary to activate SCEPTER in the soil. If sufficient rainfall or irrigation to activate SCEPTER is not received within 7 days after application, a thorough shallow tillage, cultivation, or postemergence treatment may be required for control of emerged weeds.

Refer to the SCEPTER label and Roundup or glyphosate containing product label for additional information regarding WEEDS CONTROLLED, MIXING AND SPRAYING INSTRUCTIONS, PRECAUTIONARY STATEMENTS AND WORKER PROTECTION INFORMATION. Refer to the Roundup or glyphosate containing product label for additional information regarding application rates, restrictions, weeds controlled and other information.

**When tank-mixing herbicides, always follow the most restrictive label.**

Use of SCEPTER herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

©Registered Trademark of American Cyanamid Company.

<sup>1</sup>Trademark of Monsanto Agricultural Products Company.

PE-12295 Rev. 1 12/15/95



American Cyanamid Company  
Agricultural Products Division  
Crop Protection Chemicals Department  
Wayne, NJ 07470 ©1995