

EPA Reg. No. 241-297

## FOR USE IN SOYBEANS

# SQUADRON FOLLOWED BY CLASSIC<sup>1</sup> POSTEMERGENCE FOR CONTROL OF SICKLEPOD

FOR DISTRIBUTION AND USE ONLY IN ALABAMA, ARKANSAS, FLORIDA, GEORGIA,  
LOUISIANA, MISSISSIPPI, NORTH CAROLINA, SOUTH CAROLINA, TENNESSEE AND  
TEXAS

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE SQUADRON AND CLASSIC LABELS BEFORE USING. SEE THE SQUADRON AND CLASSIC LABELS FOR SPRAYING AND APPLICATION INFORMATION. SEE THE SQUADRON LABEL FOR SQUADRON USE RATES. ALWAYS FOLLOW THE MORE RESTRICTIVE LABEL.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product through any type of irrigation system.

A single postemergence application of Classic at a rate of 1/2 to 3/4 ounce per acre may follow registered SQUADRON applications in soybeans. This treatment will control sicklepod in addition to the Weeds Controlled on the SQUADRON label. Refer to the Classic label for additional weeds controlled by Classic.

Refer to the Classic label for weed height limitations. Use the high rate of Classic if sicklepod seedlings are taller than two inches. A cultivation approximately 14 days after Classic application may be required to control sicklepod escapes.

<sup>1</sup>Classic is a Trademark of E. I. du Pont de Nemours and Company

<sup>2</sup>Registered Trademark of American Cyanamid Company

