

SCEPTER

70 DG herbicide

FOR USE IN SOYBEANS

ACTIVE INGREDIENT

Thiodiphenyl 2,4,5-dihydro-4-methyl-4-[(1-methylethyl)-5-
oxo-1H-imidazo[2,1-b]quinoxaline-6-carboxylic acid] 70.0%

INERT INGREDIENTS

30.0%

TOTAL

100.0%

EPA Reg. No. 241-306

EPA Est. No. 33560-TN-1

EPA Est. No. 37428-GA-1

**KEEP OUT OF REACH OF
CHILDREN
CAUTION!**

ESTE PRODUCTO ES UN PESTICIDA. ÚSELO ÚNICAMENTE EN LAS
CONDICIONES QUE SE INDICAN EN LA ETIQUETA. NO LO USE EN
OTRAS ÁREAS SIN LA APROPRIADA PROTECCIÓN.

STATEMENT OF PRACTICAL TREATMENT

If on skin: Wash with plenty of soap and water.
If in eyes: Flush eyes with plenty of water.
Call a physician if irritation persists.



Net Contents: 2.1 pounds
® Registered Trademark of American Cyanamid Company

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Causes eye irritation. Avoid contact with skin, eyes, or clothing. Harmful if absorbed through skin. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

DO NOT apply directly to water or wetlands (swamps, bogs, marshes and potholes). DO NOT contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Observe all cautions and limitations on this label and on the labels of products used in combination with SCEPTER 70DG. The use of SCEPTER 70DG not consistent with this label may result in injury to crops. Keep container closed to avoid spills and contamination.

DO NOT apply this product through any type of irrigation system.

See Complete Directions for Use inside Leaflet.

STORAGE AND DISPOSAL

PROHIBITIONS: DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

See Disclaimer Inside Leaflet.

In case of an emergency endangering life or property involving this product, call collect, day or night.
Area Code 201-635-3100

D41
11/88

1212

1. The following information is being furnished to you for your information:

2. The following information is being furnished to you for your information:

NOTES

ACCEPTED

100 - 9

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 241-306

BEST AVAILABLE COPY

SCEPTER 700G FOR POSTEMERGENCE WEED CONTROL

WEEDS CONTROLLED WEED HEIGHT SCEPTER 700G
inches ounces/acre

Tank Mixtures With Bromo

S. Teatle Bromo
quarts/acre

POSTEMERGENCE APPLICATIONS

SEQUENTIAL PROGRAM

ROTATIONAL CROP RESTRICTIONS

BEST

Less Than 3% Organic Matter

3% or More Organic Matter

the 1990s, the number of people in the United States who are 65 years of age or older has increased by 50% (U.S. Census Bureau, 1997). The number of people aged 65 and older is projected to increase to 20% of the total population by the year 2020 (U.S. Census Bureau, 1997). The increase in the number of people aged 65 and older is expected to be even more dramatic in other countries. For example, the number of people aged 65 and older in Japan is projected to increase from 15% of the total population in 1990 to 25% of the total population by the year 2020 (U.S. Census Bureau, 1997). The increase in the number of people aged 65 and older is expected to be even more dramatic in other countries. For example, the number of people aged 65 and older in Japan is projected to increase from 15% of the total population in 1990 to 25% of the total population by the year 2020 (U.S. Census Bureau, 1997).

As a result, the glasses and plastic lenses are not as good as the old ones.

1. The first step is to identify the problem. In this case, the problem is that the system is not working properly.

$\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

[illegible]

...the class for SLEEPER 100G
... .. the features
... ..

Soil Texture	Lasso Rate (Quarts/acre)
Heavy	2
Medium	2 1/2 to 3
Light	2 1/2 to 3

1. The first step is to identify the key components of the system. This includes understanding the hardware, software, and data involved.

[illegible]

...the

Soil texture	Dual Rate (pints/acre)
Clay	4.0
Clay loam	3.0
Loam	2.0
Silt loam	1.5
Silt	1.0
Sand	0.5

١٩٣٥

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

Weeds are 4 to 6 inches tall. Weeds over 6 inches tall may not be controlled with this treatment.

When Gramoxone Super is included in a tank mixture add a nonionic spreader/surfactant at a rate of 8 fl. oz. per 100 gallons of spray mixture as the last ingredient in the tank. Gramoxone Super will control most annual emerged weeds and suppress many emerged perennials. Refer to the Gramoxone Super label for specific use recommendations and safety directions.

- Absence all previous 30% increase in productivity

Annual Weeds

W. J. B. ...

[illegible]

BEST AVAILABLE COPY

[illegible]

Soil	SEPTER 70DG	+	PROWL
Texture	ounces acre		pints acre

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

the 1990s, the number of people in the world who are illiterate has increased from 1.2 billion to 1.5 billion. The number of illiterate people in the world is projected to reach 1.7 billion by the year 2015. The number of illiterate people in the world is projected to reach 1.7 billion by the year 2015.

[illegible]

Soil Texture	SCEPTER, PPDG ounces/acre	Trifluralin* pints/acre
-----------------	------------------------------	----------------------------

...the ...

[illegible]

Soil Texture	SCEPTER 700G	Lasso (quarts./acre)	
	(ounces. /acre)	Preplant Incorporated	Pre-em- ergence

Course	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Year	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

(continued)

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

The following table shows the results of the regression analysis for the dependent variable "Number of children in the household" (N = 1,000). The independent variables are "Age of the head of household" and "Gender of the head of household". The table includes the coefficient estimates, standard errors, t-statistics, and p-values for each variable.

Variable	Coefficient	Standard Error	t-Statistic	p-Value
Age of the head of household	0.001	0.001	1.2	0.23
Gender of the head of household	-0.05	0.02	-2.5	0.01
Constant	1.5	0.1	15.0	0.00

$$f_1 = \frac{1}{2} \left(1 + \frac{1}{2} \right) = \frac{3}{4} = 0.75$$

USE RATES

The authors thank the following people for their assistance in the collection of data: J. A. B. de Gooijer, M. C. van der Wal, H. J. van den Broek, and W. J. van den Broek.

[illegible]

APPLICATION INSTRUCTIONS

PREPLANT INCORPORATED APPLICATIONS

the 1990s, the number of people in the United States who are 65 years of age or older has increased by 50 percent. The number of people 75 years of age or older has increased by 100 percent. The number of people 85 years of age or older has increased by 200 percent. The number of people 95 years of age or older has increased by 400 percent. The number of people 100 years of age or older has increased by 1,000 percent. The number of people 105 years of age or older has increased by 2,000 percent. The number of people 110 years of age or older has increased by 4,000 percent. The number of people 115 years of age or older has increased by 8,000 percent. The number of people 120 years of age or older has increased by 16,000 percent. The number of people 125 years of age or older has increased by 32,000 percent. The number of people 130 years of age or older has increased by 64,000 percent. The number of people 135 years of age or older has increased by 128,000 percent. The number of people 140 years of age or older has increased by 256,000 percent. The number of people 145 years of age or older has increased by 512,000 percent. The number of people 150 years of age or older has increased by 1,024,000 percent. The number of people 155 years of age or older has increased by 2,048,000 percent. The number of people 160 years of age or older has increased by 4,096,000 percent. The number of people 165 years of age or older has increased by 8,192,000 percent. The number of people 170 years of age or older has increased by 16,384,000 percent. The number of people 175 years of age or older has increased by 32,768,000 percent. The number of people 180 years of age or older has increased by 65,536,000 percent. The number of people 185 years of age or older has increased by 131,072,000 percent. The number of people 190 years of age or older has increased by 262,144,000 percent. The number of people 195 years of age or older has increased by 524,288,000 percent. The number of people 200 years of age or older has increased by 1,048,576,000 percent. The number of people 205 years of age or older has increased by 2,097,152,000 percent. The number of people 210 years of age or older has increased by 4,194,304,000 percent. The number of people 215 years of age or older has increased by 8,388,608,000 percent. The number of people 220 years of age or older has increased by 16,777,216,000 percent. The number of people 225 years of age or older has increased by 33,554,432,000 percent. The number of people 230 years of age or older has increased by 67,108,864,000 percent. The number of people 235 years of age or older has increased by 134,217,728,000 percent. The number of people 240 years of age or older has increased by 268,435,456,000 percent. The number of people 245 years of age or older has increased by 536,870,912,000 percent. The number of people 250 years of age or older has increased by 1,073,741,824,000 percent. The number of people 255 years of age or older has increased by 2,147,483,648,000 percent. The number of people 260 years of age or older has increased by 4,294,967,296,000 percent. The number of people 265 years of age or older has increased by 8,589,934,592,000 percent. The number of people 270 years of age or older has increased by 17,179,869,184,000 percent. The number of people 275 years of age or older has increased by 34,359,738,368,000 percent. The number of people 280 years of age or older has increased by 68,719,476,736,000 percent. The number of people 285 years of age or older has increased by 137,438,953,472,000 percent. The number of people 290 years of age or older has increased by 274,877,906,944,000 percent. The number of people 295 years of age or older has increased by 549,755,813,888,000 percent. The number of people 300 years of age or older has increased by 1,099,511,627,776,000 percent. The number of people 305 years of age or older has increased by 2,199,023,255,552,000 percent. The number of people 310 years of age or older has increased by 4,398,046,511,104,000 percent. The number of people 315 years of age or older has increased by 8,796,093,022,208,000 percent. The number of people 320 years of age or older has increased by 17,592,186,044,416,000 percent. The number of people 325 years of age or older has increased by 35,184,372,088,832,000 percent. The number of people 330 years of age or older has increased by 70,368,744,177,664,000 percent. The number of people 335 years of age or older has increased by 140,737,488,355,328,000 percent. The number of people 340 years of age or older has increased by 281,474,976,710,656,000 percent. The number of people 345 years of age or older has increased by 562,949,953,421,312,000 percent. The number of people 350 years of age or older has increased by 1,125,899,906,842,624,000 percent. The number of people 355 years of age or older has increased by 2,251,799,813,685,248,000 percent. The number of people 360 years of age or older has increased by 4,503,599,627,370,496,000 percent. The number of people 365 years of age or older has increased by 9,007,199,254,740,992,000 percent. The number of people 370 years of age or older has increased by 18,014,398,509,481,984,000 percent. The number of people 375 years of age or older has increased by 36,028,797,018,963,968,000 percent. The number of people 380 years of age or older has increased by 72,057,594,037,927,936,000 percent. The number of people 385 years of age or older has increased by 144,115,188,075,855,872,000 percent. The number of people 390 years of age or older has increased by 288,230,376,151,711,744,000 percent. The number of people 395 years of age or older has increased by 576,460,752,303,423,488,000 percent. The number of people 400 years of age or older has increased by 1,152,921,504,606,846,976,000 percent. The number of people 405 years of age or older has increased by 2,305,843,009,213,693,952,000 percent. The number of people 410 years of age or older has increased by 4,611,686,018,427,387,904,000 percent. The number of people 415 years of age or older has increased by 9,223,372,036,854,775,808,000 percent. The number of people 420 years of age or older has increased by 18,446,744,073,709,551,616,000 percent. The number of people 425 years of age or older has increased by 36,893,488,147,419,103,232,000 percent. The number of people 430 years of age or older has increased by 73,786,976,294,838,206,464,000 percent. The number of people 435 years of age or older has increased by 147,573,952,589,676,412,928,000 percent. The number of people 440 years of age or older has increased by 295,147,905,179,352,825,856,000 percent. The number of people 445 years of age or older has increased by 590,295,810,358,705,651,712,000 percent. The number of people 450 years of age or older has increased by 1,180,591,620,717,411,303,424,000 percent. The number of people 455 years of age or older has increased by 2,361,183,241,434,822,606,848,000 percent. The number of people 460 years of age or older has increased by 4,722,366,482,869,645,213,696,000 percent. The number of people 465 years of age or older has increased by 9,444,732,965,739,290,427,392,000 percent. The number of people 470 years of age or older has increased by 18,889,465,931,478,580,854,784,000 percent. The number of people 475 years of age or older has increased by 37,778,931,862,957,161,709,568,000 percent. The number of people 480 years of age or older has increased by 75,557,863,725,914,323,419,136,000 percent. The number of people 485 years of age or older has increased by 151,115,727,451,828,646,838,272,000 percent. The number of people 490 years of age or older has increased by 302,231,454,903,657,293,676,544,000 percent. The number of people 495 years of age or older has increased by 604,462,909,807,314,587,353,088,000 percent. The number of people 500 years of age or older has increased by 1,208,925,819,614,629,174,706,176,000 percent. The number of people 505 years of age or older has increased by 2,417,851,639,229,258,349,412,352,000 percent. The number of people 510 years of age or older has increased by 4,835,703,278,458,516,698,824,704,000 percent. The number of people 515 years of age or older has increased by 9,671,406,556,917,033,397,649,408,000 percent. The number of people 520 years of age or older has increased by 19,342,813,113,834,066,795,298,816,000 percent. The number of people 525 years of age or older has increased by 38,685,626,227,668,133,590,597,632,000 percent. The number of people 530 years of age or older has increased by 77,371,252,455,336,267,181,195,264,000 percent. The number of people 535 years of age or older has increased by 154,742,504,910,672,534,362,390,528,000 percent. The number of people 540 years of age or older has increased by 309,485,009,821,345,068,724,781,056,000 percent. The number of people 545 years of age or older has increased by 618,970,019,642,690,137,449,562,112,000 percent. The number of people 550 years of age or older has increased by 1,237,940,039,285,380,274,899,124,224,000 percent. The number of people 555 years of age or older has increased by 2,475,880,078,570,760,549,798,248,448,000 percent. The number of people 560 years of age or older has increased by 4,951,760,157,141,521,099,596,496,896,000 percent. The number of people 565 years of age or older has increased by 9,903,520,314,283,042,199,193,993,792,000 percent. The number of people 570 years of age or older has increased by 19,807,040,628,566,084,398,387,987,584,000 percent. The number of people 575 years of age or older has increased

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

4. 1990年12月，在《中国环境报》上刊登了“中国环境报”

[illegible]

the 1990s, the number of people in the world who are under 15 years of age is expected to increase by 1.5 billion, from 1.1 billion in 1990 to 2.6 billion in 2010. The number of people aged 65 and over is expected to increase by 1.1 billion, from 350 million in 1990 to 1.4 billion in 2010. The number of people aged 15-64 is expected to increase by 1.5 billion, from 2.5 billion in 1990 to 4.0 billion in 2010. The number of people aged 65 and over is expected to increase by 1.1 billion, from 350 million in 1990 to 1.4 billion in 2010. The number of people aged 15-64 is expected to increase by 1.5 billion, from 2.5 billion in 1990 to 4.0 billion in 2010.

PREEMERGENCE APPLICATIONS

HERBICIDE COMBINATIONS

As a result, the SLEPSTER 700G is safe against many of the common pests that may harm your grass. Control of the common grasshopper is better with PROGRASS herbicide than with the usual DDT. SLEPSTER 700G may also be used as a preventive pre-treatment of grasses before the onset of the wing and crawling of one of the above grasshoppers.

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific information required.

1. The following information was obtained from the records of the Department of the Army, Office of the Adjutant General, Washington, D. C., and the records of the Department of the Army, Office of the Adjutant General, Fort Belvoir, St. Louis, Missouri:

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

[illegible][illegible]
$$E_{\text{eff}} = \frac{E}{1 + \frac{1}{\alpha} \ln \left(\frac{1}{1 - \alpha} \right)}$$

Soil Texture

[illegible]

groups: COARSE, MED. and FINE. The following table lists textures used in each of these three groups.

COARSE	MEDIUM	FINE
50-55	50-55 clay GMS	50-55 clay GMS
40-50	50-55 clay	50-55 clay
30-40	50-55	50-55 clay GMS
	50-55	50-55

* Sometimes considered as "one soil" and may be class-
sified as either "equi" or "hetero" textured soils.

WEEDS CONTROLLED

PREPLANT AND PREEMERGENCE COMBINATION TREATMENTS

COMBINATION TREATMENTS
When added to the standard SCLERITOLG regimen, both
corticosteroids and immunosuppressants are used in combination treatments with
SCLERITOLG. The following table lists the combination treatments as indicated
in the SCLERITOLG package insert. For more information, please contact your
SCLERITOLG representative.

WEED	PROWL	Trellarain®	Lasso Dual
GRASSES			
- Annual - A	x	x	x x
- Perennial - P	x	x	x x
- Broadleaf - B	x	x	x x
- Winter - W	x	x	x

the 1990s, the number of people in the world who are illiterate has increased from 1.2 billion to 1.5 billion. The number of illiterate people in the world is projected to reach 1.7 billion by the year 2015. The number of illiterate people in the world is projected to reach 1.7 billion by the year 2015.

1022

GROUND APPLICATIONS

[illegible]

52407

[illegible]

AERIAL APPLICATIONS

[illegible]


1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

1. The first step is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific information required.

DO NOT WRITE IN THESE SPACES

CHAPTER 100.3, Sec 100.31, "The sides of cars
shall be painted white."



1. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 2. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 3. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 4. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 5. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 6. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 7. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 8. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 9. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 10. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

17

TABLE OF CONTENTS

	Page	Page
INGREDIENTS	10	10
STATEMENT OF PHYSICAL TREATMENT	11	11
FREQUENCY STATEMENTS	12	12
STORAGE AND DISPOSAL	13	13
DISCLAIMER	14	14
GENERAL INFORMATION	15	15
WORKS CONTROLLED BY THE AUTHOR	16	16
MAINTENANCE INSTRUCTIONS	17	17
REPAIRING INSTRUCTIONS	18	18
REPAIR AREA	19	19
REPAIR AREA	20	20
REPAIR AREA	21	21
REPAIR AREA	22	22
REPAIR AREA	23	23
REPAIR AREA	24	24
REPAIR AREA	25	25
REPAIR AREA	26	26
REPAIR AREA	27	27
REPAIR AREA	28	28
REPAIR AREA	29	29
REPAIR AREA	30	30
REPAIR AREA	31	31
REPAIR AREA	32	32
REPAIR AREA	33	33
REPAIR AREA	34	34
REPAIR AREA	35	35
REPAIR AREA	36	36
REPAIR AREA	37	37
REPAIR AREA	38	38
REPAIR AREA	39	39
REPAIR AREA	40	40
REPAIR AREA	41	41
REPAIR AREA	42	42
REPAIR AREA	43	43
REPAIR AREA	44	44
REPAIR AREA	45	45
REPAIR AREA	46	46
REPAIR AREA	47	47
REPAIR AREA	48	48
REPAIR AREA	49	49
REPAIR AREA	50	50
REPAIR AREA	51	51
REPAIR AREA	52	52
REPAIR AREA	53	53
REPAIR AREA	54	54
REPAIR AREA	55	55
REPAIR AREA	56	56
REPAIR AREA	57	57
REPAIR AREA	58	58
REPAIR AREA	59	59
REPAIR AREA	60	60
REPAIR AREA	61	61
REPAIR AREA	62	62
REPAIR AREA	63	63
REPAIR AREA	64	64
REPAIR AREA	65	65
REPAIR AREA	66	66
REPAIR AREA	67	67
REPAIR AREA	68	68
REPAIR AREA	69	69
REPAIR AREA	70	70
REPAIR AREA	71	71
REPAIR AREA	72	72
REPAIR AREA	73	73
REPAIR AREA	74	74
REPAIR AREA	75	75
REPAIR AREA	76	76
REPAIR AREA	77	77
REPAIR AREA	78	78
REPAIR AREA	79	79
REPAIR AREA	80	80
REPAIR AREA	81	81
REPAIR AREA	82	82
REPAIR AREA	83	83
REPAIR AREA	84	84
REPAIR AREA	85	85
REPAIR AREA	86	86
REPAIR AREA	87	87
REPAIR AREA	88	88
REPAIR AREA	89	89
REPAIR AREA	90	90
REPAIR AREA	91	91
REPAIR AREA	92	92
REPAIR AREA	93	93
REPAIR AREA	94	94
REPAIR AREA	95	95
REPAIR AREA	96	96
REPAIR AREA	97	97
REPAIR AREA	98	98
REPAIR AREA	99	99
REPAIR AREA	100	100

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION!

1. The first part of the document is a letter from the President of the United States to the Secretary of the Navy, dated 1890. The letter discusses the appointment of a new Secretary of the Navy and the importance of the position.

ENVIRONMENTAL HAZARDS

100-443886-100

At the time of the 1990 census, the population of the county was 14,572, of whom 12,000 were employed.

DIRECTIONS FOR USE

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

[illegible][illegible]

1. *Phragmites australis* (Cav.) Trin. ex Steud.

STORAGE AND DISPOSAL

PROHIBITIONS

PESTICIDE DISPOSAL:

PESTICIDE DISPOSAL

the 1990s, the number of people in the United States who are 65 years of age or older is projected to increase from 20 million to 30 million, and the number of people 75 years of age or older is projected to increase from 10 million to 15 million (U.S. Census Bureau, 1996).

CONTAINER DISPOSAL

1. The first of these is the fact that the Commission has not yet received any information from the Government of the Republic of the Congo regarding the situation of the Commission's mandate in the country.

DISCLAIMER

[illegible]

1. The first step is to identify the key components of the system. This includes understanding the hardware, software, and data involved.

[illegible]

...the ...

BEST AVAILABLE COPY

SCOUTER

70 DG herbicide

FOR USE IN SOYBEANS

ACTIVE INGREDIENT: Imazapiquin (2 [4,5-dihydro-4-methyl-4 (1-methylethyl)-5-oxo-1H-midazol-2-yl]-3-quinolinecarboxylic acid)

70.0

INERT INGREDIENTS

30.0

TOTAL

100.0

EPA Reg. No. 241-306

EPA Est. No. 33560-TN-1

EPA Est. No. 37429-GA-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION!**

PRECAUCION! • PRECAUCION! AL USUARIO

Se debe leer las etiquetas y no usar este producto hasta que se entienda bien la etiqueta y se comprenda completamente.

Este producto es un herbicida. No debe usarse para otros fines que los indicados en la etiqueta.

Se debe leer la Adicional Precautionary Statement.
Se debe leer la Complete Directions for Use.

Net Contents: 2.1 pounds

Registered Trademark of American Cyanamid Company

STATEMENT OF PRACTICAL TREATMENT

If on skin: Wash with plenty of water immediately.

If in eyes: Flush eyes with plenty of water.
Call a physician immediately.



CYANAMID

American Cyanamid Company
Agricultural Division
One Blue Bell Avenue, Blue Bell, Pennsylvania 19380
Western Division
10000 West 10th Avenue, Denver, Colorado 80231

D31
11 88

EPA Reg. No. 241-306

FOR USE IN SOYBEANS

FOR CONTROL OF HEMP SESBANIA AND HOPHORNBEAM COPPERLEAF IN SOYBEANS

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE SCEPTER 70DG, SENCOR®/LEXONE®, PROWL® HERBICIDE, LASSO®, DUAL® AND TRIFLURALIN LEAFLET LABELS BEFORE USING. SEE THE SCEPTER 70DG, SENCOR/LEXONE, PROWL, LASSO, DUAL, AND TRIFLURALIN LEAFLET LABELS FOR USE AREA, APPLICATION INFORMATION, AND ROTATIONAL CROP RESTRICTIONS. ALWAYS FOLLOW THE MORE RESTRICTIVE LABEL.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

SCEPTER 70DG may be applied in tank mix combination with Sencor or Lexone plus one of the following grass herbicides: PROWL, Lasso, Dual, or trifluralin; either preplant incorporated or preemergence (excluding trifluralin). SCEPTER 70DG may also be applied in tank mix with any one of the above grass herbicides as a preplant incorporated application, followed by a preemergence application of Sencor or Lexone. These treatments will control hemp sesbania (*Sesbania exaltata*) and hophornbeam copperleaf (*Acalypha ostryaefolia*) in addition to the weeds controlled by a soil application SCEPTER 70DG plus the grass herbicide.

Apply Sencor or Lexone at the broadcast rate per acre specified in the table below, in tank mix combination with 2.8 ounces per acre of SCEPTER 70DG plus one of the above grass herbicides.

Sencor or Lexone Rate*

	4.0L	75%DF
Coarse Soils	1/2 pint	1/3 lb.
Medium Soils	1/2 pint	1/3 lb.
Fine Soils	2/3 pint	1/2 lb.

* Do not use Sencor or Lexone on coarse soils of less than 2% organic matter. Use 1/2 lb. or 2/3 pint of Sencor or Lexone on medium soils of greater than 4% organic matter

MIXING INSTRUCTIONS

Fill the spray tank one-half to three-quarters full with clean water. While agitating, add the required amount of SCEPTER 70DG. Continue agitating until complete mixing of the SCEPTER 70DG has occurred. Next add the Sencor or Lexone, then the PROWL, Lasso, Dual, or trifluralin. Finally, fill the remainder of the tank with water. Maintain agitation while spraying to ensure a uniform spray mixture.

SPRAYING INSTRUCTIONS

GROUND APPLICATION:

Uniformly apply with properly calibrated ground equipment in 10 to 40 gallons of water per acre. A spray pressure of 20 to 40 psi is recommended.

AERIAL APPLICATION:

Uniformly apply with properly calibrated aerial equipment in 5 or more gallons of water per acre.

See precautions on the SCEPTER 70DG leaflet label.

This label must be in the possession of the user at the time of herbicide application.

*Registered Trademarks of American Cyanamid Company
PE-12106 4/5/88

 **CYANAMID**
American Cyanamid Company
Agricultural Division
VPC Ventures
Wayne, NJ 07470

© 1989

