

H105

241-306

1072

JUL 30 1993

Ms. Desiree L. Little
American Cyanamid Co.
P.O. Box 400
Princeton, NJ 08543

Dear Ms. Little:

Subject: Final Printed Labels
SCEPTER® 70DG HERBICIDE
EPA Reg. No. 241-306
Your submission dated July 16, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

This acceptance of your label does not relieve you of any obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR part 158, subpart K, § 156.200(c)(3), you are prohibited from distributing or selling any product within the scope of the WPS requirements after April 21, 1994, without amended labeling accepted by the Agency.

Sincerely yours,

Robert J. Taylor
Product Manager 25
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure
RD:RTaylor:eja:7/30/93:3056800

BEST AVAILABLE COPY

EPA Reg. No. 241-306

FOR USE IN SOYBEANS

**SCEPTER 70DG PLUS PURSUIT® HERBICIDE
FOR SUPPRESSION OF VOLUNTEER CORN**

**FOR USE IN SCEPTER USE REGION 2 AND USE REGION 3
(EXCLUDING IOWA, MINNESOTA AND WISCONSIN)**

THIS LABEL EXPIRES DECEMBER 31, 1993

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE SCEPTER 70DG AND PURSUIT LABELS BEFORE USING. SEE THE PURSUIT LABEL FOR HERBICIDE APPLICATION INFORMATION AND WEEDS CONTROLLED. WHEN TANK MIXING, ALWAYS FOLLOW THE MORE RESTRICTIVE LABEL.

GENERAL INFORMATION

Apply SCEPTER 70DG at 0.53 ounces per acre in combination with PURSUIT at 4.0 fluid ounces per acre postemergence for suppression of volunteer corn. At this broadcast rate, one 14 ounce soluble bag of SCEPTER 70DG will treat 26.4 acres.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system.

THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

Follow all MIXING, SPRAYING and APPLICATION instructions in the PURSUIT leaflet label.

USE RATE AND APPLICATION INSTRUCTIONS

Apply SCEPTER 70DG at 0.53 ounces per acre in combination with PURSUIT at 4.0 fluid ounces per acre postemergence. At this broadcast rate, one 14 ounce soluble bag of SCEPTER 70DG will treat 26.4 acres. Apply before the corn is ten inches tall.

USE AREA

This tank-mix application of SCEPTER 70DG and PURSUIT may be used in Region 2 and Region 3 (excluding Iowa, Minnesota and Wisconsin) as described in the USE AREA section of the SCEPTER 70DG label.

Refer to the SCEPTER 70DG leaflet label for a listing of those states included in USE REGION 2 and the approved use area of USE REGION 3.

WEEDS SUPPRESSED - VOLUNTEER CORN

This tank-mixture will provide suppression of volunteer corn in soybeans in addition to those weeds controlled by a postemergence application of PURSUIT. Refer to the PURSUIT label for a listing of weeds controlled by a postemergence application of PURSUIT.

A postemergence application of SCEPTER 70DG will **NOT** suppress those field corn hybrids which possess tolerance or resistance to SCEPTER 70DG or other imidazolinone herbicides (i.e. PURSUIT).

ROTATIONAL CROP RESTRICTIONS

SCEPTER 70DG USE REGION 2: Follow all rotational crop restrictions on the PURSUIT and SCEPTER 70DG leaflet labels for that area designated as SCEPTER 70DG USE REGION 2 on the SCEPTER 70DG leaflet label. Always following the most restrictive label.

FOR THIS SUPPLEMENTAL LABEL ONLY: THE ENTIRE STATE OF ILLINOIS MAY FOLLOW THE ROTATIONAL CROP RESTRICTION GUIDELINES FOR SCEPTER USE REGION 2.

(See other side)

®Registered Trademark of American Cyanamid Company

BEST AVAILABLE COPY