

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 11-30-93

(A)		United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 207857
		Application for Pesticide:		

Section I

1. Company/Product Number 241-306	2. EPA Product Manager R. Taylor	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SCEPTER [®] 70DG herbicide	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) American Cyanamid Company Agricultural Research Center P.O. Box 400 Princeton, NJ 08543-0400 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section II

<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.
---	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of minor changes to label for use on Roundup Ready soybeans per PR Notice 95-2. This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No <small>If "Yes," Unit Package wgt. No. per container</small>	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No <small>If "Yes," Package wgt. No. per container</small>	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (_____) <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Janet M. Overholt	Title Product Registrations Manager	Telephone No. (Include Area Code) 609-716-2410
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Product Registrations Manager	6. Date Application Received (Stamped)
4. Typed Name Janet M. Overholt	5. Date 12/21/95	

EPA Reg. No. 241-306

FOR USE IN SOYBEANS

SCEPTER 70DG AND ROUNDUP¹ (OR GLYPHOSATE CONTAINING PRODUCTS) FOR WEED CONTROL IN SOYBEANS AND SCEPTER 70DG USE IN ROUNDUP READY¹ SOYBEANS

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE SCEPTER 70DG LEAFLET LABEL BEFORE USING. SEE THE SCEPTER 70DG LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of herbicide application. The use of SCEPTER 70DG herbicide not consistent with this labeling may result in injury to crops. Keep container closed to avoid spills and contamination. **DO NOT** apply this product through any type of irrigation system.

GENERAL INFORMATION

SCEPTER 70DG provides control of broadleaf and grass weeds when applied preplant, preemergence and postemergence. SCEPTER 70DG can be applied to either conventional or no-till soybeans. When applied as a burndown application, Roundup or glyphosate containing products may be tank-mixed with SCEPTER 70DG for control of weeds common to no-till production, such as marestail.

SCEPTER 70DG may also be applied to Roundup Ready soybeans.

Refer to the SCEPTER 70DG label and the Roundup or glyphosate containing products label for specific use recommendations, rates and weeds controlled.

No-till Soybeans (non-glyphosate resistant)

Apply SCEPTER 70DG plus Roundup or glyphosate containing products for weed control in no-till soybeans. Roundup or glyphosate containing products will enhance the control of weeds including marestail and prickly lettuce. Always include a nonionic surfactant in the spray solution. **DO NOT** apply Roundup or glyphosate containing products postemergence to non-glyphosate resistant soybeans.

Roundup Ready Soybeans (glyphosate resistant)

SCEPTER 70DG may be used for weed control in Roundup Ready soybeans. Apply SCEPTER 70DG either preplant soil applied, preplant as a burndown treatment, or for postemergence weed control. SCEPTER 70DG may be applied either prior to Roundup or glyphosate containing products, or following Roundup or glyphosate containing products for general weed control and residual activity on broadleaf and grass weeds. For sequential treatments, a sufficient time period should occur between treatments to allow an appropriate assessment of weed control needs.

SCEPTER 70DG may be tank-mixed with other herbicides (not Roundup or glyphosate containing products) on Roundup Ready soybeans when applied postemergence. Refer to the SCEPTER 70DG label for recommended herbicides. Refer to the other herbicide labels for weeds controlled and recommended application rates.

MIXING INSTRUCTIONS

Fill the spray tank one-fourth to one-half full with clean water. When tank-mixing SCEPTER 70DG with recommended herbicides, while agitating, add the required amount of SCEPTER 70DG (including the water soluble packaging) to the spray tank first and make sure it is thoroughly mixed before adding the other herbicide; then fill the remainder of the tank
(See other side)

Refer to the SCEPTER 70DG and Roundup or glyphosate containing product labels for recommended use rates.

SCEPTER 70DG HERBICIDE USE AREA

See SCEPTER 70DG leaflet label for use area and a description of Use Regions.

APPLICATION INSTRUCTIONS

SOIL APPLICATIONS

SCEPTER 70DG may be applied in conventional, minimum, or no-till soybeans as a preplant incorporated or preemergence application up to 45 days (30 days in Use Region 1) before planting. Preemergence applications may also be applied during or after planting but before the crop emerges.

Adequate moisture is required for activation of SCEPTER 70DG.

PREPLANT INCORPORATED APPLICATIONS

Apply SCEPTER 70DG before planting and incorporate uniformly into the top 1 to 2 inches of soil.

SCEPTER 70DG may be applied immediately before planting or up to 30 days prior to planting in Use Region 1. For Use Region 2 and Use Region 3, SCEPTER 70DG may be applied 45 days prior to planting. Incorporate within 7 days after application.

If soybeans are planted on beds, apply and incorporate after bed formation using PTO-driven equipment or rolling cultivator.

PREEMERGENCE APPLICATIONS (including no-till)

Apply SCEPTER 70DG up to 45 days (30 days in Use Region 1) before, during or after planting but before the crop emerges. As with other herbicides applied preemergence, rainfall or irrigation is necessary to activate SCEPTER 70DG in the soil. If sufficient rainfall or irrigation to activate SCEPTER 70DG is not received within 7 days after application, a thorough shallow tillage, cultivation, or postemergence treatment may be required for control of emerged weeds.

Refer to the SCEPTER 70DG label and Roundup or glyphosate containing product label for additional information regarding WEEDS CONTROLLED, MIXING AND SPRAYING INSTRUCTIONS, PRECAUTIONARY STATEMENTS AND WORKER PROTECTION INFORMATION. Refer to the Roundup or glyphosate containing product label for additional information regarding application rates, restrictions, weeds controlled and other information.

When tank-mixing herbicides, always follow the most restrictive label.

Use of SCEPTER 70DG herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

[®]Registered Trademark of American Cyanamid Company

[†]Trademark of Monsanto Agricultural Products Company.

PE-12298 Rev. 1 12/15/95 SD



American Cyanamid Company
Agricultural Products Division
Crop Protection Chemicals Department
Wayne, NJ 07470 ©1995