



000241-00306-012398

Printed: 09:49:07 Thursday, 24 Jun, 1999 # 44 / 3444


Systems Integration Group, Inc.

pm 25 241-306 1/23/98 Page 182

# SCEPTER®

## 70 DG herbicide

# Supplemental Labeling



EPA Reg. No. 241-306

### FOR USE IN SOYBEANS

### TANK MIXTURES OF SCEPTER 70 DG AND FIRSTRATE<sup>1</sup> IN PREPLANT

### OR PREEMERGENCE TREATMENTS, OR SEQUENTIAL APPLICATIONS OF SCEPTER 70 DG FOLLOWED BY FIRSTRATE, FOR WEED CONTROL IN SOYBEANS

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE SCEPTER 70 DG AND FIRSTRATE LABELING BEFORE USING. SEE THE SCEPTER 70 DG LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, WEEDS CONTROLLED, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The use of SCEPTER 70 DG herbicide not consistent with this labeling may result in injury to crops. **DO NOT** apply this product through any type of irrigation system.

This label must be in the possession of the user at the time of herbicide application.

#### GENERAL INFORMATION

SCEPTER 70 DG provides control of broadleaf and grass weeds when applied preplant or preemergence, and can be applied to either conventional or no-till soybeans. SCEPTER 70 DG may be used on both Roundup Ready<sup>2</sup> soybeans and non glyphosate-resistant soybeans. FirstRate may be tank-mixed with SCEPTER 70 DG when applied preplant, preplant incorporated, or preemergence, for enhanced control of common ragweed and giant ragweed. FirstRate may also be applied postemergence following a soil application of SCEPTER 70 DG. For sequential treatments, a sufficient time period should elapse between treatments to allow an appropriate assessment of weed control needs.

**When tank-mixing herbicides, always follow the most restrictive label.**

#### USE RATE

Apply SCEPTER 70 DG at the rate of 2.8 ounces per acre. See the FirstRate label for recommended rates.

(See other side)

## ROTATIONAL CROP INFORMATION

Refer to rotational crop restrictions in the SCEPTER 70 DG and FirstRate product labels.  
**Always follow the most restrictive label.**

Use of SCEPTER 70 DG herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.



®Registered Trademark of American Cyanamid Company

<sup>1</sup>Trademark of Dow AgroSciences

<sup>2</sup>Trademark of Monsanto Agricultural Products Company

PE-XXXXX 1/5/98

8005

