

10F4
Pmos
241-307

TRI-SCEPTTM herbicide

Supplemental Labeling

ACCEPTED
APR 18 1988
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
registered for the pesticide
TRI-SCEPTTM 241-307

EPA Reg. No. 241-307

FOR USE IN SOYBEANS

PLUS COMMAND¹ 4 EC PREPLANT INCORPORATED TANK MIXTURE

OBSERVE ALL PRECAUTIONS AND LIMITATIONS
ON THE TRI-SCEPT LABEL

OBSERVE ALL PRECAUTIONS AND LIMITATIONS
ON THE COMMAND 4 EC LABEL

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

The TRI-SCEPT plus Command 4 EC tank mixture may be used when heavy infestations of velvetleaf are anticipated. Uniformly apply the tank mixture with properly calibrated ground equipment in 10 to 40 gallons of water per acre. Use sprayers equipped with nozzles that provide accurate and uniform application. NOTE: The use of an agriculturally approved drift reducing agent is required at finished spray volumes of 10 to 15 gallons per acre.

Apply TRI-SCEPT plus Command 4 EC to the soil surface and uniformly incorporate to a depth of 2 inches. Incorporate within 3 hours of application. DO NOT apply aerially or through irrigation equipment. DO NOT apply this tank mixture to overly moist or wet soils.

TM Trademark of American Cyanamid Company
¹ Command is a trademark of FMC Corporation.

SPECIAL PRECAUTION

Command 4 EC is a volatile compound. Off-site movement of spray drift or vapors of Command 4 EC can cause foliar whitening or yellowing of some plants. Prior to using Command 4 EC, read and strictly follow all precautions and application instructions on the Command 4 EC label.

WEED SPECIES CONTROLLED

The TRI-SCEPT plus Command 4 EC tank mixture controls heavy infestations of velvetleaf as well as all of the weeds listed on the TRI-SCEPT leaflet label.

BROADCAST RATES PER ACRE OF TRI-SCEPT PLUS COMMAND 4 EC

TRI-SCEPT (pints/acre)	Command 4 EC (pints/acre)
2 1/3	1/4 to 1/2


²Classic, Canopy, Gemini, Preview, and Lorox Plus are trademarks of E. I. du Pont de Nemours and Company.



11 03
1-3-77
124

TRI-SCEPTTM herbicide

Supplemental Labeling



EPA Reg. No. 241-307

FOR USE IN SOYBEANS

TRI-SCEPTTM PLUS COMMAND¹ 4 EC PREPLANT INCORPORATED TANK MIXTURE

OBSERVE ALL PRECAUTIONS AND LIMITATIONS
ON THE TRI-SCEPT LABEL

OBSERVE ALL PRECAUTIONS AND LIMITATIONS
ON THE COMMAND 4 EC LABEL

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

The TRI-SCEPT plus Command 4 EC tank mixture may be used when heavy infestations of velvetleaf are anticipated. Uniformly apply the tank mixture with properly calibrated ground equipment in 10 to 40 gallons of water per acre. Use sprayers equipped with nozzles that provide accurate and uniform application. NOTE: The use of an agriculturally approved drift reducing agent is required at finished spray volumes of 10 to 15 gallons per acre.

Apply TRI-SCEPT plus Command 4 EC to the soil surface and uniformly incorporate to a depth of 2 inches. Incorporate within 3 hours of application. DO NOT apply aerially or through irrigation equipment. DO NOT apply this tank mixture to overly moist or wet soils.

TM Trademark of American Cyanamid Company

¹ Command is a trademark of FMC Corporation.

SPECIAL PRECAUTION

Command 4 EC is a volatile compound. Off-site movement of spray drift or vapors of Command 4 EC can cause foliar whitening or yellowing of some plants. Prior to using Command 4 EC, read and strictly follow all precautions and application instructions on the Command 4 EC label.

WEED SPECIES CONTROLLED

The TRI-SCEPT plus Command 4 EC tank mixture controls heavy infestations of velvetleaf as well as all of the weeds listed on the TRI-SCEPT leaflet label.

BROADCAST RATES PER ACRE OF TRI-SCEPT PLUS COMMAND 4 EC

TRI-SCEPT (pints/acre)	Command 4 EC (pints/acre)
2 1/3	1/4 to 1/2

11-20

211-337

124

²Classic, Canopy, Gemini, Preview, and Lorox Plus are trademarks of E. I. du Pont de Nemours and Company.

