

EPA Reg. No. 241-310

FOR USE IN LIMA BEANS ONLY

**FOR DISTRIBUTION AND USE ONLY ON THE DELMARVA PENINSULA OF
MARYLAND, DELAWARE, AND VIRGINIA**

READ LABEL CAREFULLY

THIS LABEL EXPIRES DECEMBER 31, 1993

**OBSERVE ALL PRECAUTIONARY STATEMENTS AND SPRAYING AND APPLICATION INFORMATION IN
THE PURSUIT LEAFLET LABEL BEFORE USING. APPLY WITH GROUND EQUIPMENT ONLY.**

GENERAL INFORMATION

PURSUIT application methods and use rates vary for different types of edible legume vegetables. Additionally, geographical restrictions apply. Apply PURSUIT only to the legume vegetables specifically listed in this label. **DO NOT** apply PURSUIT in geographical regions outside those specifically defined in this label for each type of legume vegetable.

Reduced crop growth, quality, yield and/or delayed maturity may result from a PURSUIT application to edible legume vegetables. Since crop maturity may be delayed, timing of harvest may need to be adjusted accordingly. **DO NOT** apply PURSUIT if planting is delayed and chance of frost prior to maturity is likely.

DO NOT apply PURSUIT if cold and/or wet conditions are present or predicted to occur within one week of application.

DO NOT apply PURSUIT postemergence after crop has begun to flower or crop injury may result.

USE PURSUIT ONLY if proper agronomic practices have been utilized, including good soil fertility, proper crop rotation, disease and insect management and tillage practices that eliminate compaction and harpans.

Use of PURSUIT herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

DISCLAIMER

THE USER ASSUMES ALL RISKS AND CONSEQUENCES ASSOCIATED WITH APPLICATIONS OF PURSUIT TO EDIBLE LEGUME VEGETABLE CROPS.

REFER TO THE PURSUIT LEAFLET LABEL FOR ADDITIONAL DISCLAIMER STATEMENTS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This label must be in the possession of the user at the time of herbicide application.

DO NOT apply PURSUIT in any manner not specifically described in this label.


Sensitive crops such as sugar beets, canola, and leafy vegetables may be injured by spray drift or other indirect contact with PURSUIT.

Spray equipment used for PURSUIT application must be drained and thoroughly cleaned with water before being used to apply other products.

Use only nonionic surfactants as a spray additive for postemergence applications. **DO NOT** use crop oils, petroleum oils, liquid fertilizers or Dash[®].

[®]Dash is a trademark of BASF Corporation
[®]Registered Trademark of American Cyanamid Company

(see reverse side)



more restrictive label restrictions and precautions. No label dosages should be exceeded. PURSUIT cannot be mixed with any product containing a label prohibiting such mixtures.

DO NOT apply PURSUIT after June 30.

Allow at least 30 days between application and harvest.

Preplant Incorporated Applications. Apply PURSUIT at the broadcast rate of 2 ounces per acre to sand and loamy sand soils, or 3 ounces per acre to all other soils within 1 week before planting. Applied preplant incorporated, PURSUIT may be tank-mixed with a registered grass herbicide.

Preemergence Applications. Apply PURSUIT at the broadcast rate of 2 ounces per acre to sand and loamy sand soils, or 3 ounces per acre to all other soils immediately after, or up to 1 day after planting. PURSUIT may be applied in a tank-mix with a registered grass herbicide or applied preemergence following a preplant incorporated application of a registered grass herbicide.

WEEDS CONTROLLED

PURSUIT applied to low organic matter soils at the broadcast rate of 2 ounces per acre preplant incorporated or preemergence will control light to moderate infestations of:

Nightshade, black
Nightshade, Eastern black
Pigweed, redroot

PURSUIT applied at the broadcast rate of 3 ounces per acre preplant incorporated or preemergence will control:

Mustard, wild
Nightshade, black
Nightshade, Eastern black
Nightshade, hairy
Pigweed, redroot

Lima beans

2. Two months after PURSUIT application:
Snap beans
3. Four months after PURSUIT application:
Barley
Other types of edible beans and peas
Rye
Wheat
4. Nine and one-half months after PURSUIT application:
Field corn
Field corn grown for seed*
Tobacco
5. Eighteen months after PURSUIT application:
Alfalfa
Cotton
Lettuce
Oats
Popcorn
Safflower
Sorghum
Sweet Corn
6. Twenty-six months after PURSUIT application:
All crops not listed elsewhere in this ROTATIONAL CROP GUIDELINE.
7. Forty months after PURSUIT application:
Sugar beets

* Several seed companies have tested a wide range of inbreds for sensitivity to PURSUIT soil residues and have reported good crop safety. However, due to the proprietary nature of seed production, American Cyanamid has not been given access to the inbred data. Growers are directed to contact the seed company for information and recommendations regarding the planting of corn grown for seed in fields treated with PURSUIT the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of American Cyanamid Company, all risks and consequences associated with planting seed corn inbreds into fields treated previously with PURSUIT shall be assumed by the user.

In the event of a crop loss, the bean or pea crop may be replanted.

DO NOT feed treated forage, hay, or straw to livestock.

CONSULT THE PURSUIT LEAFLET LABEL FOR OTHER PRECAUTIONS.

3076

PURSUIT® HERBICIDE SUPPLEMENTAL LABELING

EPA Reg. No. 241-310

**FOR DISTRIBUTION AND USE ONLY IN THE STATES OF
IOWA, ILLINOIS, INDIANA AND OHIO**

**PLANTING OF POPCORN
FOLLOWING APPLICATIONS OF PURSUIT HERBICIDE**

This Label Expires December 31, 1993

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR MIXING AND APPLICATION INFORMATION, AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

GENERAL INFORMATION/CAUTION

Some popcorn varieties may be injured when planted at less than 18 months following an application of PURSUIT herbicide. Several popcorn companies have determined their popcorn varieties can be planted with no injury or minimal injury the year following PURSUIT use. Before planting popcorn contact the popcorn company for information and recommendations regarding the tolerance of popcorn varieties planned for fields treated with PURSUIT the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of American Cyanamid Company, ALL RISKS AND CONSEQUENCES ASSOCIATED WITH PLANTING POPCORN VARIETIES INTO FIELD TREATED PREVIOUSLY WITH PURSUIT SHALL BE ASSUMED BY THE USER.

Stunting and maturity delay, or other adverse effects may result when popcorn is planted following PURSUIT use.

This label must be in the possession of the user at the time of herbicide application.



®Registered Trademark of American Cyanamid Company

4076

CROP DAMAGE DISCLAIMER

I have read the above and understand that American Cyanamid does not advocate nor recommend planting popcorn at less than 18 months following an application of PURSUIT. PURSUIT herbicide may cause stunting and delayed maturity to popcorn.

I hereby agree to defend, indemnify and hold Cyanamid, its employees, officers, agents, and dealers, harmless against any and all claims, causes of action, fines, penalties, damages including consequential damages, losses, liabilities, judgements and expenses arising out of, or relating to any crop loss resulting from planting popcorn following an application of PURSUIT.

I have read the above, understand its meaning, content and purpose, and agree to the conditions in it.

This document is not valid until signed below.

Date _____

Grower Name _____

Address _____

Location of Use _____
(County and State)

Number of Acres _____

Authorized Representative
Grower and/or User

Authorized Representative
(Processor Company Name)

PE- 11/92

American Cyanamid Company
Agricultural Division
Crop Protection Chemicals Department
Wayne, NJ 07470 ©1992



50761

PURSUIT® HERBICIDE SUPPLEMENTAL LABELING

EPA Reg. No. 241-310

**FOR DISTRIBUTION AND USE ONLY IN THE STATES OF
MINNESOTA (SOUTH OF HIGHWAY 210), ILLINOIS AND WISCONSIN**

**PLANTING OF PROCESSING SWEET CORN
FOLLOWING APPLICATIONS OF PURSUIT HERBICIDE**

This Label Expires December 31, 1993

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR MIXING AND APPLICATION INFORMATION, AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.


GENERAL INFORMATION/CAUTION

Some sweet corn varieties may be injured when planted at less than 18 months following an application of PURSUIT herbicide. Several sweet corn processors have determined their processing varieties can be planted with no injury to minimal injury the year following PURSUIT use. Before planting sweet corn for processing contact the processor company for information and recommendations regarding the tolerance of sweet corn varieties planned for fields treated with PURSUIT the previous year. DO NOT plant fresh market sweet corn varieties prior to 18 months after PURSUIT use. Since growing conditions, environmental conditions and grower practices are beyond the control of American Cyanamid Company, ALL RISKS AND CONSEQUENCES ASSOCIATED WITH PLANTING SWEET CORN VARIETIES INTO FIELD TREATED PREVIOUSLY WITH PURSUIT SHALL BE ASSUMED BY THE USFR.

Stunting and maturity delay, or other adverse effects may result when sweet corn is planted following PURSUIT use.

This label must be in the possession of the user at the time of herbicide application.

®Registered Trademark of American Cyanamid Company



6076

CROP DAMAGE DISCLAIMER

I have read the above and understand that American Cyanamid does not advocate nor recommend planting sweet corn at less than 18 months following an application of PURSUIT. PURSUIT herbicide may cause stunting and delayed maturity to sweet corn.

I hereby agree to defend, indemnify and hold Cyanamid, its employees, officers, agents, and dealers, harmless against any and all claims, causes of action, fines, penalties, damages including consequential damages, losses, liabilities, judgements and expenses arising out of, or relating to any crop loss resulting from planting sweet corn following an application of PURSUIT.

I have read the above, understand its meaning, content and purpose, and agree to the conditions in it.

This document is not valid until signed below.

Date _____

Grower Name _____

Address _____

Location of Use _____
(County, State)

Number of Acres _____

Authorized Representative
Grower and/or User

Authorized Representative
(Processor Company Name)

PE- 11/92

American Cyanamid Company
Agricultural Division
Crop Protection Chemicals Department
Wayne, NJ 07470 ©1992

