


PURSUIT® HERBICIDE SUPPLEMENTAL LABELING

EPA Reg. No. 241-310

FOR USE IN SOYBEANS



**TANK-MIXTURE OF PURSUIT® + SELECT¹ HERBICIDES
FOR POSTEMERGENCE CONTROL OF VOLUNTEER CORN IN SOYBEANS**

THIS LABEL EXPIRES DECEMBER 31, 1994

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR MIXING AND APPLICATION INFORMATION, WEEDS CONTROLLED AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

APPLICATION RATES

When tank-mixing SELECT with PURSUIT, use the following rates:

PURSUIT - 4 ounces per acre

SELECT - 4 ounces per acre

Add to the spray mixture:

SUN-IT II or other crop oil concentrate - 1.5 - 2 pints per acre.

AND

Liquid nitrogen based fertilizer (such as 28%N, 32%N, or 10-34-0) at the rate of 1-2 quarts per acre.

WEEDS CONTROLLED

This tank mixture will control volunteer corn (apply when volunteer corn is 4 - 12 inches tall). Refer to the PURSUIT label for additional weeds controlled.

RESTRICTIONS

Refer to both labels for information on methods of application, additional restrictions, precautions and rotational crop guidelines. Follow the more restrictive label.

This label must be in the possession of the user at the time of herbicide application.


BEST AVAILABLE COPY

PE- 1/94

American Cyanamid Company
Agricultural Division
Crop Protection Chemicals Department
Wayne, NJ 07470 ©1994

384

PURSUIT® HERBICIDE SUPPLEMENTAL LABELING



EPA Reg. No. 241-310

FOR DISTRIBUTION AND USE ONLY IN THE STATES OF
MINNESOTA (SOUTH OF HIGHWAY 210), ILLINOIS, WISCONSIN AND IOWA

**PLANTING OF PROCESSING SWEET CORN
FOLLOWING APPLICATIONS OF PURSUIT HERBICIDE**

This Label Expires December 31, 1994

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR MIXING AND APPLICATION INFORMATION, AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

GENERAL INFORMATION/CAUTION

Some sweet corn varieties may be injured when planted at less than 18 months following an application of PURSUIT herbicide. Several sweet corn processors have determined their processing varieties can be planted with no injury to minimal injury the year following PURSUIT use. Before planting sweet corn for processing contact the processor company for information and recommendations regarding the tolerance of sweet corn varieties planned for fields treated with PURSUIT the previous year. DO NOT plant fresh market sweet corn varieties prior to 18 months after PURSUIT use. Since growing conditions, environmental conditions and grower practices are beyond the control of American Cyanamid Company, **ALL RISKS AND CONSEQUENCES ASSOCIATED WITH PLANTING SWEET CORN VARIETIES INTO FIELD TREATED PREVIOUSLY WITH PURSUIT SHALL BE ASSUMED BY THE USER.**

Stunting and maturity delay, or other adverse effects may result when sweet corn is planted following PURSUIT use.

This label must be in the possession of the user at the time of herbicide application.

®Registered Trademark of American Cyanamid Company

BEST AVAILABLE COPY

CROP DAMAGE DISCLAIMER

American Cyanamid does not advocate nor recommend planting sweet corn at less than 18 months following an application of PURSUIT. PURSUIT herbicide may cause stunting and delayed maturity to sweet corn.

BEST AVAILABLE COPY

PE-17180 Rev.1 1/94

American Cyanamid Company
Agricultural Division
Crop Protection Chemicals Department
Wayne, NJ 07470 ©1994